

NUMERICAL INDEX — DIVISION 167
POWER PLANTS, POWER UNITS, AND POWER SUPPLY

1. GENERAL

- 1.01 This index provides a listing of practices in Division 167.
- 1.02 This index reverted to Issue 1 in June 1985. Prior to that date there had been 99 issues of the index.
- 1.03 A bullet (●) indicates an item that has been added or changed since the previous issue of the index.
- 1.04 A square (□) indicates a cancelled item. Information relating to the cancellation, if necessary, will be shown in a note following the item. Cancelled items and related notes will be deleted upon reissue of the index.
- 1.05 A heart (♥) indicates a new or reissued item which, because of its limited need, will not be distributed on standing order except through coded distribution. Additional copies may be obtained by placing regular (one-time) orders.
- 1.06 A solid triangle (▲) indicates a Task Oriented Practice (TOP). These practices, because of their limited need, will not be distributed on standing order except through coded distribution. Additional copies may be obtained by placing regular (one-time) orders.
- 1.07 A spade (♠) indicates an item not on microfiche. This index indicates the latest issue for hard-copy practices. In some cases, the microfiche will reflect the next higher issue as a result of the reduced distribution interval.
- 1.08 "Add" is the abbreviation for Addendum.

2. LAYERS

- 2.01 This division is arranged in layers as follows:

- 167-0 Indexes and Equipment Test Lists
- 2 Power Plants — Located on Customer or Telephone Company Premises
- 4 Power Plants and Power Units — Located on Customer Premises
- 6 Power Plants and Power Supply — Located on Telephone Company Premises
- 7 (See 169-000-000)

3. INDEX

Section Number	Issue	Subject
167-0 INDEXES AND EQUIPMENT TEST LISTS		
♠ 167 000-000	2	Numerical Index — Division 167 — Power Plants, Power Units, and Power Supply
167-001 Equipment Test Lists (ETL)		
167-001-011	9	Ringin and Tone Power Plants — Power Systems
167-001-012	9	Power Plants — Power Systems
167-001-013	16	Power Supplies — Power Systems
167-2 POWER PLANTS — LOCATED ON CUSTOMER OR TELEPHONE COMPANY PREMISES		
Coded DC Power Plants		
167-208-301	1	102G (J86802) — Operating Methods
167-210-301	7	105D (J86446) — 48 Volts, 40 Amperes — Operating Methods

Section Number	Issue	Subject
167-210-302	5	105E (J86814) — Operating Methods
167-215-301	10	110A (J86572) and 110B (J86455) — Operating Methods
167-217-100	1	111A (J86470) — Description
▲ ♠ 167-217-102	1	111A Power Plant
Add 167-217-301	1	
167-217-301	11	111A (J86470) — Operating Methods

Ringin Power Plants

167-255-301	7	806D (J86596) — Operating Methods
-------------	---	-----------------------------------

Pole Mounted Power Supply — P1 Carrier

167-275-301	2	J86463A — Operating Methods
167-275-302	1	J86463B — Operating Methods
167-275-303	1	J98707M — Operating Methods

Converter Power Plants

167-276-301	2	671A (J86880) — Operating Methods
Add 167-277-301	1	
♥ 167-277-301	1	680A — J86891A and J86891B — Operating Methods

Battery Supply — 1A Line Concentrator

167-285-301	3	KS-15917, List 3 Battery Supply — Operating Methods
-------------	---	---

167-4 POWER PLANTS AND POWER UNITS — LOCATED ON CUSTOMER PREMISES

General

167-400-180	4	Selection for Use With Customer Equipment Key Systems and Small PBX
167-400-200	5	General Installation Requirements
167-400-210	3	Power-Cord Plug-Retainer Assemblies — Power-Cord Plug Adapters for Use With Power Plants and Equipment Located on Customer Premises — Identification and Installation

101 Type Power Plants

167-410-200	1	101A (J59010C) — Identification, Installation, and Connections
Add 167-410-201	1	
167-410-201	3	101A (J59010F) — Identification, Installation, and Connections
167-410-301	1	101A (J59010) — Arranged for Cable Pair Charging or Rectifier Charging Without Charge Control Relay — Trial Charge Rates — 550, 551, 555, and 557 PBX

Section Number	Issue	Subject
167-414-201	1	101E (J86566A) — Identification, Installation, and Connections
167-414-202	1	101E (J86566B) — Identification, Installation, and Connections
167-415-201	1	101F (J86567) — Installation
167-416-201	7	101-G (J86731) — Identification, Installation, and Connections
167-417-201	1	101H (J86736) — Identification, Installation, and Connections
167-419-201	3	101J (J86471A) — Identification, Installation, and Connections
167-419-202	4	101J (J86471B) — Identification, Installation, and Connections
167-420-201	1	101K (J86897A) — Identification, Installation, and Connections

Power Units — KS Specifications

167-430-102	1	KS-19352 L2 — General Description
167-430-103	1	KS-19352 L3 — General Description
167-430-104	1	KS-19352 L4 — General Description
167-430-301	1	KS-19352 L1 and L5 — Operating Methods
167-430-302	1	KS-19352 L2 — Operating Methods
167-430-303	1	KS-19352 L3 — Operating Methods
167-430-304	1	KS-19352 L4 — Operating Methods
167-431-301	2	KS-20119 L1, L2, L3, and L4 — Operating Methods
167-432-301	1	KS-21011 — Operating Methods
167-432-302	1	KS-21012 — Operating Methods
167-432-303	2	KS-21120 — Operating Methods
167-432-304	2	KS-21121 — Operating Methods
167-432-305	1	KS-20849 — Operating Methods
167-432-306	1	KS-20850 — Operating Methods

Power Units — Coded

167-440-201	6	19- and 20-Type — Identification, Installation, Connections, and Maintenance
167-440-203	2	112A — Identification, Installation, and Connection
167-441-101	2	207A Power Unit — Identification, Installation, and Connection
167-441-102	1	215C1 Power Unit — Identification, Installation, and Connection
167-441-103	1	224-Type Power Unit — Identification, Installation, and Connections

Section Number	Issue	Subject
167-441-121	1	291A Power Unit — Identification, Installation, and Connection
167-441-122	1	293A Power Unit — Identification, Installation, and Connection
167-445-101	4	28-Type — Identification, Installation, and Connections
167-446-101	5	29- and 30-Type — Identification, Installation, and Connections
167-447-101	1	34B1 and 34C1 — Identification, Installation, and Connections
167-448-101	1	32A1 and 32B1 — Identification, Installation, and Connections
167-449-101	2	47C — Identification, Installation, and Connections
167-450-201	1	10V DC — With Battery Reserve — The Warren Manufacturing Company — Model X10TFR3SUY(115) — Identification, Installation, and Connections
Add 167-451-101	1	
167-451-101	2	51-Type — Identification, Installation, and Connections
167-452-101	1	33A — Identification, Installation, and Connections
167-454-101	3	67-Type — Identification, Installation, and Connections
167-455-101	1	63-Type — Identification, Installation, and Connections
167-456-101	1	103B — Identification, Installation, and Connection
167-457-101	1	104B — Identification, Installation, and Connections
167-458-101	4	71A — Identification, Installation, and Connections
167-458-102	2	79B-Type — Identification, Installation, and Connections
167-458-103	2	90B1 and 90BR1 Identification, Installation, and Connections
167-458-105	2	83A1 and 83B1 — Identification, Connections, and Maintenance
167-459-301	2	92A-Type — —19 Volts, 2 Amperes — Operating Methods

Ringin Power Plants

167-460-301	5	806G (J86472) — Operating Methods
167-461-301	1	J29361A-1 — No. 3 and No. 5A Crossbar — Operating Methods

Section Number	Issue	Subject	Section Number	Issue	Subject
PBX Power Plants and Power Supplies			167-607-403	2	131B (J85522) Battery Power Plant — -48 Volts 70 Amperes — Operating Methods
Add 167-480-301	1		▲ ♦ 167-607-405	2	131C/D/F Power Plants
167-480-301	5	J86464 — Operating Methods	167-607-406	1	131C (J85525) Battery Power Plant — -48 Volts, 70 Amperes — Description
167-481-301	1	J29361B-1 — -48 Volts, 300 Amperes — No. 3 and No. 5A Crossbar — Operating Methods	167-607-407	1	131C (J85525) Power Plant — -48 Volts, 70 Amperes — Installation
167-482-301	1	J29361D-1 — No. 3 and No. 5A Crossbar — + and -130 Volts DC, 2 Amperes Per Polarity — Operating Methods	167-607-408	1	131D (J85525) Battery Power Plant — -48 Volts, 70 Amperes — Description
167-485-201	1	J86495A — Identification, Installation, and Connections	167-607-410	1	131D (J85525C-1) Power Plant — -48 Volts, 70 Amperes — Installation
167-485-202	4	J86495B and D — With Battery Reserve — Identification, Installation, and Connections	167-607-411	1	131F (J85525) Battery Power Plant — -48 Volts 50 Amperes — Description
167-486-301	3	J86808 — Operating Methods	167-607-501	2	132A (J86868A) Battery Power Plant — + or -24 Volts, 140 Amperes — Operating Methods
167-487-301	5	J86810 — Operating Methods	167-607-503	2	132B (J86918A) Battery Power Plant — + or -24 Volts, 140 Amperes — Operating Methods
167-488-301	2	J86818 — Operating Methods	167-607-601	2	133A (J86869A) Battery Power Plant — -48 Volts, 140 Amperes — Operating Methods
167-488-306	1	J86828 — Operating Methods	167-607-603	2	133B (J86919A) Battery Power Plant — -48 Volts, 140 Amperes — Operating Methods
167-489-301	3	J86831A — Operating Methods	167-609-302	3	150B (J86871) Battery Power Plant — + or -24 Volts 800 Amperes — Operating Methods
Add 167-490-301	1		167-609-303	1	1150A (J85523) Battery Power Plant — + 24 Volts 800 Amperes — Description
167-490-301	2	J86830A and G — Operating Methods	167-609-310	1	LINEAGE* 2000 MCS-6 Battery Power Plant — 24 or 48 Volts 800 Amperes — Description
Add 167-492-301	1		167-609-400	1	151A (J86872) Power Plant — Description and Theory
167-492-301	3	J87276A — Operating Methods	167-609-402	3	151B (J86873) Battery Power Plant — -48 Volts 800 Amperes — Operating Methods
Add 167-493-301	1		167-609-404	1	151C (J86917) Battery Power Plant — -48 Volts, 600 Amperes — Operating Methods
167-493-301	2	J86857A and B — Operating Methods	167-609-501	2	152A (J86908) Battery Power Plant — + or -24 Volts 1200 Amperes — Operating Methods
167-494-301	2	J86812 — Operating Methods	167-609-601	2	153A (J86909) Battery Power Plant — -48 Volts 1200 Amperes — Operating Methods
167-495-301	3	J86635 — Operating Methods	Add 167-609-701	1	
167-495-302	1	J86635D Power Supply — Operating Methods	167-609-701	1	154A (J86910) Battery Power Plant — + or -24 Volts, 2400 Amperes — Operating Methods
167-496-301	2	J87292A — Power Supply — Operating Methods	167-609-801	2	155A (J86911) Battery Power Plant — -48 Volts, 2400 Amperes — Operating Methods
167-497-301	1	J86878A — Operating Methods			
167-6) POWER PLANTS AND POWER SUPPLY — LOCATED ON TELEPHONE COMPANY PREMISES					
167-7)					
DC Power Plants — 100-Type					
167-604-301	2	102-D — No. 12 Offices — Operating Methods			
167-606-301	3	103B (J86423) — Message Register and Tripping — Battery Supply — Operating Methods			
167-607-301	2	130A (J86866A) Battery Power Plant — + or -24 Volts, 70 Amperes — Operating Methods			
167-607-401	2	131A (J86867A) Battery Power Plant — -48 Volts 70 Amperes — Operating Methods			

AT&T 167-000-000

Section Number	Issue	Subject
DC Power Plants — 300-Type		
167-620-301	8	301C Battery — Arranged for Automatic Start Control — Operating Methods
167-620-306	6	301C (J86573) — 24/48 Volts, 10,000 Amperes — Arranged for Manual Start Control
167-621-101	4	302A (J86434) — -24/48 Volts, 10,000 Amperes — Operating Methods
167-621-301	11	302A (J86434) Power Plant — -24/48 Volts, 10,000 Amperes — Operating Methods
167-622-301	4	302B (J86636) Power Plant — 24 and 48 Volts, 10,000 Amperes — Operating Methods
167-623-301	8	303A (J86327) — Operating Methods
167-624-100	1	326-Type — Description
167-624-101	1	326-Type Power Plants — Theory
▲ ♠ 167-624-102	1	326 Power Plant Equipped With +24 Volt Rectifiers
▲ ♠ 167-624-103	1	326 Power Plant Equipped With -48 Volt Rectifiers
167-624-301	4	326A (J86874) and 326B (J86896) — Operating Methods

DC Power Plants — 400-Type

167-639-301	1	403A (J86577) — 130 Volts, 0.6 Ampere — Operating Methods
167-639-306	1	403B (J86592) — 130 Volts, 100 Milliamperes — Operating Methods
167-640-311	2	J86436A Plate Supply — 130 Volts, 180 Milliamperes — Operating Methods
167-641-316	3	J86440B — 24 Volts, 1.5 Amperes — Operating Methods
167-642-301	2	405A (J86585) — Positive and Negative 130 Volts — Operating Methods
167-643-301	7	410A — Operating Methods
167-643-302	6	410B (J86465) — Operating Methods
167-644-301	4	413A (J86826) — Operating Methods
167-645-301	11	420A (J86578) — Type J and K Carrier Stations Having AC Power Available — Operating Methods
Add 167-645-306	1	
167-645-306	4	420B — Types "J" and "K" Carrier Auxiliary Systems Having No AC Power Available — Operating Methods
Add 167-645-311	1	
167-645-311	1	420A and 420B — "J" and "K" Carrier Auxiliary Stations — Miscellaneous Building Equipment — Operating Methods

Section Number	Issue	Subject
167-646-301	6	425A — 130 Volts, 20 Amperes — Operating Methods
167-646-306	5	425A (J86435) — 250 Volts, 20 Amperes — Operating Methods
167-646-308	8	425A (J86837A and J86837B) — 250 Volts, 20 Amperes — Operating Methods
167-646-311	12	425A (J86439) 12 Volts, 800 Amperes — Operating Methods
167-646-312	5	425A (J86832) — 12 Volts, 1600 Amperes — Operating Methods
167-646-316	1	425B (J86449) — 130 Volts, 5 Ampere Plate Supply — Operating Methods
167-646-321	4	425B — 12-, 130-, 250-Volt Supplies — Operating Methods
▲ ♠ 167-647-102	1	415A Power Plant
167-647-301	2	415A (J86875) Power Plant — Operating Methods
167-648-301	3	426A (J86442) Battery Power Plant — + or -130 Volt, 0.5 to 40 Amperes — Operating Methods
167-649-301	2	411A (J86862) and 411B (J86863) — Operating Methods
167-649-302	3	412A (J86864) and 412B (J86865) — 130 Volts, 120 Amperes — Operating Methods
167-649-303	2	414B (J86892) — Operating Methods

AC Power Plants — 500-Type

167-670-100	2	504B (J86617) Power Plant—Description
167-670-101	1	504B (J86617) — Theory
167-670-301	1	504A (J86611) — Operating Methods
167-670-306	9	504B (J86617) — Operating Methods
167-671-311	2	505C (J86426) — Auxiliary Charging Equipment — Operating Methods
167-671-316	2	505C (J86426) — Using Motor-Alternators Continuously — Operating Methods
167-671-321	3	505C (J86426) — Using Motor-Alternator for Stand-By Supply — Operating Methods
167-671-326	8	505D — For L3 Carrier System — Operating Methods
Add 167-672-301	1	
167-672-301	5	508A — Continuous 230-Volt — Operating Methods
167-673-301	3	520A (J86840) — Operating Methods
167-675-301	4	521A — Operating Methods
167-676-301	4	Combination 505D/521A Power Plant — Operating Methods

Section Number	Issue	Subject	Section Number	Issue	Subject
167-678-100	2	523A (J86641) Power Plant — 1.5 KW AC — Description	167-690-101	1	625B (J86903) Power Plant — Theory
▲ ♠ 167-678-102	1	523A/524A Power Plant	▲ ♠ 167-690-102	2	625B Power Plant
167-678-301	4	523A (J86641) — Operating Methods	167-691-100	1	630A Power Plant — Description
167-679-100	2	524A (J86642) Power Plant — 5.0 KW AC — Description	167-691-101	1	630A (J86900) Power Plant — Theory
167-679-301	4	524A (J86642) — 5KW AC Operating Methods	▲ ♠ 167-691-102	1	630A Power Plant
167-680-301	1	526A — Operating Methods	167-691-301	1	630A — Using DC-to-DC Converters — 24 Volts, 300 Amperes and 48 Volts, 150 Amperes Output — 140 Volts Input — Operating Methods
DC Power Plants — 600-Type			167-692-301	2	661A (J86895A) — Operating Methods
167-684-100	1	610B (J86801) DC-to-DC Converter — Description	167-693-100	1	680A Converter — (J86891A), (J86891B) — 30 to 1150 Volt, 910 Milliamperes DC Output — Description
▲ ♠ 167-684-102	2	610B Power Plant	▲ ♠ 167-693-102	2	680A Power Plant
167-684-301	5	610A — Operating Methods	167-694-100	1	680B Converter Power Plant — (J86899A), (J86899B) — 30 to 1130 Volts Output — 910 or 835 Milliamperes Output — Description
167-684-302	6	610B — Operating Methods	▲ ♠ 167-694-102	2	680B Power Plant
167-684-303	1	610C (J86803) — Operating Methods	167-695-301	1	681A — Operating Methods
167-684-304	5	610D (J86807) — Operating Methods	167-696-301	2	662A (J86905A) — Converter Power Plant—Operating Methods
167-684-305	1	610F (J86901A, 11) — Operating Methods	167-697-301	1	663A (J86912A) — Operating Methods
167-685-301	6	651A (J86809) — 130 Volts Output — Operating Methods	167-697-302	1	663B (J86913A) — Operating Methods
167-686-100	1	660-Type Converter Power Plant — + or — 130 Volts, 15 Amperes — Description	167-697-303	3	663C (J86914A) — Converter Power Plant — Operating Methods
167-686-101	1	660-Type Power Plants — Theory	167-697-306	1	664A (J86920) — Converter Power Plant — 24 Volts, 40 Amperes
▲ ♠ 167-686-102	2	660-Power Plant	DC Power Plants — 700-Type		
167-686-301	4	660-Type — J86882A, J86883A, J86884A — 130-Volt DC Output Operating Methods	167-705-301	6	702C (J96475) — Arranged for Automatic Start Control — Operating Methods
167-687-301	2	670A (J86879A) — Operating Methods	167-705-306	4	702C (J86475) — Manual Start Control of Generator Equipment — Operating Methods
167-688-301	1	672A (J87811A) — Operating Methods	167-706-306	1	704B (J86583) — 34 and 48 Volt, Positive and Negative — 2.5 and 8 Amperes — Operating Methods
167-689-100	1	620A Power Plant — Description	167-706-311	5	704C (J86590) — 48 Volts — Operating Methods
167-689-101	1	620A Power Plant — Theory	167-708-301	3	708A — Operating Methods
▲ ♠ 167-689-102	2	620A Power Plant	AC and DC TRIPORTS		
167-689-103	1	620C (J86925) and 625C (J86926) Power Plant — Description	167-712-100	2	J85517A — TRIPORT Uninterruptible Power Supply — 208 Volts, 5.6 KVA, Single Phase — Operating Methods
▲ ♠ 167-689-104	1	620C/625C Power Plants			
167-689-401	1	673A (J86915) Converter Power Plant — + 130 Volts, 0.5 Ampere — Operating Methods			
167-689-402	2	673B (J86921A) Converter Power Plant — +130 Volts, 4.2 Amperes — Operating Methods			
167-690-100	1	625B (J86903) Power Plant — Description			

Section Number	Issue	Subject	Section Number	Issue	Subject
Add 167-712-101	1		167-728-101	1	820A (J87822) Ringing, Tone, and Interrupter Plant — Theory
167-712-101	1	J85518A — AC TRIPORT Uninterruptible Power Supply — 120/208 Volts, 5.6 KVA, Single Phase — Operating Methods	▲ ♦ 167-728-102	2	820A Ringing, Tone, and Interrupter Plant
• 167-712-102	3	J85527A — LINEAGE™ 2000 Power Supply — 120 Volts, 5.6 KVA, Single Phase — Operating Methods	167-728-301	3	856A (J87820) — Operating Methods
Ringing, Signaling, and Tone Power Plants — 800-Type			167-729-301	2	857A (J87821) — Operating Methods
167-721-301	2	801E (J86458) — Operating Methods	167-730-301	2	871A (J87819A) — Operating Methods
Add 167-721-311	1		167-731-301	4	861A (J87812) — Operating Methods
167-721-311	4	803C (J86555) — Operating Methods	167-732-301	7	841A (J87804) — Operating Methods
Add 167-722-311	1		Add 167-733-301	1	
167-722-311	6	804C (J86451) — Operating Methods	167-733-301	5	852A (J87807) — Operating Methods
167-722-316	2	804D (J86477A (1 and 12)) — Operating Methods	Add 167-734-301	1	
167-723-311	4	805C (J86428A) — Operating Methods	167-734-301	4	853A (J87809) — Operating Methods
167-723-316	4	805C (J86428B) — 130-Volt Supply — Operating Methods	167-735-301	3	862A (J87810) — Operating Methods
167-724-321	4	806E (J86445) — Operating Methods	Add 167-736-301	1	
167-724-326	6	806F (J86456) — Operating Methods	167-736-301	4	863A (J86881) — Operating Methods
167-724-331	8	806H (J86815A and J86815B) — Operating Methods	167-737-301	3	873A (J86855) — Operating Methods
167-725-306	4	807B (J86816A) — Operating Methods	167-738-301	2	872A (J87808) — Operating Methods
167-725-311	4	807C (J86817A) — Operating Methods	167-738-400	1	881A (J87824) — Ringing and Tone Plant — Description and Theory
167-725-315	6	807D (J86829) — Tone Power Plant — Operating Methods	Miscellaneous Power Supplies		
167-725-316	3	807E (J86839A) — Operating Methods	167-739-301	1	KS-19653 (1) — Operating Methods
167-725-317	3	807F (J87813) — Operating Methods	Add 167-739-401	1	
167-725-318	4	807G (J87814) — Operating Methods	167-739-401	1	891A (J85528A) — Ringing Power Plant — Auxiliary Ringing, Tone, and Cadence System — Operating Methods
167-725-320	1	807E (J86839A) — Tone Power Plant — Description	Add 167-740-301	1	
▲ ♦ 167-725-321	1	807E Tone Power Plant	167-740-301	3	J86431 (110A) — 48 Volts — Operating Methods
167-726-100	1	808A (J86834) — Description	167-740-311	2	J86431 — 115 Volts — Operating Methods
167-726-101	1	808A (J86834) — Theory	167-741-301	2	J86453 — 48 Volts — Operating Methods
▲ ♦ 167-726-102	2	808A Ringing and Tone Plant	167-741-311	2	J86453 — 130 Volts — Operating Methods
167-726-301	7	808A (J86834) — Operating Methods	167-742-301	1	NIFE Battery Charger — Operating Methods
167-727-105	1	Ringing and Tone Power Plant — 812A (J87801) — Description	167-743-301	2	Small Ringing Equipment — J86212K — Operating Methods
▲ ♦ 167-727-107	2	812A Ringing and Tone Plant	Add 167-750-301	1	
167-727-301	3	812A (J87801) — Operating Methods	167-750-301	1	Automatic Reserve Power Plant — J86646A, B, or C — 480 or 4160 Volts AC — 2.1 to 7.5 Megawatt — Operating Methods
167-728-100	1	820A (J87822) — Ringing, Tone, and Interrupter Plant — Description	167-750-302	1	J86740 System Control Bay — Automatic Control for Engine Alternator Sets — Maintenance and Trouble Locating
			167-760-301	2	For No. 1 Accounting Center — Automatic Message Accounting Systems — Operating Methods

Section Number	Issue	Subject	Section Number	Issue	Subject
167-761-301	1	SD-IG055-01 Using 48-Volt Lorain T603B-1 and 130-Volt J86256A Rectifiers — Operating Methods	167-778-301	1	J87213A — Operating Methods
167-767-301	6	J86440A and J86470U — 24 Volts, 12 and 40 Amperes — Operating Methods	167-779-301	1	J87203A — Operating Methods
167-767-311	1	J86440C — 24 Volts, One Ampere — Operating Methods	167-780-301	4	J86835A — Operating Methods
167-768-301	2	J86454, 130-Volt Reserve — for Type "O" Carrier Repeaters — Operating Methods	167-782-301	1	J86853A — Operating Methods
Add 167-769-301	1		167-783-301	2	J87279A Regulator — 19 Volts, 4 Amperes — Operating Methods
167-769-301	5	J86473A — Operating Methods	167-784-301	1	(J86811) for Traffic Data Summarizer — Operating Methods
Add 167-770-301	1		167-785-301	1	J87300 — Remote Test Voltage Supply Circuit — Operating Methods
167-770-301	4	J86474 DC — Operating Methods	167-787-301	1	J87321 — Constant Current — Operating Methods
Add 167-770-306	1		Add 167-789-301	1	
167-770-306	1	J86487A — +220V, +135V, -11V DC, and 110V AC — TH Radio — Operating Methods	167-789-301	1	Ringin and Tone Power Plant — J29179A-50 — No. 5A Crossbar — Operating Methods
167-770-311	1	J86488A — +450V, -170V, and -11V — TH Radio — Operating Methods	167-789-302	1	-48 Volts, 400 Amperes — No. 5A Crossbar — Operating Methods
167-772-301	1	J86494 — Operating Methods	167-789-303	1	No. 5A Crossbar System — 130 Volts DC, 15 Amperes — Operating Methods
167-773-301	1	J86637 — Operating Methods	▲ ♠ 167-790-100	1	LINEAGE™ 2000 Microprocessor Controlled System (MCS) Battery Plant
Add 167-774-301	1		167-790-101	1	LINEAGE™ 2000 — Microprocessor Controlled System Battery Plant — Controller Description
167-774-301	2	J86496 — Positive or Negative 24-Volt 0 to 30 Amperes — Operating Methods	167-790-102	1	LINEAGE™ 2000 — Microprocessor Controlled System Battery Plant — Description
♥ 167-775-301	1	Precise Tone Power Plant — J86847A AUTOVON (Automatic Voice Network) — Operating Methods			
167-776-301	4	J86858 — Operating Methods			
167-777-301	2	J86643 — Operating Methods			