



NUMERICAL INDEX — DIVISION 518

KEY TELEPHONE SYSTEMS, VIDEO TELEPHONE STATIONS, AND SWITCHING SYSTEMS

CUSTOMER EQUIPMENT

1. GENERAL

- 1.01 This index provides a listing of practices in Division 518.
- 1.02 This index reverted to Issue 1 in July 1976. Prior to that date there had been 99 issues of the index.
- 1.03 A bullet (●) indicates an item that has been added or changed since the previous issue of the index.
- 1.04 A square (□) indicates a canceled item. Information relating to the cancellation, if necessary, will be shown in a note following the item. Canceled items and related notes will be deleted upon reissue of the index.
- 1.05 A heart (♥) indicates a new or reissued item which, because of its limited need, will not be distributed on standing order except through coded distribution. Additional copies may be obtained by placing regular (one-time) orders.
- 1.06 A solid triangle (▲) indicates a Task Oriented Practice (TOP). These practices, because of their limited need, will not be distributed on standing order except through coded distribution. Additional copies may be obtained by placing regular (one-time) orders.
- 1.07 A star (★) indicates an item rated AT&T SPCS which contains trade secret information and which is available to authorized addresses only.
- 1.08 A spade (♠) indicates an item not on microfiche. This index indicates the latest issue for hard-copy practices. In some cases, the microfiche will reflect the next higher issue as a result of the reduced distribution interval.
- 1.09 "Add" is the abbreviation for Addendum.
- 1.10 These layers provide two listings of practices. The new layer lists new practice numbers. The old layer remains the same. Old sections will be canceled when the included material has been moved into new practices.

Section Number	Issue	Subject
518-010-106	3	Power Unit Selection
518-010-107	1	Reserve Power — 47C Power Unit
518-010-108	5	Common Audible Signaling
518-010-109	2	Voice Station Signaling on Manual Intercoms — Identification, Installation, and Maintenance
518-010-110	1	2A1 Matrix Block — Identification, Installation, Connection, and Maintenance
Add 518-010-111	1	
518-010-111	2	Message Waiting Consoles Used With 1A, 1A1, or 1A2
518-010-115	2	Hands-Free Answering on Intercom — 1A1, 1A2, 6A and 6B Key Telephone Systems
518-010-116	2	Paging Adapter Circuit — 278A Adapter
518-010-117	1	337A Paging Adapter — Identification, Installation, Corrections, Operation, and Maintenance

2. LAYERS

- 2.01 This division is arranged in layers as follows:
 - 518-0 Indexes
 - 1 Key Telephone Systems 1A, 1A1, 1A2 and Key Telephone Units
 - 2 1A2 Key Telephone System
 - 3 Key Telephone Units Common to Several Systems
 - 4 6A Key Telephone System
 - 5 2A and 2B Key Telephone Systems
 - 7 Switching System No. 400

518-1 1A, 1A1 KEY TELEPHONE SYSTEMS

(new layer index, see Par. 1.10)

518-112 1A Key Telephone Systems

Reference

Add 518-112-105	2	
518-112-105	1	Reference

Service

518-112-420	1	50-Type Packaged Units
518-112-421	2	Tie Line and Control Services
518-112-422	1	Intercom Services

3. INDEX

Section Number	Issue	Subject
518-0 INDEXES		
● ♠ 518-000-000	68	Numerical Index — Division 518 — Key Telephone Systems, Video Telephone Stations, and Switching Systems — Customer Equipment
518-01 General Key Telephone System Information		
518-010-101	2	Centralized Key Telephone Installations
518-010-105	3	Grounding and Special Protection Requirements — Description

518-114 1A1 Key Telephone Systems

Reference

518-114-105	2	Identification and Arrangements
518-114-108	2	Installation and Maintenance
518-114-110	4	Key Telephone Units
Add 518-114-115	1	
518-114-115	1	Packaged Key Telephone Units
518-114-116	2	Touch-Tone Adapters
518-114-120	1	Key Service Units

AT&T 518-000-000

Section Number	Issue	Subject
Service		
518-114-425	3	Key Telephone Units
518-114-430	1	200F, G, and K Packaged Key Telephone Units
Add 518-114-431	1	
518-114-431	3	200H Packaged Units
518-114-432	1	Key Service Units

518-1 KEY TELEPHONE SYSTEMS 1A, 1A1, 1A2 AND KEY TELEPHONE UNITS

(obsolete layer index, see Par. 1.10)

518-114-417	2	1A1 Key Telephone System — Signal Key and Buzzer Circuits — Connection Data
-------------	---	-----------------------------------------------------------------------------

518-2 1A2 KEY TELEPHONE SYSTEM

Reference

518-215-100	7	Identification and Arrangements
-------------	---	---------------------------------

Service

518-215-400	8	Key Telephone Units — Identification Line Services
518-215-401	4	1A2 Key Telephone System — Auxiliary Line Services
518-215-402	6	400-Series Key Telephone Units for Intercom Services — Description
518-215-403	2	Control Services
518-215-404	2	501- and 502-Type Key Service Units — Identification, Installation, Connection, and Maintenance
Add 518-215-405	2	
518-215-405	7	Service — 513-, 514-, and 515-Type Key Service Units — Identification, Connection, and Maintenance
Add 518-215-407	1	
518-215-407	2	Service — Key Service Units 550- and 551-Type — Identification, Installation, Connection and Maintenance
518-215-410	9	583- and 584-Type Panels — Identification, Installation, Connections, and Maintenance
Add 518-215-417	1	
518-215-417	7	Service — 597- and 598-Type Panels — Identification, Installation, and Connections
518-215-418	2	Panels — 601-, 602-, and 603-Type
518-215-419	6	620A-Type, 641A, and 642A Modular Panels — Identification, Installation, Connections, and Maintenance
Add 518-215-420	1	
518-215-420	6	69B, D, and G Apparatus Mountings — Identification, Installation, and Connection

Section Number	Issue	Subject
518-215-421	3	626A Modular Panel
518-215-422	4	Service — 110A Apparatus Mounting
518-215-424	2	630-Type Key Service Panel and 113-Type Connecting Unit — Identification, Installation, and Connections
518-215-425	2	593-Type Key Service Unit — Identification and Installation

518-3 KEY TELEPHONE UNITS COMMON TO SEVERAL SYSTEMS

518-300-103	1	DC Lamp Resistance Circuits — Connections
518-300-413	4	259-Type — Identification
518-300-416	1	271A Key Telephone Unit — Identification
518-300-417	1	272A Key Telephone Unit — Identification
518-310-105	1	228A and 265A Key Telephone Units — Identification
518-310-400	1	Universal Line Unit — Key Telephone Systems 1A, 1A1 — Key Equipments 100, 101A, 101B, 102A — Using 213B Key Telephone Unit
518-310-401	2	227A (MD) and 227B Key Telephone Units — Audible and Visual Signaling — Identification and Connections
518-310-403	5	232-Type Key Telephone Units (Interrupter) — Identification and Connections
518-310-405	5	Station Line Concentrators 235- and 236-Type Key Telephone Units — Identification and Connections
518-310-407	8	237-Type — Identification, Operation, and Connections

518-4 6A KEY TELEPHONE SYSTEM

Add 518-410-100	2	
518-410-100	6	Identification and Installation
518-410-300	3	Selector Only Arrangement — Maintenance
518-410-301	3	Single-Talking Link Arrangement — Maintenance
518-410-302	3	2-Talking Link Arrangement — Maintenance
Add 518-410-400	1	
518-410-400	6	Selector Only — Connections
Add 518-410-401	1	
518-410-401	6	Single Talking Link — Connections
518-410-402	8	Two-Talking Link — Connections
518-410-403	1	Holding Arrangement for 6A Stations — Using 1A or 1A1 Line and Signaling Circuits
518-411-100	3	DIALOG* Intercom System — Description, Installation, Connection, Operation, and Maintenance

Section Number	Issue	Subject	Section Number	Issue	Subject
518-450 Packaged Communication Systems			518-451-110	6	Intradivisional Alphanumeric Index — Feature Documents
Add 518-450-100	1		518-451-111	2	Feature Package A+ — Attendant Station Selector Console Feature
518-450-100	5	7A Communication System — COM KEY® Key Telephone System — Description, Ordering Information, and Operation	518-451-112	1	Feature Package A+ — Automatic Intercom With Station Busy and Station DSS with Station Busy Features
▲ ♦ 518-450-101	2	7A Communication System (COM KEY® 718) Installation and Maintenance	518-451-113	1	Feature Package A+ — Recall Button Feature
518-450-102	4	14A Communication System — (COM KEY® 1434) — Identification, Installation, Connection, Operation, and Maintenance — Customer Equipment	518-451-114	2	Feature Package A+ — Call Coverage, Call Coverage — Ring Options, and Timing — Option for Send Ring on Don't Answer Features
518-450-103	1	COM KEY® Arrangement Using 580A KSU and 832 or 2832-Type	518-451-115	3	Call Waiting Indication and Abbreviated Ring Features — Description — Feature Package A+, Type B, B+, D, or E Common Equipment — (32A)
Add 518-450-105	1		518-451-116	7	Customer Access Unit Feature — Description — Feature Package A+, Type B, B+, D, E, E+ Common Equipment — (32A)
518-450-105	2	4A Communication System — COM KEY® 416	518-451-117	2	Feature Package A+ — Central Answering Position, Supplementary Answering Position, System Alarm Indications, and Associated Answering Position Features
518-450-106	4	4A Communication System—Description, Ordering Information, and Operation — COM KEY® 416 Key Telephone System	518-451-118	2	Feature Package A+ — CO-ICM Conference (CO-CO Conference) Feature
▲ ♦ 518-450-107	2	4A Communication System (COM KEY® 416) — Installation and Maintenance	518-451-119	1	Feature Package A+ — Music-on-Hold Feature
Add 518-450-110	1		518-451-120	4	Dial Dictation Access Feature — Description — Feature Package A+, Type B, B+, D, or E Common Equipment — (32A)
518-450-110	3	21A Communication System — Descriptive and Ordering Information (COM KEY® 2152 Key Telephone System)	518-451-121	3	Per Call Ringer Cutoff and Distinctive Alert Features — Description — Feature Package A+, Type B, B+, D, or E Common Equipment — (32A)
▲ ♦ 518-450-111	3	21A Communication System — (COM KEY® 2152) — Installation and Test	518-451-122	3	Distinctive Permanent Signal Treatment Feature — Description — Feature Package A+, Type B, B+, D, or E Common Equipment — (32A)
518-451 HORIZON® Communications System			518-451-123	3	External Alert Access Feature — Description — Feature Package A+, Type B, B+, D, or E Common Equipment — (32A)
518-451-001	1	Business Services Design Engineering — Traffic Measurements	518-451-124	1	Feature Package A+ — Through Dialing Feature
★ 518-451-002	1	Business Services Traffic Engineering	518-451-125	1	Feature Package A+ — Hold Feature and Hold and Conference Release on Abandon Feature
518-451-010	2	Labor Time Reporting for HORIZON® — Communication System to Track Costs	518-451-126	2	Toll Restriction Feature — Description — Feature Package A+
▲ ♦ 518-451-100	7	Communications System (32A)	518-451-127	4	Line Status Indication and I-Use Indication Features — Description — Feature Package A+, Type B, B+, D, or E Common Equipment — (32A)
518-451-103	2	Changing 16A System to 32A System — Procedures			
518-451-104	2	Converting Feature Package A+ to Type B Common Equipment — Procedures			
518-451-105	6	System Description and Preinstallation Information — Feature Package A+			
518-451-106	1	Converting Feature Package A+, Type B, or B+ Common Equipment to Type E Common Equipment — Procedure — (32A)			
518-451-107	1	Converting Feature Package A+ to B+ Common Equipment — Procedures			
518-451-108	1	Converting Type B Common Equipment to Type B+ Common Equipment — Procedure			
518-451-109	1	Converting Type B+ or Type E Common Equipment to Type E+ Common Equipment — Procedure			

Section Number	Issue	Subject	Section Number	Issue	Subject
518-451-129	3	Loudspeaker Paging Access Feature — Description — Feature Package A+	518-451-206	2	Call Management System Description and Preinstallation Information — Type D Common Equipment — Call Management System (32A)
518-451-130	3	Manual Exclusion Feature — Description — Feature Package A+, Type B, B+, D, or E Common Equipment — (32A)	518-451-207	3	Call Management System — Maintenance Support — Type D Common Equipment
518-451-132	3	Manual Signaling Feature — Description — Feature Package A+, Type B, B+, D, or E Common Equipment — (32A)	518-451-208	2	Communications System — System Description and Preinstallation Information — Type E and Type E+ Common Equipment — (32A)
518-451-133	3	Touch-Tone Service to Dial Pulse Conversion Feature — Description	518-451-211	4	Attendant Station Selector Console Feature — Description — Type B, B+, D, or E Common Equipment — (32A)
518-451-134	3	Feature Package A+ — Night Service — Answer Any Station Feature	518-451-212	4	Automatic Intercom With Station Busy Indication and Station Direct — Station Selection With Station Busy Indication Features — Description — Type B, B+, D, or E Common Equipment — (32A)
518-451-135	5	Extended Station Capability and Out-of-Building Stations Features — Description — Feature Package A+	518-451-213	5	Recall Button Feature — Description — Type B, B+, D, or E Common Equipment — (32A)
518-451-136	3	System Access—Originate Only Feature — Description — Feature Package A+, Type B, B+, D, or E Common Equipment — (32A)	518-451-214	5	Call Coverage, Call Coverage—Ring Options, and Timing — Option for Send Ring on Don't Answer Features — Description — Type B, B+, D, or E Common Equipment — (32A)
518-451-137	1	Feature Package A+ — Outward Restriction Feature	518-451-217	5	Central Answering Position, Supplementary Answering Position, System Alarm Indications, and Associated Answering Position Features — Description — Type B, B+, D, or E Common Equipment — (32A)
518-451-138	2	Feature Package A+ — Personal Line Access Feature	518-451-218	5	CO-ICM Conference (CO-CO Conference) and Trunk-to-Trunk Conference Features — Description — Type B, B+, D, or E Common Equipment — (32A)
518-451-139	2	Feature Package A+ — Pooled Facilities — Button Access and Facilities Busy Indication Features	518-451-219	4	Music-on-Hold Access Feature — Description — Type B, B+, D, or E Common Equipment — (32A)
518-451-140	1	Feature Package A+ — Pooled Facilities — Dial Access Feature	518-451-224	4	Through Dialing Feature — Description — Type B, B+, D, or E Common Equipment — (32A)
518-451-141	4	Power Failure Transfer Feature — Description — Feature Package A+, Type B, B+, D, or E Common Equipment	518-451-225	4	Hold Feature, Hold and Conference Release on Abandon, and Abandon Call Search Features — Description — Type B, B+, D, or E Common Equipment — (32A)
518-451-142	4	Feature Package A+ — Tielines to Other PBX's Feature — (32A)	518-451-226	5	Toll Restriction Feature — Description — Type B, B+, D, or E Common Equipment — (32A)
518-451-143	1	Feature Package A+ — Prime Line Preference, Ringing Line Preference, and Preselection Feature	518-451-228	5	Call Pickup Feature — Description — Type B, B+, D, or E Common Equipment — (32A)
518-451-145	3	Touch-Tone Calling and Rotary Calling Feature — Description — Feature Package A+, Type B, B+, D, or E Common Equipment — (32A)	518-451-229	3	Loudspeaker Paging Access Feature — Description — Type B, B+, or D Common Equipment — (32A)
518-451-146	1	Feature Package A+ — Station-to-Station Calling, Dial Access to Attendant, and Immediate Ringing Features	518-451-231	4	Station Hunting Feature — Description — Type B, B+, D, or E Common Equipment — (32A)
518-451-147	1	Feature Package A+ — Station Message Waiting Feature			
518-451-148	1	Feature Package A+ — Station Call Transfer Feature			
518-451-150	3	Intercept Treatment With Reorder Tone Feature — Description — Feature Package A+, Type B, B+, D, or E Common Equipment — (32A)			
518-451-205	4	System Description and Preinstallation Information — Type B and Type B+ Common Equipment — (32A)			

Section Number	Issue	Subject	Section Number	Issue	Subject
518-451-233	3	TOUCH-TONE* Service to Dial Pulse Service Conversion Feature — Description — Type B, B+, D, or E Common Equipment — (32A)	518-451-253	5	Busy Lamp Field Feature — Description — Type B, B+, D, or E Common Equipment — (32A)
518-451-234	4	Night Service—Answer Any Station and Night Service Features — Description — Type B, B+, D, or E Common Equipment — (32A)	518-451-254	3	Call Park Feature — (Call Parking/Meet-Me-Conferencing/Call Transferring) — Description — Type B+, D, or E Common Equipment
518-451-235	6	Extended Station Capability and Out-of-Building Stations Features — Description — Type B, B+, D, or E Common Equipment — (32A)	518-451-255	1	Loudspeaker Paging Access Feature — Description — Type E Common Equipment — (32A)
518-451-237	4	Outward Restriction Feature — Description — Type B, B+, D, or E Common Equipment — (32A)	518-451-256	1	Flexible Night Service — Description — Type E Common Equipment — (32A)
518-451-238	4	Personal Line Access Feature — Description — Type B, B+, D, or E Common Equipment — (32A)	518-451-257	1	In Button, After Call Work Button, Customer Work States, and Associated — Agent Position Features — Description — Type D Common Equipment — (32A)
518-451-239	4	Pooled Facilities—Button Access and Facilities Busy Indication Features — Description — Type B, B+, D, or E Common Equipment — (32A)	518-451-258	1	Delayed Announcement Feature — Description — Type D Common Equipment — (32A)
518-451-240	4	Pooled Facilities—Dial Access Feature — Description — Type B, B+, D, or E Common Equipment — (32A)	518-451-260	1	Service Observing Feature — Description — Type D Common Equipment — (32A)
518-451-241	1	Direct Inward Dialing Feature — Description — Type E+ Common Equipment — (32A)	518-451-261	1	Call Transfer to Split Feature — Description — Type D Common Equipment — (32A)
518-451-242	5	Tielines to Other PBX's Feature — Description — Type B, B+, D, or E Common Equipment — (32A)	518-451-262	1	Code Entry and Trouble Reporting Feature — Description — Type D Common Equipment — (32A)
518-451-243	4	Prime Line Preference, Ringing Line Preference, and Preselection Features — Description — Type B, B+, D, or E Common Equipment — (32A)	518-451-263	1	Assistance Feature — Description — Type D Common Equipment — (32A)
518-451-244	1	Flexible Numbering Plan and Personal Dial — Code Plan Features — Description — Type E+ Common Equipment	518-451-264	2	Agent Log-In/Log-Out and Personal Dial — Code Calling Features — Description — Type D Common Equipment — (32A)
518-451-246	6	Station-to-Station Calling, Dial Access to Attendant, and Immediate Ringing Features — Description — Type B, B+, D, or E Common Equipment — (32A)	518-451-265	2	Alternate Traffic Routing—Intraflow and Alternate Traffic Routing—Interflow Features — Description — Type D Common Equipment — (32A)
518-451-247	4	Station Message Waiting Feature — Description — Type B, B+, D, or E Common Equipment — (32A)	518-451-266	3	Supervisor Hierarchy, Split Group Assignment and Combined Split Features — Description — Type D Common Equipment — (32A)
518-451-248	4	Station Call Transfer Feature — Description — Type B, B+, D, or E Common Equipment — (32A)	518-451-268	2	Agent Performance, Exception Reporting, Service Quality, Specific Tabulation, Trouble Log, and Trunk Usage Features — Description — Type D Common Equipment — (32A)
518-451-249	4	Flexible DSS/Out Feature — Description — Type B, B+, D, or E Common Equipment — (32A)	518-451-300	6	Maintenance Support — Feature Package A+ or Type B, B+, E, or E+ Common Equipment — (32A)
518-451-250	1	Station Message Detail Recording Feature — Description — Type E+ Common Equipment	518-451-301	1	Feature Package A+ — Maintenance Support
518-451-251	5	Direct Group Calling Feature — Description — Type B, B+, D, or E Common Equipment — (32A)	HORIZON* Communications System VS (16A)		
			▲ ♠ 518-451-500	4	Task Oriented Practice (TOP)
			518-451-505	2	System Description and Preinstallation Information — Type B or B+ Common Equipment

Section Number	Issue	Subject	Section Number	Issue	Subject
518-451-506	5	Maintenance Support — Type B, B+, or C Common Equipment	518-451-532	2	Manual Signaling Feature — Description — VS (16A)
518-451-507	1	System Description and Preinstallation — Type C Common Equipment	518-451-533	3	Touch-Tone Service to Dail Pulse Service Conversion Feature — Description
518-451-508	1	Converting to Type B+ Common Equipment — Procedures	518-451-534	2	Night Service — Answer Any Station Feature — Description
518-451-510	3	Intradivisional Alphanumeric Index — Feature Documents	518-451-535	4	Extended Station Capability and Out-of-Building Stations Features — Description
518-451-511	4	Attendant Station Selector Console Feature — Description — Type B or B+ Common Equipment	518-451-536	1	System Access — Originate Only Feature
518-451-512	2	Automatic Intercom With Station Busy Indication and Station Direct Station Selection With Station Busy Indication Features — Description	518-451-537	2	Outward Restriction Feature — Description
518-451-513	1	Recall Button Feature	518-451-538	2	Personal Line Access Feature — Description
518-451-514	3	Call Coverage, Call Coverage — Ring Options, and Timing Option for Send Ring on Don't Answer Features — Description	518-451-539	2	Pooled Facilities — Button Access and Facilities Busy Indication Features — Description
518-451-515	1	Call Waiting Indication and Abbreviated Ring Features	518-451-540	2	Pooled Facilities — Dial Access Feature — Description
518-451-516	2	Customer Access Unit Feature — Description	518-451-541	2	Power Failure Transfer Feature — Description
518-451-517	2	Central Answering Position, Supplementary Answering Position, System Alarm Indications, and Associated Answering Position Features — Description	518-451-542	3	Tielines to Other PBX's Feature — Description
518-451-518	2	CO-ICM Conference (CO-CO Conference) Feature — Description	518-451-543	1	Prime Line Preference Ringing Line Preference, and Preselection Features
518-451-519	1	Music-on-Hold Access Feature	518-451-545	2	Touch-Tone Calling Feature
518-451-520	2	Dial Dictation Access Feature — Description	518-451-546	2	Station-to-Station Calling, Dial Access to Attendant, and Immediate Ringing Features — Description
518-451-521	1	Per Call Ringer Cutoff and Distinctive Alert Feature	518-451-547	2	Station Message Waiting Feature — Description
518-451-522	1	Distinctive Permanent Signal Treatment Feature	518-451-548	2	Station Call Transfer Feature — Description
518-451-523	3	External Alert Access Feature — Description	518-451-549	2	Flexible DSS/Out Feature — Description
518-451-524	2	Through Dialing Feature — Description	518-451-550	1	Intercept Treatment With Reorder Tone Feature
518-451-525	2	Hold Feature and Hold and Conference Release on Abandon Feature — Description	518-451-551	3	Direct Group Calling Feature — Description
518-451-526	3	Toll Restrictive Feature — Description	518-451-553	2	Busy Lamp Field Feature — Description
518-451-527	2	Line Status Indication and I-Use Indication Features — Description	518-451-554	1	Call Park Feature — (Call Parking/Meet-Me-Conferencing/Call Transferring) Description — Type B+ Common Equipment
518-451-528	3	Call Pickup Feature — Description	518-451-555	1	Station Call and Charge Registers, Station Check-In/Check-Out, and System Rate of Charge Features — Description — Type C Common Equipment
518-451-529	3	Loudspeaker Paging Access Feature — Description	518-451-556	1	Attendant Message Waiting Feature — Description
518-451-530	1	Manual Exclusion Feature	518-5 2A AND 2B KEY TELEPHONE SYSTEMS		
518-451-531	2	Station Hunting Feature — Description	518-510-100	1	Identification
			518-510-200	1	Installation and Maintenance

Section Number	Issue	Subject	Section Number	Issue	Subject
518-510-400	1	Connections	518-710-501	1	Key Telephone Line and Add-On Circuit — Operation Tests
518-7 SWITCHING SYSTEM NO. 400			518-710-502	1	Line, Link, and Marker Circuits — Operation Tests
518-710-100	5	Identification	518-710-503	1	Junctor Circuits — Operation Tests
518-710-200	5	Installation	518-710-504	1	Dial Pulse Register Circuits — Operation Tests
518-710-400	5	J53035A, Lists 1 and 2 Cabinet Assemblies — Method of Connecting	518-710-505	1	Busy-Tone Trunk — Operation Tests
518-710-401	3	Method of Connecting — J53035A, Lists 3, 4, 8, and 9 Cabinet Assemblies	518-710-506	1	Call Progress Indicator Set — Operating Methods
518-710-402	3	J53035A, Lists 10 and 11 Cabinet Assemblies — Method of Connecting	518-710-507	1	Touch-Tone Calling — Operation Tests
518-710-500	1	Alarm Circuit — Operation Tests			

