

**NUMERICAL INDEX — DIVISION 201**  
**SUPPLEMENTAL INFORMATION — CENTRAL OFFICES**

**1. GENERAL**

- 1.01** This section provides an index of System-issued sections in Division 201.
- 1.02** This section reverted to Issue 1 in December 1976. Prior to that date there had been 99 issues of the section.
- 1.03** A bullet (●) indicates an item that has been added or changed since the previous issue of the index.
- 1.04** A square (□) indicates a canceled item. Information relating to the cancellation, if necessary, will be shown in a note following the item. Canceled items and related notes will be deleted upon reissue of the index.
- 1.05** A star (★) indicates an item rated AT&T SPCS which contains trade secret information and which is available to authorized addressees only.
- 1.06** An open star (☆) indicates an item canceled under special conditions. Unlike the open square (□), the canceled item will not be deleted from reissues of the index until 12 months after the cancellation.
- 1.07** A heart (♥) indicates a new or reissued item which, because of its limited need, will not be distributed on standing order except through coded distribution. Additional copies may be obtained by placing regular (one-time) orders.
- 1.08** "Add" is the abbreviation for Addendum, and "Sup" is the abbreviation for Supplement.

**2. LAYERS**

- 2.01** This division is arranged in layers as follows:
- 201-0 Indexes and Equipment Test Lists
    - 1 Administrative Sections
    - 2 Distributing Frames
    - 3 Civil Air Defense Warning Systems
    - 4 Switching Control Center
    - 5 Announcement Systems, Timing Circuits, Tone Supply Circuits
    - 6 Alarm Systems and Order Wires, Miscellaneous Fuse Alarms, Emergency Line and Trunk Transfer Circuits, Alerting Systems, and Telemetry
    - 7 Operator Training Equipment and Common Switchboard Sections
    - 8 Miscellaneous Common System Circuits
    - 9 Billing Systems

**3. INDEX**

| Section Number                                | Issue | Subject                                                                     |
|-----------------------------------------------|-------|-----------------------------------------------------------------------------|
| <b>201-0 INDEXES AND EQUIPMENT TEST LISTS</b> |       |                                                                             |
| ● 201-000-000                                 | 18    | Numerical Index — Division 201 — Supplemental Information — Central Offices |
| 201-000-005                                   | 2     | Alphabetical Index for Division 201                                         |
| 201-001-011                                   | 10    | ETL                                                                         |
| 201-001-012                                   | 1     | Sequence Signal Circuit — Miscellaneous Equipment                           |

| Section Number | Issue | Subject                                                                                                                                                                           |
|----------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 201-001-013    | 1     | Alarms — Miscellaneous Equipment                                                                                                                                                  |
| 201-001-014    | 2     | Recorded Announcement Systems                                                                                                                                                     |
| 201-001-015    | 1     | Dial Long Line Circuit — Miscellaneous Equipment                                                                                                                                  |
| 201-001-016    | 2     | Coin Station Test Line                                                                                                                                                            |
| 201-001-017    | 1     | Video Supervisor Signal Supply — Miscellaneous Equipment                                                                                                                          |
| 201-001-018    | 2     | PBX AIOD                                                                                                                                                                          |
| 201-001-020    | 2     | Billing Systems                                                                                                                                                                   |
| 201-001-021    | 2     | Order Wire Circuits                                                                                                                                                               |
| 201-001-022    | 1     | Group Alternating System — Miscellaneous Equipment                                                                                                                                |
| 201-001-023    | 1     | Emergency Line Circuit — Miscellaneous Equipment                                                                                                                                  |
| 201-001-024    | 1     | Operator Training Equipment — Miscellaneous Equipment                                                                                                                             |
| 201-001-025    | 2     | Miscellaneous Common System Circuits                                                                                                                                              |
| 201-001-026    | 2     | Tone Supply Circuits                                                                                                                                                              |
| 201-020-001    | 1     | Prevention of Service Interruptions and of Abnormal Maintenance Effort During Periods of Installation Activity in Central Offices<br><i>Formerly 201-112-001</i>                  |
| 201-020-002    | 1     | Prevention of Service Interruptions — General Installation Requirements — Attachment Section 800-614-150<br><i>Formerly 201-112-005</i>                                           |
| 201-020-003    | 1     | Prevention of Service Interruptions Power Plant Bus Bar and Wiring General Equipment Requirements — Power Systems — Attachment Section 802-005-180<br><i>Formerly 201-112-006</i> |
| 201-020-010    | 1     | Prevention of Service Interruptions — Attachment WECO Handbook 0, Section 10<br><i>Formerly 201-112-010</i>                                                                       |
| 201-020-011    | 1     | Prevention of Service Interruptions — Attachment WECO Handbook 0, Section 11<br><i>Formerly 201-112-011</i>                                                                       |
| 201-020-012    | 1     | Prevention of Service Interruptions — Attachment WECO Handbook 0, Section 12<br><i>Formerly 201-112-012</i>                                                                       |

**NOTICE**

Not for use or disclosure outside the Bell System except under written agreement

## SECTION 201-000-000

| Section Number | Issue | Subject                                                                                                                                                         |
|----------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 201-020-013    | 1     | Prevention of Service Interruptions — Attachment WECO Handbook 0, Section 13<br><i>Formerly 201-112-013</i>                                                     |
| 201-020-014    | 1     | Prevention of Service Interruptions — Attachment WECO Handbook 0, Section 14<br><i>Formerly 201-112-014</i>                                                     |
| 201-020-015    | 1     | Prevention of Service Interruptions — Personal Injuries — Damage to Building Equipment — Attachment WECO Handbook 22, Section 10<br><i>Formerly 201-112-015</i> |
| 201-020-020    | 1     | Prevention of Abnormal Maintenance — Attachment WECO Handbook 3, Section 13<br><i>Formerly 201-112-020</i>                                                      |
| 201-020-025    | 1     | Transition Method of Procedure — Attachment WECO Handbook 22, Section 40<br><i>Formerly 201-112-025</i>                                                         |
| 201-020-026    | 1     | Power Transitions — Attachment WECO Handbook 22, Section 1<br><i>Formerly 201-112-026</i>                                                                       |
| ♥ 201-020-030  | 2     | Record of Equipment and Trunks Out of Service<br><i>Formerly 201-114-001</i>                                                                                    |
| 201-020-510    | 1     | Controlled Maintenance Plan for Switching Systems — General                                                                                                     |

### 201-1 ADMINISTRATIVE SECTIONS

|               |   |                                                                                                                                                                                         |
|---------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 201-102-001   | 5 | Dial Central Office Service Index Plan — General                                                                                                                                        |
| 201-102-002   | 4 | Dial Central Office Service Index Plan — Tables                                                                                                                                         |
| 201-110-001   | 1 | Central Office Work Scheduling                                                                                                                                                          |
| ☆ 201-112-001 | 6 | Prevention of Service Interruptions and of Abnormal Maintenance Effort During Periods of Installation Activity in Central Offices<br><i>Replaced by 201-020-001</i>                     |
| ☆ 201-112-005 | 2 | Prevention of Service Interruptions — General Installation Requirements — Attachment Section 800-614-150<br><i>Replaced by 201-020-002</i>                                              |
| ☆ 201-112-006 | 2 | Prevention of Service Interruption — Power Plant Bus Bar and Wiring — General Equipment Requirements — Power Systems — Attachment Section 802-005-180<br><i>Replaced by 201-020-003</i> |
| ☆ 201-112-010 | 1 | Prevention of Service Interruptions — Attachment WECO Handbook 0, Section 10<br><i>Replaced by 201-020-010</i>                                                                          |
| ☆ 201-112-011 | 1 | Prevention of Service Interruptions — Attachment WECO Handbook 0, Section 11<br><i>Replaced by 201-020-011</i>                                                                          |
| ☆ 201-112-012 | 1 | Prevention of Service Interruptions — Attachment WECO Handbook 0, Section 12<br><i>Replaced by 201-020-012</i>                                                                          |

| Section Number | Issue | Subject                                                                                                                                                            |
|----------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ☆ 201-112-013  | 1     | Prevention of Service Interruptions — Attachment WECO Handbook 0, Section 13<br><i>Replaced by 201-020-013</i>                                                     |
| ☆ 201-112-014  | 1     | Prevention of Service Interruptions — Attachment WECO Handbook 0, Section 14<br><i>Replaced by 201-020-014</i>                                                     |
| ☆ 201-112-015  | 1     | Prevention of Service Interruptions — Personal Injuries — Damage to Building Equipment — Attachment WECO Handbook 22, Section 10<br><i>Replaced by 201-020-015</i> |
| ☆ 201-112-020  | 1     | Prevention of Abnormal Maintenance — Attachment WECO Handbook 3, Section 13<br><i>Replaced by 201-020-020</i>                                                      |
| ☆ 201-112-025  | 1     | Transition Method of Procedure — Attachment WECO Handbook 22, Section 40<br><i>Replaced by 201-020-025</i>                                                         |
| ☆ 201-112-026  | 1     | Power Transitions — Attachment WECO Handbook 22, Section 1<br><i>Replaced by 201-020-026</i>                                                                       |
| ☆ 201-114-001  | 5     | Record of Equipment and Trunks Out of Service<br><i>Replaced by 201-020-030</i>                                                                                    |

### 201-2 DISTRIBUTING FRAMES

|             |   |                                                                                                                            |
|-------------|---|----------------------------------------------------------------------------------------------------------------------------|
| 201-200-001 | 1 | Distributing Frames and Associated Equipment Alphabetical Index                                                            |
| 201-200-010 | 2 | Frame Force Management                                                                                                     |
| 201-200-012 | 1 | Conventional Distributing Frame — Frame Rehabilitation Guide                                                               |
| 201-200-101 | 1 | Incoming and Outgoing Trunk Distribution Centers in the No. 4A Toll Switching System — Description                         |
| 201-206-101 | 1 | Protectors and Protector Mountings — C-, E-, and Similar Type, Including 444-Type Jacks (301-Type Connector) — Description |
| 201-206-102 | 1 | C-, E-, and Similar Type Protectors Including 444-Type Jacks (301-Type Connectors) Associated Cords and Plugs              |
| 201-206-301 | 1 | C-, E-, and Similar Type Protectors — Maintaining Protectors                                                               |
| 201-206-501 | 2 | Protectors and Protector Mountings — C-, E- and Similar Type — Heat Coil and Protector Spring Contact Tests                |
| 201-206-701 | 1 | 444-Type Jacks — Requirements and Adjusting Procedures                                                                     |
| 201-206-801 | 3 | C-, E-, and Similar Type Protectors Including 444-Type Jacks — Piece Part Data and Replacement Procedures                  |
| 201-207-101 | 1 | 300-Type Connectors and Associated Protector Units — Description                                                           |
| 201-207-102 | 1 | 300-Type Connectors and Associated Protectors Including 121-Type Protectors — Associated Cords and Plugs                   |

| Section Number  | Issue | Subject                                                                                                                         |
|-----------------|-------|---------------------------------------------------------------------------------------------------------------------------------|
| 201-207-301     | 1     | 300-Type Connectors and Associated Protectors — Maintaining Protectors                                                          |
| 201-207-801     | 1     | 300-Type Connectors and Associated Protector Units — Including 121-Type Protectors — Piece-Part Data and Replacement Procedures |
| 201-208-101     | 3     | 302- and 303-Type Connectors and Associated Protector Units — Description                                                       |
| 201-208-102     | 2     | 302-, 303-, 305-Type Connectors and Associated Protectors — Associated Cards and Plugs                                          |
| 201-208-301     | 2     | 302-, 303-, and 305-Type Connectors and Associated Protector Units — Maintaining Protector Units                                |
| 201-208-501     | 3     | 302- and 303-Type Connectors — Protector Unit Tests — Using KS-20100 L1 and L2 Test Set and 182A Test Set                       |
| 201-208-802     | 5     | 302-, 303-, 305-Type Connectors and Associated Protector Units — Piece Part Data and Replacement Procedures                     |
| 201-210-101     | 1     | Wideband Distributing Frame — "PICTUREPHONE" Central Office — General Description                                               |
| 201-211-101     | 1     | Central Office Terminating Unit for Integrated Protection System — Description, Installation, and Maintenance                   |
| 201-215-501     | 2     | 2A Range Extender — Miscellaneous Tests                                                                                         |
| 201-220-101     | 2     | Conventional Distributing Frames — Description                                                                                  |
| 201-220-102     | 2     | Conventional Distributing Frames — Types of Protection                                                                          |
| 201-220-103     | 2     | Conventional Distributing Frames — Warning Markers and Guards                                                                   |
| 201-220-301     | 2     | Conventional Distributing Frames — Method of Making Connections                                                                 |
| 201-220-501     | 1     | Conventional Distributing Frames — Inspections                                                                                  |
| 201-220-801     | 1     | Conventional Distribution Frames — Terminal Strips — Piece Parts and Replacement Procedures                                     |
| Add 201-221-101 | 1     |                                                                                                                                 |
| 201-221-101     | 1     | ESS-Type Modular Distributing Frames — Description                                                                              |
| 201-221-102     | 1     | ESS-Type Modular Distributing Frame — Types of Protection                                                                       |
| 201-221-103     | 1     | ESS-Type Modular Distributing Frames — Warning Markers and Guards                                                               |
| 201-221-301     | 1     | ESS Modular Distributing Frames — Method of Making Connections                                                                  |
| 201-221-501     | 1     | ESS-Type Modular Distributing Frames — Inspections                                                                              |
| 201-221-801     | 1     | ESS Modular Distributing Frame — Connecting Blocks — Piece Parts and Replacement Procedures                                     |

| Section Number | Issue | Subject                                                                            |
|----------------|-------|------------------------------------------------------------------------------------|
| 201-222-101    | 1     | Common Systems Main Inter-Connecting Frame (COSMIC) — Description                  |
| 201-222-102    | 1     | Common System Main Inter-Connecting Frames — COSMIC — Types of Protection          |
| 201-222-103    | 1     | Common Systems Main Interconnecting Frame (COSMIC) — Warning Markers and Guards    |
| 201-222-301    | 1     | Common Systems Main Inter-Connecting Frame — COSMIC — Method of Making Connections |

**201-3 CIVIL AIR DEFENSE WARNING SYSTEMS**

|                 |   |                                                                                                                                          |
|-----------------|---|------------------------------------------------------------------------------------------------------------------------------------------|
| 201-301-301     | 2 | SD-95332-01 — Procedures in Case of Alarm                                                                                                |
| 201-301-501     | 2 | SD-95332-01 — Tests                                                                                                                      |
| 201-302-501     | 9 | Dial Pulse Receiving and Control Circuit SD-95685-01 — Maximum Five Lines and Public Signal Control Circuit SD-95688-01 — Tests          |
| 201-303-501     | 7 | Dial Pulse Receiving and Control Circuit SD-95743-01 — Maximum Eight Lines and Public Signal Control Circuit SD-95688-01 — Tests         |
| Add 201-304-501 | 1 |                                                                                                                                          |
| 201-304-501     | 9 | Dial Pulse Receiving and Code Distributing Circuit SD-95678-01 — Maximum 200 Lines and Public Signal Control Circuit SD-95688-01 — Tests |
| 201-305-501     | 1 | System Dialing and Pulsing Tests — Branch Circuit Dialing Test                                                                           |
| 201-306-501     | 2 | Two-Way Signaling Repeaters — Tests                                                                                                      |
| 201-307-501     | 4 | Station Line Test Using Test Circuit SD-95746-01                                                                                         |

**201-4 SWITCHING CONTROL CENTER**

|             |   |                                                             |
|-------------|---|-------------------------------------------------------------|
| 201-403-101 | 1 | Application Description — No. 1 Electronic Switching System |
|-------------|---|-------------------------------------------------------------|

**201-5 ANNOUNCEMENT SYSTEMS, TIMING CIRCUITS, TONE SUPPLY CIRCUITS**

|             |   |                                                                                                     |
|-------------|---|-----------------------------------------------------------------------------------------------------|
| 201-501-501 | 1 | Subscriber Operated Time Announcement Service — Control and Distributing Circuit — Tests            |
| 201-501-502 | 1 | Subscriber Operated Time Announcement Service — Announcement Trunk Circuits — Tests                 |
| 201-505-101 | 1 | No. 1 and 1B Announcement Systems — Time of Day Service — Description                               |
| 201-505-301 | 1 | No. 1 and 1B Announcement Systems — Time of Day Service — Method of Tracing Alarms                  |
| 201-505-302 | 1 | No. 1 and 1B Announcement Systems — Time of Day Service — Method of Taking Equipment Out of Service |
| 201-505-501 | 2 | No. 1 and 1B Announcement Systems — Time of Day Service — Desk Circuits — Tests                     |
| 201-505-502 | 4 | No. 1 and 1B Announcement Systems — Time of Day Service — Incoming Distributing Circuits — Tests    |

| Section Number | Issue | Subject                                                                                                                    |
|----------------|-------|----------------------------------------------------------------------------------------------------------------------------|
| 201-505-503    | 1     | No. 1 and 1B Announcement Systems — Time of Day Service — Outgoing Distributing Circuits — Tests                           |
| 201-505-504    | 2     | No. 1 and 1B Announcement Systems — Time of Day Service — Announcement Trunk Circuits — Tests                              |
| 201-507-501    | 1     | No. 3A Announcement System — Control, Volume Limit Indicator and Tape Amplifier Circuits — Tests                           |
| 201-507-502    | 1     | No. 3A Announcement System — Control Circuit — Subcenter — Tests                                                           |
| 201-507-503    | 1     | No. 3A Announcement System — Trunk Circuits and Associated Distributing Circuits — Tests                                   |
| 201-508-501    | 2     | No. 4A, 6A, and 9A Announcement System Subcenter — Distributing and Alarm Circuits — Tests                                 |
| 201-509-501    | 2     | No. 4A Announcement System — Distributing and Alarm Circuits — Tests — Common Systems                                      |
| 201-509-502    | 1     | No. 4A Announcement System — Announcement Trunks — Tests                                                                   |
| 201-511-101    | 1     | 5A Announcement System — General Description                                                                               |
| 201-511-301    | 1     | 5A Announcement System — Operation                                                                                         |
| 201-511-501    | 4     | 5A Announcement System — Tests                                                                                             |
| 201-513-501    | 3     | No. 6A Announcement System — Machine Intercepting — Control Circuit — Tests                                                |
| 201-513-502    | 1     | No. 6A Announcement System — Machine Intercepting — Distributing and Alarm Circuit — Tests                                 |
| 201-515-501    | 2     | 8A and 9A Announcement Systems — Tests                                                                                     |
| 201-517-501    | 1     | 11A Announcement System — Tests                                                                                            |
| 201-518-101    | 1     | 12A Announcement System SD-26435-01 — Description, Operation, and Maintenance — Common Systems                             |
| 201-519-101    | 1     | 13A Announcement System SD-97753-01 — Description                                                                          |
| 201-519-301    | 1     | 13A Announcement System SD-97753-01 — Operating, Testing, and Trouble Analysis Procedures — Common Systems                 |
| 201-520-101    | 3     | Common Systems — Recorded Announcement Frame (CSRAFI) SD-97725-01, SD-97725-02, SD-97725-03, and SD-97725-04 — Description |
| 201-520-301    | 3     | Common Systems Recorded Announcement Frame (CSRAFI) — SD-97725-01 and SD-97725-02 and SD-97725-03 — Operating Procedures   |
| 201-520-501    | 3     | Common Systems — Recorded Announcement Frame (CSRAFI) — SD-97725-01 and SD-97725-02 — Tests and Trouble Analysis           |

| Section Number  | Issue | Subject                                                                                                                                              |
|-----------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| 201-520-701     | 3     | Common Systems Recorded Announcement Frame (CSRAFI) — SD-97725-01, SD-97725-02, SD-97725-03, and SD-97725-04 — Requirements and Adjusting Procedures |
| 201-520-801     | 3     | Common Systems Recorded Announcement Frame (CSRAFI) — SD-97725-01 and SD-97725-02 — Piece-Part and Replacement Procedures                            |
| 201-570-501     | 1     | 5A Timer — Tests                                                                                                                                     |
| 201-576-501     | 3     | 400A Tone Generator — (Receiver Off-Hook Tone) — Tests                                                                                               |
| Add 201-578-501 | 1     |                                                                                                                                                      |
| 201-578-501     | 6     | Tone Detector Circuit SD-94800-01 — Tests and Adjustments                                                                                            |
| 201-578-502     | 3     | 8A and 8B Tone Detectors (J94008A) (J94008B) — SD-99551-01 Tests and Adjustments — Common Systems                                                    |
| 201-579-501     | 3     | Test Progress Tone Circuit SD-96603-01 — 2225-Hz Supply and Distributing Circuit — Tests                                                             |
| 201-580-301     | 1     | No-Such-Number Tone Supply Alarm Procedures, Manual Transfer and Trouble Clearing Procedures                                                         |
| 201-580-501     | 1     | No-Such-Number Tone Supply Circuits — Tests                                                                                                          |

#### 201-6 ALARM SYSTEMS AND ORDER WIRES, MISCELLANEOUS FUSE ALARMS, EMERGENCY LINE AND TRUNK TRANSFER CIRCUITS, ALERTING SYSTEMS, AND TELEMETRY

|             |   |                                                                                                                                         |
|-------------|---|-----------------------------------------------------------------------------------------------------------------------------------------|
| 201-601-101 | 3 | Emergency Alarm Circuits — Description                                                                                                  |
| 201-601-501 | 2 | Emergency Alarm System SD-90642-01 — Separate Incoming Alarm From Distant Office — Tests                                                |
| 201-601-502 | 4 | Emergency Alarm Circuit SD-90641-01 or SD-96052-01 Arranged for Automatic Fire Detection — Single Zone — Tests                          |
| 201-601-503 | 6 | Emergency Alarm Circuit SD-90560-01 or SD-96049-01 Arranged for Zone Indicating Lamps and Automatic Fire Detection — Multi-Zone — Tests |
| 201-601-504 | 3 | Emergency Alarm Circuit SD-90437-01 — Arranged for Code Signaling and Automatic Fire Detection — Tests                                  |
| 201-603-501 | 1 | Fire Drill Alarm Circuit SD-90086-01 Tests                                                                                              |
| 201-604-501 | 3 | Fuse Alarms for Miscellaneous Circuits — Tests                                                                                          |
| 201-605-501 | 1 | Major Audible Alarm Circuit SD-95798-01 Arranged for Coded Signaling — Miscellaneous Tests                                              |
| 201-607-301 | 2 | Cable Insulation Alarm Circuit SD-96348-01 — Method of Operation and Alarm Procedures                                                   |
| 201-607-501 | 2 | Cable Insulation Alarm Circuit SD-96348-01 — Tests                                                                                      |

| Section Number  | Issue | Subject                                                                                                                                                  | Section Number  | Issue | Subject                                                                                                                                                                           |
|-----------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 201-609-501     | 2     | Low Insulation Alarm Circuit SD-62489-01 — Tests                                                                                                         | 201-626-501     | 2     | Telephone Order Wire Circuit SD-55320-01 and ES-55572-01 — 600-1500 Cycle Selective Signaling — Tests                                                                             |
| 201-610-301     | 2     | Cable Pressure Telemetry — Central Control — Description and Operation — Toll Cable Pressure Transducer System                                           | 201-627-101     | 1     | 600-1500 Cycle Selective Signaling Systems — Description                                                                                                                          |
| 201-610-302     | 1     | Cable Pressure Telemetry — Central Control and Cable/Transducers — Trouble Locating Procedures                                                           | 201-628-101     | 1     | Alarm Trunk Circuit SD-64542-01 for Use Between Main and Auxiliary Repeater Stations Description                                                                                  |
| 201-610-311     | 2     | Cable Pressure Telemetry — Moduprinter for Central Control Circuit — Method of Operation                                                                 | 201-629-501     | 2     | Alarm Trunk Circuit SD-64542-01 — Alarm Trunk Control Circuit SD-55055-01 — Alarm Trunk Switching Circuit SD-55859-01 — Alarm Trunk Station Selecting Circuit SD-55860-01 — Tests |
| 201-610-501     | 5     | Cable Pressure Telemetry — Central Control — Test and Trouble Analysis Procedures                                                                        | 201-630-010     | 2     | B1 Alarm Indicator Record Forms — Description                                                                                                                                     |
| 201-611-501     | 3     | Cable Gas Pressure Alarm Circuit SD-90412-01 — Cable Protection Alarm Circuit SD-95025-01 and Calling-In Signal — Tests                                  | 201-630-101     | 1     | B1 Alarm and Control System — Description                                                                                                                                         |
| Add 201-612-101 | 1     |                                                                                                                                                          | 201-630-301     | 4     | B1 Alarm and Control System — Method of Operation                                                                                                                                 |
| 201-612-101     | 2     | Remote and Satellite Terminals (SD-7C000-01, SD-2P035-01) Description — Cable Pressure Monitoring System                                                 | 201-631-010     | 1     | C1 Alarm and Control System — Forms and Records                                                                                                                                   |
| Add 201-612-301 | 1     |                                                                                                                                                          | 201-631-101     | 4     | C1 Alarm and Control Circuit and Order-Wire Circuit — Description                                                                                                                 |
| 201-612-301     | 3     | Remote Terminal SD-7C000-01 — Trouble Locating Procedures — Using Remote Terminal Test Set (JTC013AD, LI) — Cable Pressure Monitoring System             | 201-631-501     | 4     | C1 Alarm and Control System — Tests                                                                                                                                               |
| 201-612-302     | 2     | Remote Terminal SD-7C000-01 — Cross-Connections — Cable Pressure Monitoring System (CPMS)                                                                | 201-632-010     | 1     | Alarm Indication Log — Form E-3870 — Description                                                                                                                                  |
| 201-612-311     | 3     | Satellite Terminal SD-2P035-01 — Trouble Locating Procedures — Cable Pressure Monitoring System                                                          | 201-633-301     | 1     | D1 Alarm and Control Circuit and Order Wire Circuit — Substation and Main Station Units — Analysis and Clearance of Trouble                                                       |
| 201-612-312     | 1     | Satellite Terminal SD-2P035-01 — Cross-Connections — Cable Pressure Monitoring System (CPMS)                                                             | 201-633-501     | 1     | D1 Alarm and Control System — Out-of-Service Tests                                                                                                                                |
| 201-613-501     | 2     | Cable Protection Alarm and Calling-In Signal Circuit SD-55211-01 — Tests                                                                                 | 201-634-501     | 2     | D2 Alarm and Control Circuit and Order Wire Circuit — Out-of-Service Tests                                                                                                        |
| 201-614-501     | 1     | 60 I.P.M. Interrupter Alarm and Distribution Circuit SD-63899-01 or SD-63899-02 for Teletypewriter Equipment — Tests                                     | Add 201-635-501 | 1     |                                                                                                                                                                                   |
| 201-615-301     | 1     | Alarm Receiving Circuit SD-95418-01 — Taking Equipment Out of Service                                                                                    | 201-635-501     | 3     | Sequence Signaling and Order Circuits Associated With TD/TH Radio Relay System — Tests                                                                                            |
| 201-615-501     | 1     | Alarm Receiving Circuit SD-95418-01 — Tests                                                                                                              | Add 201-636-501 | 1     |                                                                                                                                                                                   |
| 201-616-101     | 1     | Centralized Status, Alarm and Control System — Description                                                                                               | 201-636-501     | 2     | Remote Control Sending and Receiving Directors and Associated Sequence Signaling Circuits for Use With TD/TH Radio Relay Systems — Tests                                          |
| 201-620-301     | 2     | Audible and Visual Maintenance Alarm Equipment NS-01046-01 — Operating Methods, Alarm Procedures, Adjustment Procedures, and Trouble Locating Procedures | Add 201-637-501 | 1     |                                                                                                                                                                                   |
| 201-620-501     | 2     | Central Office Audible and Visual — Maintenance Alarm Equipment NS-01046-01 — Tests                                                                      | 201-637-501     | 1     | Distribution Fuse, Individual, Audible, and Visual Alarm Circuit SD-56230-01 for Use With TD Radio Systems                                                                        |
| 201-625-101     | 2     | Telephone Order Wire Circuit SD-62476-011 — Selective Signaling — Description                                                                            | 201-639-100     | 1     | E1 Status Reporting and Control System — General Description                                                                                                                      |
| 201-626-101     | 1     | Telephone Order Wire Circuit SD-55320-01 — 600-1500 Cycle Selective Signaling — Description                                                              | 201-639-300     | 1     | E1 Status Reporting and Control System — Operation                                                                                                                                |
|                 |       |                                                                                                                                                          | 201-639-501     | 1     | E1 Status Reporting and Control System — Initial Trouble Diagnoses — Central Station                                                                                              |
|                 |       |                                                                                                                                                          | 201-639-503     | 3     | E1 Status Reporting and Control System — Troubleshooting Procedures — Central Station                                                                                             |

# SECTION 201-000-000

| Section Number | Issue | Subject                                                                                                      |
|----------------|-------|--------------------------------------------------------------------------------------------------------------|
| 201-639-504    | 4     | E1 Status Reporting and Control System — Troubleshooting Procedures — Remote Station (J92615B1 and J92615B2) |
| 201-640-501    | 2     | Television Order Circuits and Associated Equipment — Tests                                                   |
| 201-641-101    | 1     | L4 Order Circuit (L4OC) and Express Order Circuit (XOC) — Description                                        |
| 201-642-101    | 1     | Local Order Circuit (LOC) — Cablemans Order Circuit (COC) — Description                                      |
| 201-643-101    | 2     | Description — Status Assembling System                                                                       |
| 201-643-301    | 2     | Maintenance and Trouble Procedures — Status Assembling System                                                |
| 201-643-501    | 1     | Tests and Inspection — Status Assembling System — SD-5G144, SD-5G143, and SD-5G139                           |
| 201-644-100    | 3     | E2 Status Reporting and Control System — Overall System — Description                                        |
| 201-644-110    | 2     | E2 Status Reporting and Control System — Multidirectional Data Regenerator — Description                     |
| 201-644-111    | 1     | E2 Status Reporting and Control System — Alarm Reporting Remote — Description                                |
| 201-644-112    | 2     | E2 Status Reporting and Control System — Manual Alarm Central — Description                                  |
| 201-644-113    | 1     | E2 Status Reporting and Control System — Status Polling Central — Description                                |
| 201-644-114    | 1     | E2 Status Reporting and Control System — Status Reporting Remote — Description                               |
| 201-644-142    | 1     | E2 Status Reporting and Control System — Remote Call-up Test Set — Description, Operation, and Maintenance   |
| 201-644-312    | 4     | E2 Status Reporting and Control System — Manual Alarm Central Operating Procedures                           |
| 201-644-501    | 3     | E2 Status Reporting and Control System — Initial Trouble Diagnoses                                           |
| 201-644-503    | 5     | E2 Status Reporting and Control System — Manual Alarm Central — Troubleshooting Procedures                   |
| 201-644-504    | 4     | E2 Status Reporting and Control System — Alarm Reporting Remote — Troubleshooting Procedures                 |
| 201-644-510    | 1     | E2 Status Reporting and Control System — Troubleshooting Procedures — Multidirectional Data Regenerator      |
| 201-644-511    | 1     | E2 Status Reporting and Control System — Troubleshooting Procedures — Status Reporting Remote                |
| 201-644-513    | 1     | E2 Status Reporting and Control System — Troubleshooting Procedures — Status Polling Central                 |

| Section Number | Issue | Subject                                                                                                                                                |
|----------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| 201-644-550    | 1     | E2 Status Reporting and Control System — Remote Station Connections and Central Station Display — Overall System — Tests — Interconnection and Display |
| 201-645-501    | 2     | Group Alerting System J95421 (SD-95883-01 and SD-95884-01) — Tests                                                                                     |
| 201-646-101    | 4     | 4-Wire Order Circuit — General Purpose (SD-1C245-01) — Description                                                                                     |
| 201-646-501    | 4     | 4-Wire Order Circuit — General Purpose SD-1C245-01 — Tests                                                                                             |
| 201-647-100    | 1     | E3 Alarm System — Description                                                                                                                          |
| 201-647-101    | 2     | E3 Alarm System — E3 Alarm Central — Description                                                                                                       |
| 201-647-301    | 2     | E3 Alarm System — E3 Central (J1P030A) Operation                                                                                                       |
| 201-647-500    | 3     | E3 Alarm System — Initial Trouble Diagnosis                                                                                                            |
| 201-647-501    | 2     | E3 Alarm System — E3 Central — Maintenance                                                                                                             |
| 201-650-501    | 1     | Emergency Line or Trunk Transfer Circuit SD-95690-01 — Tests                                                                                           |
| 201-651-501    | 1     | Lines Arranged for Manual Completion of Emergency Calls — Operation Test                                                                               |
| 201-652-501    | 1     | Emergency Line Circuit SD-95336-01 — Tests                                                                                                             |
| 201-653-102    | 3     | E2A Telemetry — Switching Control Center System — Description                                                                                          |
| 201-653-103    | 1     | E2A Telemetry — Cable Pressure Monitoring System (CPMS) — Description                                                                                  |
| 201-653-104    | 2     | E2A Telemetry — Status and Command Remote Applications — Description                                                                                   |
| 201-653-105    | 1     | E2A Telemetry — SCOTS-C1 Interface Remote — Description                                                                                                |
| 201-653-106    | 1     | E2A Telemetry — No. 4 ESS Network Management Central and Remote — Description                                                                          |
| 201-653-107    | 1     | E2A Telemetry — CDO Satellite Remote — Description and Maintenance                                                                                     |
| 201-653-108    | 1     | E2A Telemetry — No. 4 ESS — Combined Maintenance Operations — Center Description                                                                       |
| 201-653-122    | 1     | E2A — Telemetry System — Alarm Processing Remotes (APR) System — Description                                                                           |
| 201-653-502    | 2     | E2A Telemetry — Switching Control Center — Central and Remote Maintenance                                                                              |
| 201-653-503    | 1     | E2A Telemetry — Cable Pressure Monitoring System — Telemetry-to-Computer Translator and Remote Maintenance                                             |
| 201-653-504    | 2     | E2A Telemetry — Status and Command Remote and Telemetry to Computer Translator — Maintenance                                                           |
| 201-653-605    | 1     | E2A Telemetry — SCOTS-C1 Interface Remote and TCT — Maintenance                                                                                        |

| Section Number                                                           | Issue | Subject                                                                                                     | Section Number  | Issue | Subject                                                                                                                                                                             |
|--------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------------------------------|-----------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 201-653-506                                                              | 1     | E2A Telemetry — No. 4 ESS Network Management Central and Remote Maintenance                                 | 201-826-501     | 4     | Auxiliary Line Circuit SD-99439-01 — Arranged for Measured Rate INWATS Service — Operation Tests                                                                                    |
| 201-653-508                                                              | 1     | E2A Telemetry No. 4 ESS — Combined Maintenance Operations Center (CMOC) — Maintenance                       | 201-828-501     | 2     | Remote Testing Features SD-99308-01, SD-99311-01, SD-97557-01, and SD-97558-01 — No. 14 Local Test Desk and No. 16 Local Test Desk — Far-End and Extended Remote Tests From Far-End |
| ● 201-653-522                                                            | 2     | E2A Telemetry — Alarm Processing Remote (APR) — Maintenance                                                 | 201-828-502     | 3     | Remote Testing Features — No. 14 Local Test Desk and No. 16 Local Test Desk — SD-99309-01 and SD-99310-01 Near-End and SD-97559-01 Near to Far-End Tests                            |
| <b>201-7 OPERATOR TRAINING EQUIPMENT AND COMMON SWITCHBOARD SECTIONS</b> |       |                                                                                                             | 201-829-501     | 1     | UI Carrier SD-1C151-01 — Central Office Unit — Test                                                                                                                                 |
| 201-701-501                                                              | 1     | Operator Key pulsing Drill Circuit — Tests                                                                  | 201-830-301     | 1     | Automatic Identified Outward Dialing Equipment — General Maintenance Procedures                                                                                                     |
| 201-702-501                                                              | 1     | Operator Training Circuit — CAMA Training Equipment — Tests                                                 | 201-830-501     | 3     | Alarms — Operation Tests — PBX Automatic Identified Outward Dialing Type A1 Equipment                                                                                               |
| 201-705-501                                                              | 3     | Key Monitoring Circuit SD-96314-01 — MF and DC Key pulsing — DSA, Toll and CAMA Switchboards — Tests        | 201-831-501     | 3     | Automatic Identified Outward Dialing, Type A2 — Alarm Tests and Operation Tests Using Station Identification — Test Circuit SD-1C235-01                                             |
| 201-710-301                                                              | 1     | Location of Crosses and Grounds in Switchboard Multiple                                                     | 201-832-501     | 1     | Dial Long Line Circuit SD-96588-01 — Test                                                                                                                                           |
| 201-711-301                                                              | 1     | Removing Foreign Materials From Switchboard Jacks Using Tool Kit Per KS-6527                                | 201-832-502     | 5     | Dial Long Line Circuits — SD-96589-01 — 96590-01 — 96591-01 — Tests Using Test Position SD-96594-01                                                                                 |
| 201-712-501                                                              | 3     | Idle Trunk Indicating, Group Busy, and Answering Lamp Circuits — Tests                                      | 201-833-501     | 5     | Coin Station Test Line SD-1C297-01 — Tests and Trouble Locating Procedures                                                                                                          |
| 201-715-501                                                              | 3     | MF Keyset Circuit No. 13C, 13D, 14C, 15C and 15D Switchboards — Output Level — 0 DBM Per Frequency — Tests  | 201-836-501     | 1     | Video Supervisory Signal Supply Circuit SD-27909-01 Associated With Wideband Remote Switch Circuit SD-27900-01 — Tests                                                              |
| 201-715-502                                                              | 1     | MF Keyset Circuit No. 13C, 13D, 14C, 15C, and 15D Switchboards — Output Level — 3 DBM Per Frequency — Tests | 201-838-101     | 1     | ROTL Control Panel — Description and Operation — Common Systems                                                                                                                     |
| 201-715-503                                                              | 1     | MF Keyset Circuit No. 13C, 13D, 14C, 15C, and 15D Switchboards — Output Level — 8 DBM Per Frequency — Tests | 201-838-701     | 1     | Remote Office Test Line (ROTL) Control Panel — E6 Repeater Adjustment                                                                                                               |
| 201-715-504                                                              | 1     | MF Keyset Circuits No. 13C, 13D, 14C, 15C, and 15D Switchboards — Output Level — 6 DBM Per Frequency — Test | Add 201-840-501 | 1     |                                                                                                                                                                                     |
| 201-720-501                                                              | 1     | Coin Zone Operator Trunk Circuit SD-95851-01 — Tests Using Trunk Test Circuit SD-95875-01                   | 201-840-501     | 2     | Apartment Door Answering Service (ADAS) — ST-596038 — Central Office Tests                                                                                                          |
| <b>201-8 MISCELLANEOUS COMMON SYSTEM CIRCUITS</b>                        |       |                                                                                                             | 201-840-502     | 1     | Apartment Door — Answering Service (ADAS) — NS-02506-01 — Central Office Tests                                                                                                      |
| 201-819-501                                                              | 2     | Speed Test Circuit for TOUCH-TONE® Automatic Dialers — SD-1C402-01 — Tests and Adjustments                  | 201-841-301     | 1     | Calendar and Clock Circuit SD-68591-01 — Clock Setting                                                                                                                              |
| 201-820-301                                                              | 1     | TOUCH-TONE® Calling Receiving Circuit (J99266) — Trouble-Location                                           | 201-850-101     | 2     | No. 1 Trunk Concentrator — Description                                                                                                                                              |
| 201-821-301                                                              | 2     | "TOUCH-TONE®" Calling-Receiving Circuit J99289 — SD-98148-01 — Trouble Location                             | 201-850-501     | 1     | No. 1 Trunk Concentrator Circuit SD-97569-01 — Tests                                                                                                                                |
| 201-822-301                                                              | 2     | Use of Compensating Resistance — Revertive and PC1 Pulsing Circuits                                         | 201-850-502     | 2     | Outgoing Trunk Circuit to AIC SD-97570-01 — Transmission Tests — No. 1 Trunk Concentrator                                                                                           |
| 201-825-501                                                              | 1     | Private Line Conference Circuits With or Without Amplifiers — Tests                                         | 201-850-503     | 2     | Outgoing Trunk Circuit to ACD SD-97578-01 — Transmission Tests — No. 1 Trunk Concentrator                                                                                           |
| 201-825-502                                                              | 2     | Private Line Conference Circuit SD-96391-01 — Transmission Tests                                            |                 |       |                                                                                                                                                                                     |

## SECTION 201-000-000

| Section Number | Issue | Subject                                                                                                                              |
|----------------|-------|--------------------------------------------------------------------------------------------------------------------------------------|
| 201-850-504    | 1     | Trunks Terminating on No. 1 Trunk Concentrator — Incoming Trunk Frame — Trunk Transmission Tests                                     |
| 201-850-505    | 1     | Outgoing Trunk Circuit to No. 23-Desk SD-97578-01 — Transmission Tests — No. 1 Trunk Concentrator                                    |
| 201-850-511    | 2     | Outgoing Trunk Circuit SD-97570-01 — Tests Using Portable Test Set J94747A — No. 1 Trunk Concentrator                                |
| 201-850-512    | 2     | Incoming Intercept ANI Trunk Circuit SD-97571-01 — Tests Using Portable Test Set J94747A — No. 1 Trunk Concentrator                  |
| 201-850-513    | 2     | Incoming Intercept ONI-1 Trunk Circuit SD-97572-01 — Tests Using Portable Test Set J94747A — No. 1 Trunk Concentrator                |
| 201-850-514    | 4     | Incoming Intercept ONI-3 Loop Signaling Trunk Circuit SD-97573-01 — Tests Using Portable Test Set J94747A — No. 1 Trunk Concentrator |
| 201-850-515    | 4     | Incoming Intercept ONI-3 E and M Lead Signaling Trunk Tests Using Portable Test Set J94747A — No. 1 Trunk Concentrator               |
| 201-850-521    | 2     | Incoming Trunk Circuit SD-97577-01 for Directory Assistance Traffic Tests Using Portable Test Set J94747A — No. 1 Trunk Concentrator |
| 201-850-522    | 2     | Outgoing Trunk SD-97578-01 — Tests Using Portable Test Set J94747A — No. 1 Trunk Concentrator                                        |

### 201-9 BILLING SYSTEMS

|                 |   |                                                                                                      |
|-----------------|---|------------------------------------------------------------------------------------------------------|
| 201-900-010     | 1 | No. 1 Automatic Message Accounting Recording Center (AMARC) — Operation, Maintenance, and Management |
| ● ♥ 201-900-050 | 1 | Introduction to Nongeneric Parameter Data (NPD) — Required for No. 1 and 1A AMARC                    |
| ● ♥ 201-900-051 | 1 | Physical Description of No. 1 AMARC and No. 1A AMARC                                                 |
| ● ♥ 201-900-052 | 1 | Description of Nongeneric Parameter Data (NPD) Tables — AMARC                                        |
| ● ♥ 201-900-053 | 1 | Call Data Accumulator (CDA) Translations for AMARC                                                   |
| ● ♥ 201-900-054 | 1 | Billing Data Transmitter (BDT) Translations for AMARC                                                |
| ● ♥ 201-900-055 | 1 | Preparation of Nongeneric Parameter Data (NPD) Forms — AMARC — General                               |
| ● ♥ 201-900-056 | 1 | Preparation of Nongeneric Parameter Data (NPD) Forms — Common Parameters — AMARC                     |
| ● ♥ 201-900-057 | 1 | Preparation of Nongeneric Parameter Data (NPD) Entity Parameters — AMARC                             |
| ● ♥ 201-900-058 | 1 | Preparation of Nongeneric Parameter Data (NPD) Forms — Channel Parameters — AMARC                    |

| Section Number  | Issue | Subject                                                                                                                                                                                  |
|-----------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ● ♥ 201-900-059 | 1     | Preparation of Nongeneric Parameter Data (NPD) Forms — Special Number Parameters — AMARC                                                                                                 |
| ● ♥ 201-900-061 | 1     | Nongeneric Parameter Data — AMARC Dump Messages                                                                                                                                          |
| ● ♥ 201-900-062 | 1     | Nongeneric Parameter Data (NPD) — Other AMARC Administrative Records                                                                                                                     |
| ● ♥ 201-900-063 | 1     | Automatic Message Accounting Recording Center Administrative Considerations for Growth and Rearrangements                                                                                |
| 201-900-101     | 1     | No. 1 Automatic Message Accounting Recording Center (AMARC) — Description                                                                                                                |
| 201-900-102     | 2     | 230A Repeater for Use With No. 1 Automatic Message Accounting Recording Center (AMARC) — Description                                                                                     |
| ● 201-900-300   | 1     | Software Growth Procedures — No. 1 Automatic Message Accounting — Recording Center (AMARC)                                                                                               |
| 201-900-301     | 1     | Routine Procedures — No. 1 Automatic Message Accounting Recording Center (AMARC)                                                                                                         |
| 201-900-302     | 1     | System — Initialization, Removal, Restoral, Switch, Program Update Via PTP Channel, and Loading Generic Program Overwrites — No. 1 Automatic Message Accounting Recording Center (AMARC) |
| 201-900-303     | 1     | Emergency Procedures — No. 1 Automatic Message Accounting Recording Center (AMARC)                                                                                                       |
| 201-900-304     | 1     | Fault Isolation Procedures — No. 1 Automatic Message Accounting Recording Center (AMARC)                                                                                                 |
| 201-900-305     | 2     | Date and Time Change Procedures — No. 1 Automatic Message Accounting Recording Center (AMARC)                                                                                            |
| 201-900-306     | 1     | Data Set Interface and Auxiliary Functions (DSIAF) Diagnostics — Loading Procedure and Interpretation — No. 1 Automatic Message Accounting Recording Center (AMARC)                      |
| 201-900-307     | 2     | Nongeneric Parameter Data Procedures — No. 1 Automatic Message Accounting Recording Center (AMARC)                                                                                       |
| 201-900-309     | 1     | Operator Analysis of Step-by-Step Channel Troubles — No. 1 Automatic Message Accounting Recording Center (AMARC)                                                                         |
| 201-901-101     | 2     | Billing Data Transmitter — Description                                                                                                                                                   |
| 201-901-301     | 2     | Billing Data Transmitter — Trouble Sectionalizing                                                                                                                                        |
| 201-901-302     | 2     | Central Office AMA Equipment With BDT — Precautionary Measures — Common Systems                                                                                                          |
| 201-901-501     | 2     | Recorder and Recorder Connector Circuit SD-25872-01 — Operation Tests CAMA and AMA Offices Equipped With Billing Data Transmitters                                                       |

| Section Number  | Issue | Subject                                                                                                                                                                                  |   | Section Number | Issue | Subject                                                                                                                                                                                                                    |
|-----------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|----------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 201-901-502     | 2     | Billing Data Transmitter Acceptance Tests                                                                                                                                                | ● | 201-902-308    | 2     | Centralized Automatic Message Accounting-Computerized (ICAMA-C) — Remote Teletypewriter — Description, Operation, and Maintenance — 4A, 4M Toll and Crossbar Tandem Offices                                                |
| 201-902-010     | 1     | Centralized Automatic Message Accounting — Computerized (ICAMA-C) — Operation, Maintenance, and Management — No. 4 Crossbar and Crossbar Tandem Offices                                  | ● | 201-902-309    | 3     | Centralized Automatic Message Accounting-Computerized (ICAMA-C) — Monitoring Tests — 4A, 4M Toll, and Crossbar Tandem Offices                                                                                              |
| Add 201-902-101 | 1     |                                                                                                                                                                                          |   | 201-902-310    | 1     | Centralized Automatic Message Accounting (ICAMA-C) — Program Loading Procedures — 4A, 4M Toll and Crossbar Tandem Offices                                                                                                  |
| 201-902-101     | 1     | Centralized Automatic Message Accounting — Computerized (ICAMA-C) — Description Information — 4A, 4M Toll, and Crossbar Tandem Offices                                                   | ● | 201-902-501    | 3     | Centralized Automatic Message Accounting — Computerized (ICAMA-C) Tape Loading and Unloading Procedures, TTY Paper and Ribbon Changing Procedures, and Routine Maintenance Tests — 4A, 4M Toll and Crossbar Tandem Offices |
| 201-902-301     | 1     | Emergency Action Procedures — Centralized Automatic Message Accounting — Computerized (ICAMA-C)                                                                                          | ● | 201-902-502    | 2     | Centralized Automatic Message Accounting — Computerized (ICAMA-C) Recorder and Recorder Connection Circuit SD-25872-01 Tests — 4A, 4M Toll and Crossbar Tandem                                                             |
| 201-902-302     | 1     | Multiplexor/Scanner Trouble Locating and Test Procedures — Centralized Automatic Message Accounting — Computerized (ICAMA-C)                                                             | ● | 201-902-503    | 2     | Centralized Automatic Message Accounting-Computerized (ICAMA-C) — Equipped With ANIS or MECCA Feature Tests — 4A, 4M Toll and Crossbar Tandem Offices                                                                      |
| ● 201-902-303   | 2     | Centralized Automatic Message Accounting (ICAMA-C) — Recent Change Procedures — 4A, 4M Toll and Crossbar Tandem Offices                                                                  | ● | 201-903-101    | 1     | Hotel Billing Information System (HOBIS) — Description                                                                                                                                                                     |
| ● 201-902-304   | 2     | Centralized Automatic Message Accounting — Computerized (ICAMA-C) Hourly and Daily Maintenance Reports — Procedures and Message Interpretation — 4A, 4M Toll and Crossbar Tandem Offices | ● | 201-903-301    | 1     | No. 1 Hotel Billing Information System (HOBIS) — Maintenance Test Procedures                                                                                                                                               |
| 201-902-305     | 2     | Centralized Automatic Message Accounting-Computerized (ICAMA-C) — Time Change Procedures                                                                                                 | ● | 201-903-302    | 1     | Central Unit — Routine Operation Procedures — No. 1 Hotel Billing Information System (HOBIS)                                                                                                                               |
| ● 201-902-306   | 3     | Centralized Automatic Message Accounting (ICAMA-C) — Generic Program Overwrites and Application of Broadcast Warning Change Notices — 4A, 4M Toll and Crossbar Tandem Offices            |   | 201-903-501    | 1     | No. 1 Hotel Billing Information System (HOBIS) — Emergency Action and Restoration Procedures                                                                                                                               |
| 201-902-307     | 2     | Centralized Automatic Message Accounting — Computerized (ICAMA-C) — Disk Handling Procedures                                                                                             |   |                |       |                                                                                                                                                                                                                            |