


ALPHABETICAL INDEX
FOR DIVISION 201



1.01 This section provides an alphabetically arranged list of the sections in Division 201 of the Plant Series of Bell System Practices. It includes listings as of BSPM 1144, issued May, 1969.

A

ABNORMAL MAINTENANCE EFFORT,
Prevention during installation
activity..... 201-112-001

ADMINISTRATION MAINTENANCE see MAINTENANCE ADMINISTRATION

ALARMS,

B1,
description..... 201-630-101
general operation..... 201-630-301
record..... 201-630-010

C1,
description..... 201-631-101
record..... 201-631-010
test..... 201-631-501

Cable insulation (SD-96348-01),
alarm procedure..... 201-607-301
test..... 201-607-501

Cable protection,
tests,
SD-55211-01..... 201-613-501
SD-90412-01 or SD-95025-01..... 201-611-501

D1,
tests,
out-of-service..... 201-633-501
troubles, analyzing and clearing,
substation and main station
units..... 201-633-301

D2,
tests..... 201-634-501
Emergency systems,
description..... 201-601-101
tests,
code signal automatic fire
detection, (SD-90437-01)..... 201-601-504
separate incoming alarm from
distant office, (SD-90642-01)... 201-601-501
single zone, automatic fire
detection, (SD-90641-01 or
SD-96052-01)..... 201-601-502
zone indicating, automatic fire
detection, (SD-90560-01 or
SD-96049-01)..... 201-601-503

Fire drill,
test..... 201-603-501

Fuse,
tests..... 201-604-501

Indication Log - Form E-3870..... 201-632-010
Interrupter, 60 IPM, and distribution
circuit,
tests..... 201-614-501

Low insulation (SD-62489-01),
test..... 201-609-501

Major audible, coded signaling,
SD-95798-01,
tests..... 201-605-501

Receiving Circuit (SD-95418-01),
taking equipment out of service.... 201-615-301
test..... 201-615-501

TD radio systems,
test..... 201-637-501

Unattended repeater stations,
description..... 201-628-101
test..... 201-629-501

ALERTING SYSTEM, GROUP,
Tests..... 201-645-501

SECTION 201-000-005

ANNOUNCEMENT EQUIPMENT,

Machine intercepting, No. 6A systems,
 tests,
 control circuit..... 201-513-501
 distributing and alarm circuit... 201-513-502
 subcenter distributing and
 alarm circuit 201-508-501
 No. 5A announcement system,
 tests,
 amplifiers and alarms..... 201-511-501
 No. 8A announcement system,
 tests 201-515-501
 No. 9A announcement system,
 tests 201-515-501
 subcenter distributing and
 alarm circuit 201-508-501
 No. 11A announcement system,
 tests 201-517-501
 Time of day service,
 announcement systems No. 1 and
 No. 1B,
 alarm procedure..... 201-505-301
 description,
 manual announcement..... 201-505-101
 taking equipment out of service.. 201-505-302
 tests,
 announcement trunk..... 201-505-504
 desk circuit..... 201-505-501
 incoming distributing circuit.. 201-505-502
 outgoing distributing circuit.. 201-505-503
 announcement system No. 4A,
 tests,
 alarm and distributing circuits 201-509-501
 trunks..... 201-509-502
 subscriber operated,
 tests,
 control and distributing
 circuit..... 201-501-501
 trunks..... 201-501-502
 Weather forecast service, No. 3A system,
 tests,
 control circuit, subcenter..... 201-507-502
 control, volume limit indicator
 and tape amplifier circuits..... 201-507-501
 subcenter distributing and
 alarm circuit 201-508-501
 trunks and associated distri-
 buting circuits..... 201-507-503

AUXILIARY LINE CIRCUIT SD-99439-01 (INWATS).
 Tests 201-826-501

B

"BELLBOY" see PERSONAL SIGNALING SYSTEM NO. 1A

C

CABLE PRESSURE TELEMETRY CENTRAL CONTROL,
 method of operation 201 610-301
 test and trouble analysis procedures. 201-610-501

CENTRALIZED SUPERVISORY CONSOLE,
 SD-95979-01,
 tests..... 201-704-501

CIVIL AIR DEFENSE WARNING SYSTEM,
 Central office control circuit
 (SD-95332-01),
 alarm procedure..... 201-301-301
 test..... 201-301-501

Public signal control circuit
 (SD-95688-01),

tests,
 code distributing circuit,
 five stations (SD-95685-01).... 201-302-501
 eight stations (SD-95743-01)... 201-303-501
 200 stations (SD-95678-01).... 201-304-501

Tests,
 branch circuit dialing..... 201-305-501
 network dialing and pulsing..... 201-305-501
 station line, using SD-95746-01.... 201-307-501
 two-way signaling repeaters
 (SD-95681-01 and SD-95682-01).... 201-306-501

COMMON CONTROL EQUIPMENT,

Tests,
 manual test circuit SD-32362-01....227-761-500

COMPENSATING RESISTANCE,

Revertive and PCI pulsing circuits... 201-822-301

CONDENSERS, see CAPACITORS

CONFERENCE CIRCUITS,

Private line,
 tests,
 operation..... 201-825-501
 transmission..... 201-825-502

CROSSES AND GROUNDS, SWITCHBOARD MULTIPLE,

Location of..... 201-710-301

D

DIRECTORS,

Remote control, used with TD2 radio
 relay,
 test..... 201-636-501

DISTRIBUTING FRAMES,

Cross connection,
 methods,
 PBX battery feeders,
 "A" type main frame..... 201-202-301
 PBX station and ringing supply
 feeders,
 "A" type main frame..... 201-202-301
 Connectors,
 302-type..... 201-207-301
 piece-part data and replacement
 procedures,
 300-type..... 201-208-801
 Heat coils and protector blocks,
 placing and maintaining..... 201-206-301
 Heat coils and protector springs,
 test,
 resistance..... 201-206-501
 Inspection..... 201-204-501
 No. 444 type jacks,
 guards, protective, placing and
 removing,
 16-type..... 201-206-301
 use of cords and plugs..... 201-205-301
 Main frame for large central offices,
 description..... 201-201-101
 Protection,
 "A" type main frame..... 201-202-301
 "B" type main frame..... 201-203-301
 Protectors and protector mountings,
 piece part data and replacement
 procedures,
 121-type..... 201-208-801
 other than 121-type..... 201-206-801
 Warning markers,
 placing and removing..... 201-206-301

G

GROUP ALERTING SYSTEM
 tests..... 201-645-501

GUARDS, PROTECTIVE, see DISTRIBUTING FRAMES

I

IDLE TRUNK INDICATING, GROUP BUSY AND
 ANSWERING LAMP CIRCUITS,
 test..... 201-712-501

INDEX PLAN, DIAL SERVICE see MAINTENANCE ADMINIS-
 TRATION

INSTALLATION ACTIVITY,
 Prevention of service interruptions.. 201-112-001

K

KEY, MONITORING, (SD-96314-01),
 Test..... 201-705-501

KEYSET CIRCUIT, MF,
 Nos 13C, 13D, 14C, 15C, and 15D
 switchboards,
 tests,
 0 DBM per frequency..... 201-715-501
 -3 DBM per frequency..... 201-715-502
 -6 DBM per frequency.....201-715-504
 -8 DBM per frequency 201-715-503

L

LINE CIRCUITS,
 Tests,
 auxiliary, SD-99439-01, (INWATS) .. 201-826-501
 emergency, SD-95336-01..... 201-652-501
 manual auxiliary emergency..... 201-651-501

LINE SUPPLY,
 Test progress tone circuit SD-96603-01,
 and distributing circuit 201-579-501

M

MAINTENANCE ADMINISTRATION,
 Central office,
 fundamentals..... 201-101-001
 work scheduling..... 201-110-001
 service index plan, dial,
 general..... 201-102-001
 tables..... 201-102-002

O

OPERATOR TRAINING EQUIPMENT,
 Tests,
 CAMA training circuit, SD-95802-01. 201-702-501
 keypulsing drill circuit,
 SD-95830-01..... 201-701-501

ORDER CIRCUITS,
 L4, (L4OC) and express (XOC),
 description 201-641-101
 Local (LOC) and cableman's (COC)
 description 201-642-101

ORDER WIRE,
 Description,
 selective signaling, SD-62476-01... 201-625-101
 selective signaling, SD-55320-01... 201-626-101
 Tests,
 600-1500 cycle selective signaling. 201-626-501
 radio relay, TD2..... 201-635-501
 television..... 201-640-501

P

PBX AIOD EQUIPMENT,
 General maintenance procedures..... 201-830-301
 Tests,
 Alarms..... 201-830-501

PERSONAL SIGNALING SYSTEM NO. 1A
 Tests,
 J1 terminal switching circuits..... 201-810-501
 Transmitter control and tone
 supply bag..... 201-810-502

PREVENTION OF SERVICE INTERRUPTIONS,
 During period of installation
 activity..... 201-112-001

R

RANGE EXTENDER UNIT,
 1A and 1B (DK1 Circuit Pack,)
 Tests,
 miscellaneous 201 215-501
 SD-27806,
 tests using SD-25918-01..... 218-114-501

RECEIVER CIRCUITS, see SIGNALING EQUIPMENT

RECORDERS,
 Traffic usage,
 frame mounted, SD-95738-01,
 test..... 201-414-501
 portable, No. 1, SD-96494-01,
 connecting..... 201-410-301
 test..... 201-410-501

RECORDS,

Classifying, scheduling, assigning
and recording routine effort..... 201-106-001
Equipment out of service..... 201-114-001
Investigation of test and found OK
reports,
local dial and manual central
offices..... 201-104-001
Ticket analysis file..... 201-108-001

REMOTE TEST CIRCUIT FOR LOCAL TEST DESK,

Trouble location procedures,
far end 201-828-301
near end 201-828-302

S

SCHEDULING see MAINTENANCE ADMINISTRATION

SELECTIVE SIGNALING SYSTEMS,

600-1500 cycle, description..... 201-627-101

SEQUENCE SIGNALING,

TD2 radio relay system,
tests,
order circuits..... 201-635-501
remote control sending and re-
ceiving directors..... 201-636-501
Television order circuits,
test..... 201-640-501

SERVICE INTERRUPTIONS,

Prevention during installation
activity..... 201-112-001

SIGNALING EQUIPMENT,

Receiver circuits, TOUCH TONE,
trouble location,
SD-95287-01..... 201-820-301
SD-98148-01..... 201-821-301

STATUS ASSEMBLING SYSTEM,

description 201-643-101
operation and maintenance 201-643-301

STATUS REPORTING AND CONTROL SYSTEM,

E1,
description 201-639-101
operation and maintenance 201-639-301

SWITCHBOARD JACKS

Locating crosses and grounds..... 201-710-301
Removing foreign material..... 201-711-301

T

TD2 RADIO RELAY SYSTEMS,

Tests,
order circuits..... 201-635-501
remote control sending and re-
ceiving directors..... 201-636-501

TELEVISION,

Order circuits,
test..... 201-640-501

TIMERS,

5A,
tests..... 201-570-501

TONE DETECTOR CIRCUIT SD-94800-01,

Tests and adjustments 201 578-501

TONE GENERATORS,

400A, (Receiver OFF-Hook Tone)
tests..... 201-576-601

TONE SUPPLY,

No such number,
alarm, manual transfer and trouble
clearing procedures..... 201-580-301
test..... 201-580-501
Test progress tone circuit SD-96603-01,
and distributing circuit 201 579-501

TOTALIZER CIRCUIT KS-15947 (SD-95965-01)

Tests..... 201-405-501

"TOUCH-TONE" CALLING RECEIVER CIRCUITS,

Trouble location,
SD-95287-01..... 201-820-301
SD-98148-01..... 201-821-301

TRANSFER CIRCUITS,

Tests,
line or trunk, for restoring
service on emergency basis,
(SD-95690-01)..... 201-650-501

TONE DETECTOR CIRCUIT SD-94800-01,

Tests and adjustments 201 578-501

TRUNK USAGE MEASUREMENT,

Using type "A" set..... 201-412-301
Using type "B" set..... 201-413-301

TRUNKS,

Coin zone operator, SD-95851-01,
tests,
at switchboard end, using
SD-95875-01..... 201-720-501

U

U1 CARRIER SYSTEM,

Central office unit SD-1C151-01,
tests..... 201-829-501

W

WARNING MARKERS,

Placing and removing..... 201-206-301