UNIFORM COLOR PLAN

PRODUCT CONVERSION

GROUP 2

This index lists the information that forms a part of, or supplements this specification, and indicates the authorized issues thereof.

PAGE 1 , ISSUE	1	2		-								
DATE	6-62	10-62										
NUMBER	I	SSUES	AUT	HOF	IZE	0 0	N A	BOY	VE I	DAT	E	TITLE
Page 2	1	2										
" 3	1									1000		
11 4	1	2								1		
11 6	1	2						Maria .				
" 7	1	4				200						
11 8	1											
		199									7.34	
Second State and		18.5	and the		- 1			B. T.				
MARKET RELIGIONS			The same									
												Parameter Control
										8.9		The state of the s
	-			-								
	-			-							-	
	1											
								1.9			1	
Commence of the second			-	1949	10.07	FALST		1, 10		0.27		
								1/5				
		D. C.			300		196			12		
			100	1				127			100	
	-				THE.							
	-	ortion.										
	-									-		
	-											
	1											
			17.71		- 300		7.0					
									- 3			
				15		SAME.						
Office of the Control										14		
	-								- 3			
	-											

c-Information in accordance with that currently authorized.

1. GENERAL

- 1.01 This BSRS provides a listing of products, not presently covered by Bell System Repair Specifications, which have been affected by the introduction of the new general purpose color, -49 light olive gray.
- 1.02 This BSRS will serve as an interim specification until these products are included in new or existing BSRSs.
- 1.03 Products shall be reissued in the new colors specified in Table A. Only surfaces exposed to view in service need be refinished.
- 1.04 The finishes used to convert present colors to the new colors shall be in accordance with Table B.
- 1.05 In the case of two-color apparatus, ie, where a shadowed base is of one color and the cover another, only the latter need be refinished.
- 1.06 In the case of apparatus contained within a cover, only the color of the cover need be changed.
- 1.07 When specified by the telephone company, "Multicolor Lacquer" shall be used to refinish apparatus which previously was coated with smooth lacquer, enamel, or wrinkle enamel. It shall not be used over plastisol, textured vinyl, or PVC coatings.
- 1.08 Refinished apparatus shall have the same type of finish (smooth or wrinkle) as the original finish, except as covered in 1.07.
- 1.09 All nameplates and stampings which otherwise might interfere with the uniform color objective shall be eliminated, relocated, minimized, or modified in accordance with the objectives, as outlined in Table A.



TABLE A

		Pres	ent C	olor			New	Colo	r	
Item	-3	-42	-50	-54	O t h e r	-3	-49	-50	-54	Remarks
Apparatus Mtg 16A 16B					x x		X X			
Backboard ED-69368-50, G1 ED-91180-01					x x		X X			
Backplate ED-69366-50, G3					x		x			
Box, Apparatus 105B 107A 107B					x x x		X X X			
Box, Battery 1A 2A 2B 9A	x x x x						X X X X			
Box, Terminal Wall ED-69391-50, G1					х		x			

TABLE A (Cont)

		Pres	ent C	olor			New	Cold	or	Remarks
Item	-3	-42	-50	-54	O t h e r	-3	-49	~50	-54	
Cabinet J86471A, L2 ED-81550-01 ED-91981-01 ED-69366-50, G1 ED-91194-01 ED-91180-01 ED-92185-01 ED-91472-70 J59010, L1 J86566A, L1, L9 ED-91982-01 ED-91990-01 ED-91954-01					X X X X X X X X X X X X X		x x x x x x x x x x x x x x x x x x x			
Cable Terminal 64A1-50 HS-6	x				х		X X			
CAB Assembly ED-65877-01					x		x			
Console ED-69290-01					x		х			
Cover 116A 116B 117A 117B 150A ED-69368, G2 ED-95023-01, G5					X X X X X X		X X X X X X			Remove Bell System marking. Remove Bell System marking.

de

BSRS-120.002 Page 4, Issue 1

	Pr	esent	Cold	or			New	Colo	r	
Item	-3	-42	-50	-54	O t h e r	-3	-49	-50	-54	Remarks
Insulating Base ED-91180-01					x		х			
Lamp Signal Detector J53121A					x		х			
Metal Stand ED-91296-01 ED-69448-30					x		x x			
Plate, Face 16A 16B 16C 16D		X X X	X X X X	X X X X			X X X	X X X X	X X X	
Plant, Power					X X X X X X		X X X X X X			Replace power cords with -49 cord. Nameplate to be made inconspicuous by painting gray.
Recorder-Coupler KS-19164, L1					x		х			

BSRS-120.002 Page 5, Issue 2

		Pre	esent	Colo	r		New	Colo	r	
Item	-3	-42	-50	-54	O t h e	-3	-49	-50	-54	Remarks
Rectifier J87205, BL3, BL4 J87205F, L1,L2,J86205H,L1 KS-15668	6				X X X		X X X	7		
Relay Rack, Wall Type ED-69463					х		х	7		
Set, Relay KS-16527, L1 KS-5381, L6	X X						X X			
Section Terminal Cable					X X X X X X		X X X X X X			
Slide Unit Assembly ED-65878-01					х		x			
Style Strip ED-66222-30		le .			х		X			
Transformer KS-16886, L1 KS-5714		х			x		x x			
Unit Control 53A KS-16537, L1, L2 Downloaded from T	CLLib	X arv: h	tn·//ww	w tele	X	colle	X X	ıfo - S	ource: C	onnections Museum, Seattle, WA

TABLE B

APPROVED FINISHES

Material to be	Type of Finish	Finish to be Applied							
Refinished	Desired	-49 Gray	-50 Ivory						
Wood Smooth	Smooth	#701 Finish	"Approved Ivory Lacquer"						
Smooth	Textured Finish (Plextone)	"Approved Multi- colored Lacquer"							
Metal Smooth	Smooth - Change Color	#701 Finish	"Approved Ivory Lacquer"						
Smooth	Smooth - Completely Refinish	#702 Finish	"Approved Baking Enamel"						
Smooth	Textured Finish (Plextone)	"Approved Multi- colored Lacquer"							
<u>Wrinkle</u> Wrinkle	Wrinkle-Change Color	#701 Finish							
Wrinkle	Wrinkle-Completely Refinish	#703 Finish							
Wrinkle	Textured Vinyl	#693 Finish							
Wrinkle	Textured Vinyl (Plextone)	"Approved Multi- colored Lacquer"							
Textured Vinyl	Textured Vinyl - Change Color Only	Vinyl Lacquer per #693 Finish							
	Textured Vinyl - Refinish Completely	#693 Finish							
Thermoplastic	Smooth	#701 Finish	"Approved Ivory Lacquer"						
	Smooth	"Approved Acrylic Lacquer"	"Appoved Acrylic Lacquer"						

TABLE B (Cont)

APPROVED FINISHES

Material to be	Type of Finish	Finish to be Applied							
Refinished Desired		-49 Gray	-50 Ivory						
Phenol Plastic (Bakelite)	Smooth (Lacquer)	#701 Finish	"Approved Ivory Lacquer"						
	Smooth (Enamel)	#708 Finish	"Approved Baking Enamel"						
PVC Cordage		"Approved Vinyl Jacket Coating"	"Approved Vinyl Jacketing Coating"						

