


FIG. 1. SERVING APPARATUS RACKS 1-24.



NOTES:

- FOR EQUIPPED RACK SELECTOR SWITCH POSITIONS STRAP CORRESPONDING TAGS 1-24 TO EQ. TAGS.
- FOR UNEQUIPPED RACK SELECTOR SWITCH POSITIONS STRAP CORRESPONDING TAGS 1-24 TO UN TAGS.
- FOR UNEQUIPPED ACCESS SELECTOR POSITIONS STRAP CORRESPONDING AH TAGS TO SU TAGS.
- CONNECTIONS SHOWN -1-1- ARE ONLY REQUIRED WHEN ASSOCIATED ROUTINER TEST UNIT REQUIRES IMPULSES FROM IMPULSE MACHINE MOUNTED ON THE A.E.R.
- AD & AH LEADS ON RACKS 2-24 ARE CABLED SIMILAR TO RACK No 1.
- THE RESISTANCE OF THE TEST & CONTROL LEADS FROM THE TEST AND ACCESS CONTROL UNITS TO THE EQUIPMENT UNDER TEST SHALL NOT EXCEED 5 OHMS.

TABLE 'A'
TAGS ON STRIP CONN. 5CD

RACK	SHELVES					
	A-B	C-D	E-F			
1	AD	AH	AD	AH	AD	AH
2	2	27	52	77	102	127
3	3	28	53	78	103	128
4	4	29	54	79	104	129
5	5	30	55	80	105	130
6	6	31	56	81	106	131
7	7	32	57	82	107	132
8	8	33	58	83	108	133
9	9	34	59	84	109	134
10	10	35	60	85	110	135
11	11	36	61	86	111	136
12	12	37	62	87	112	137
13	13	38	63	88	113	138
14	14	39	64	89	114	139
15	15	40	65	90	115	140
16	16	41	66	91	116	141
17	17	42	67	92	117	142
18	18	43	68	93	118	143
19	19	44	69	94	119	144
20	20	45	70	95	120	145
21	21	46	71	96	121	146
22	22	47	72	97	122	147
23	23	48	73	98	123	148
24	24	49	74	99	124	149

AMENDMENT	PARTICULARS	ISSUE	DATE	APPD
		1	23-1-64	DBN
		2		
		3	15-11-67	DBS

ROUTINER ACCESS CONTROL FOR FINAL SELECTOR ROUTINER UNISELECTOR ACCESS SELECTORS MOUNTED ON APPARATUS RACKS CAPACITY 24, 48 OR 72 RACKS 2000 TYPE

GBU 16330





FIG. 2. SERVING APPARATUS RACKS 1-48



NOTES:

1. FOR EQUIPPED RACK SELECTOR SWITCH POSITIONS STRAP CORRESPONDING TAGS 1-24 & 25-48 TO EQ TAGS. FOR UNEQUIPPED RACK SELECTOR SWITCH POSITIONS STRAP CORRESPONDING TAGS 1-24 & 25-48 TO UN TAGS.
2. FOR UNEQUIPPED ACCESS SELECTOR POSITIONS STRAP CORRESPONDING AH TAGS TO SU TAGS.
3. CONNECTIONS SHOWN 1-1-1 ARE ONLY REQUIRED WHEN ASSOCIATED ROUTINER TEST UNIT REQUIRES IMPULSES FROM IMPULSE MACHINE MOUNTED ON THE A.E.R.
4. AD & AH LEADS ON RACKS 2-48 ARE CABLED SIMILAR TO RACK N° 1.
5. THE RESISTANCE OF THE TEST & CONTROL LEADS FROM THE TEST AND ACCESS CONTROL UNITS TO THE EQUIPMENT UNDER TEST SHALL NOT EXCEED 5 OHMS.

CARLING OF AD 1AH LEADS CLARIFIED. NOTES 4&5 ADDED (81549)	3	15.11.67	APP
SCB2, 3, 10, 11 & 14 LEAD DESIGNATIONS ADDED (C9853)	2		
	1	23.1.64	APP
AMENDMENT PARTICULARS	ISSUE DATE	APPE	

ROUTINER ACCESS CONTROL FOR FINAL SELECTOR ROUTINER. UNISELECTOR ACCESS SELECTORS MOUNTED ON APPARATUS RACKS. CAPACITY 24, 48 OR 72 RACKS. 2000-TYPE

GBU 16330

N.Z.P.O. *[Signature]* 12-63

SHEET 2-3

TABLE 'A' TAGS ON STRIP CONN. SCD








RACK	SHELVES					
	A-B	C-D	E-F	AH	AD	AH
1	1	26	51	76	101	126
2	2	27	52	77	102	127
3	3	28	53	78	103	128
4	4	29	54	79	104	129
5	5	30	55	80	105	130
6	6	31	56	81	106	131
7	7	32	57	82	107	132
8	8	33	58	83	108	133
9	9	34	59	84	109	134
10	10	35	60	85	110	135
11	11	36	61	86	111	136
12	12	37	62	87	112	137
13	13	38	63	88	113	138
14	14	39	64	89	114	139
15	15	40	65	90	115	140
16	16	41	66	91	116	141
17	17	42	67	92	117	142
18	18	43	68	93	118	143
19	19	44	69	94	119	144
20	20	45	70	95	120	145
21	21	46	71	96	121	146
22	22	47	72	97	122	147
23	23	48	73	98	123	148
24	24	49	74	99	124	149

TABLE 'B' TAGS ON STRIP CONN. SCE

RACK	SHELVES					
	A-B	C-D	E-F	AH	AD	AH
25	1	26	51	76	101	126
26	2	27	52	77	102	127
27	3	28	53	78	103	128
28	4	29	54	79	104	129
29	5	30	55	80	105	130
30	6	31	56	81	106	131
31	7	32	57	82	107	132
32	8	33	58	83	108	133
33	9	34	59	84	109	134
34	10	35	60	85	110	135
35	11	36	61	86	111	136
36	12	37	62	87	112	137
37	13	38	63	88	113	138
38	14	39	64	89	114	139
39	15	40	65	90	115	140
40	16	41	66	91	116	141
41	17	42	67	92	117	142
42	18	43	68	93	118	143
43	19	44	69	94	119	144
44	20	45	70	95	120	145
45	21	46	71	96	121	146
46	22	47	72	97	122	147
47	23	48	73	98	123	148
48	24	49	74	99	124	149

0 5 Centimetres 10 15 20 25 30

FIG. 3 SERVING APPARATUS RACKS 1-72



- NOTES:
- FOR EQUIPPED RACK SELECTOR SWITCH POSITIONS STRAP CORRESPONDING TAGS 1-24, 25-48 & 49-72 TO EQ TAGS. FOR UNEQUIPPED RACK SELECTOR SWITCH POSITIONS STRAP CORRESPONDING TAGS 1-24, 25-48 & 49-72 TO UN TAGS.
 - FOR UNEQUIPPED ACCESS SELECTOR POSITIONS STRAP CORRESPONDING AH TAGS TO SU TAGS.
 - CONNECTIONS SHOWN 1-1 ARE ONLY REQUIRED WHEN ASSOCIATED ROUTINER TEST UNIT REQUIRES IMPULSES FROM IMPULSE MACHINE MOUNTED ON THE A.E.R.
 - AD & AH LEADS ON RACKS 2-72 ARE CABLED SIMILAR TO RACK N° 1.
 - THE RESISTANCE OF THE TEST & CONTROL LEADS FROM THE TEST AND ACCESS CONTROL UNITS TO THE EQUIPMENT UNDER TEST SHALL NOT EXCEED 5 OHMS.

TABLE 'A' TAGS ON STRIP CONN. SCD

RACK	SHELVES			E-F
	A-B	C-D	AH	
1	AD	AH	AD	AH
2	1	26	51	76
3	2	27	52	77
4	3	28	53	78
5	4	29	54	79
6	5	30	55	80
7	6	31	56	81
8	7	32	57	82
9	8	33	58	83
10	9	34	59	84
11	10	35	60	85
12	11	36	61	86
13	12	37	62	87
14	13	38	63	88
15	14	39	64	89
16	15	40	65	90
17	16	41	66	91
18	17	42	67	92
19	18	43	68	93
20	19	44	69	94
21	20	45	70	95
22	21	46	71	96
23	22	47	72	97
24	23	48	73	98
	24	49	74	99

TABLE 'B' TAGS ON STRIP CONN. SCE

RACK	SHELVES			E-F
	A-B	C-D	AH	
25	AD	AH	AD	AH
26	1	26	51	76
27	2	27	52	77
28	3	28	53	78
29	4	29	54	79
30	5	30	55	80
31	6	31	56	81
32	7	32	57	82
33	8	33	58	83
34	9	34	59	84
35	10	35	60	85
36	11	36	61	86
37	12	37	62	87
38	13	38	63	88
39	14	39	64	89
40	15	40	65	90
41	16	41	66	91
42	17	42	67	92
43	18	43	68	93
44	19	44	69	94
45	20	45	70	95
46	21	46	71	96
47	22	47	72	97
48	23	48	73	98
49	24	49	74	99

TABLE 'C' TAGS ON STRIP CONN. SCF

RACK	SHELVES			E-F
	A-B	C-D	AH	
49	AD	AH	AD	AH
50	1	26	51	76
51	2	27	52	77
52	3	28	53	78
53	4	29	54	79
54	5	30	55	80
55	6	31	56	81
56	7	32	57	82
57	8	33	58	83
58	9	34	59	84
59	10	35	60	85
60	11	36	61	86
61	12	37	62	87
62	13	38	63	88
63	14	39	64	89
64	15	40	65	90
65	16	41	66	91
66	17	42	67	92
67	18	43	68	93
68	19	44	69	94
69	20	45	70	95
70	21	46	71	96
71	22	47	72	97
72	23	48	73	98
	24	49	74	99

ROUTINER ACCESS CONTROL FOR FINAL SELECTOR ROUTINER UNISELECTOR ACCESS SELECTORS MOUNTED ON APPARATUS RACKS CAPACITY 24, 48 OR 72 RACKS 2000 TYPE

AMENDMENT PARTICULARS: CABLED OF AD & AH LEADS CLARIFIED, NOTES 4 & 5 ADDED (81549) 13 15-11-67 278

SCB2,3,10,11 & 14 LEAD DESIGNATIONS ADDED 2

ISSUE DATE: 23-1-64

APPROVED: [Signature]

GBU 16330

50V

SHEET 8-3