


FIG. A



NOTES  
 1-1 WHEN FULL AVAILABILITY FROM SELECTOR LEVS, IS SPECIFIED THESE LEADS ARE CABLED DIRECT AND NOT VIA T.D.F.



SEE SHEET 3	(68132)	3	23.11.56	W.E.
REF. TO NOTE 1-1 WAS SHOWN AS 1.	(31393)	2	4.5.54	W.E.
AMENDMENT PARTICULARS		ISSUE	DATE	APPD
N.Z.P.O.	DRAWN BY 520	CHECKED	WIRING	CIRCUIT

SELECTOR LEVEL  
 RELAY SET LOCAL  
 MANUAL HOLD  
 W. E. TOLL BOARD.

**GBX 12240**

SHEET  
1-3

FIG. B



NOTES  
 2:1 WHEN LOCAL CONDITIONS DO NOT REQUIRE I.D.F. TERMINATIONS THESE LEADS TO BE CABLED DIRECT.


SEE SHEET 3	(38192)	3	23.11.56	WSP
REF. TO NOTE 2:1 WAS SHOWN AS 2:2	(31592)	2	4.5.54	WSP
AMENDMENT PARTICULARS.	ISSUE	DATE	APPP	
N.Z.P.O.	DRAWN J.E.O.	CHECK	WIRING WSP	CIRCUIT WSP

SELECTOR LEVEL  
 RELAY SET LOCAL  
 MANUAL HOLD  
 W. E. TOLL BOARD.

**GBX 12240.**

SHEET  
2-3

FIG. C




NOTE 3.1

TYPICAL ONLY



I.D.F. MULT.



NOTES  
3.1 WHEN LOCAL CONDITIONS DO NOT REQUIRE I.D.F. TERMINATIONS THESE LEADS TO BE CABLED DIRECT.

STRIP CONN LAYOUT WAS MARKED LOCAL (68192)				3	23.11.56	CLM	SELECTOR LEVEL RELAY SET LOCAL MANUAL HOLD W.E. TOLL BOARD.	
SEE SHEETS 1&2				(31593)	2	4.5.54		CLM
AMENDMENT PARTICULARS								
N.Z.P.O.				DRAWN JEO	CHECKED	WIRING [Signature]	CIRCUIT [Signature]	
GBX 12240						SHEET 3-3		