




I. R. V. F. P. IPR/20  
WIRED BY INSTALLER





ISS.	DATE	CHKD.	APPD.	DEL. ORDER	CHANGE
A	13-63	CS	CS	106348	
B	14-64	N.T.E.	CS	128113	NO CHANGE SHEET 1 AMENDED.
C	22-65	J.S.R.	CS	168561	TFC. RECDR. TERMINATION SHOWN.
D	1-4-69	R.C.	CS	193941	MINOR AMENDMENTS

NEW ZEALAND POST OFFICE ENGINEER-IN-CHIEF, WELLINGTON.

## REVERTIVE CALL RELAY SET FOR 5 PARTY LINES (LOOP DIALLING TELEPHONES) U.A.X. N.Z. 13M. INSTALLED IN A.MX, CAX, MAX. OR SAX.

ORIGIN	TEL EQPT SECT.	SIZE	SHEET
REFERENCE	GBU 13770	2	31005
DRAWN	TEL. & SEC.	4	<del>B</del> <del>C</del> <del>D</del>
TRACED	CS		A

I.D.F.



MULT I.D.F.

ISS.	DATE	CHKD.	APPD.	DEL	ORDER	CHANGE
A	3-9-63	UHO	KMG	CS	66348	
B	4-9-64	N.T.E.	GPB	FTW	82388	NO CHANGE SHEET 1 AMENDED
C	22-1-65	J.C.R.	GPB	GC	68521	NO CHANGE SHTS 1&2 AMENDED
D	1-4-69	R.C.	GJM	GTB	99941	NO CHANGE, SHTS 1&2 AMENDED

NEW ZEALAND POST OFFICE ENGINEER-IN-CHIEF, WELLINGTON.

**REVERTIVE CALL RELAY SET  
FOR 5 PARTY LINES  
(LOOP DIALLING TELEPHONES)  
U.A.X. N.Z. 13M.  
INSTALLED IN AMX, CAX, MAX OR S.A.X.**

ORIGIN	TEL EQPT SECT	SIZE	SHEET	31005	A
REFERENCE	G.BX 13770	F.	OF		
DRAWN	TEL. E. SEC.	TRACED	G.S.	B	C



# NZPO RELAY CODES & COMPONENTS LIST.

RELAY NAME	NZPO CODE	COY CODE	S.C.C. CODE	B.P.O. CODE	NOTES	COMPONENT DESIGNATION	RELAY CODE	COY CODE	NOTES
A			1426A			CI	MC101		
AC			20801P			R1	} N° 9		
B			20982			R2			
BR			6039B			R3			
CD			20983			R4			
E			10162			R5			
F			1121			R6			
FD			7188			R7			
H			6245			R8	N° 12		
MP			4070			R9	N° 6		
NU			22136			MRI	1/12AZ		
PM			1007						
TMR			7049						
RS			21166						
TM			20797						
K			60584						

NOTES - A SPECIAL FACTORS OF SAFETY. B SPECIAL ADJUSTMENTS. C CCT POINTS OR MODIFICATIONS.

*	A	PM	LAYOUT
	AC	K	CI (R9)
	B	RS	C.S.
	BR	TM	
	CD	NU	
	E	TMR	
	F	MRI	
	FD	R1/2/3	
	H	R4/5/6	
	MP	R7/8	

\* FITTED WITH RELAY SHIELD

SS	DATE	CHKD	APRD	DEL	ORDER	CHANGE	NEW ZEALAND POST OFFICE, ENGINEER-IN-CHIEF WELLINGTON
A	3-9-63	Leid	6/11	CS	CG348		COMPONENTS LAYOUT FOR CIRCUIT TITLED - REVERTIVE CALL RELAY SET FOR 5 PARTY LINES (LOOP DIALLING TELEPHONES) U.A.X. N.Z. 13M INSTALLED IN AMX, CAX, MAX OR SAX
B	14-9-64	N.T.E.	S.P.B.	ET	182188	NO CHANGE SHTS 1 AMENDED	
C	22-11-65	J.C.R.	S.P.B.	IC	60350	NO CHANGE SHTS 1&2 AMENDED	
D	1-4-69	R.C.	C.M.	GB	93941	NO CHANGE SHTS 1&2 AMENDED	
						ORIGINAL TEL EQPT SECT REFERENCE GBW 13770 DRAWN TELE SEC TRACED	
						SIZE SHEET 4 OF 4	31005 A B Q D