

RELAY DESIGN FOR CIRCUIT GBW 10792 SHEET 12

TITLE 200 LINE FINAL SELECTOR 2-10 P.B.X.
 POSITIVE BATTERY METERING
 2000 TYPE

COMMITTEE'S WIRING DIAGRAM N°

RELAY NAME	COMM. CODE	IF NEW CODE (card attached)	DEPARTURES FROM DIAGRAM		SPRING NUMBERING CONTACT UNIT NUMBER								REFERENCES TO NOTES BELOW			
			RESISTANCE	CONTACTS	1	2	3	4	5	6	7	8				
A	1426A				3 2 1											B
B	4600				2	27	24	7	5	27						
CD	1781				7	24	2	3	4	26						
D	10820				22	25	2	5	4							
DA	4590				2	24	3	4								
DB	4591				22	27	8	7	2	5	4	29				
E	4601				22	7	2	29	27	5	8	9				
F	1451				22	5	7	9	2	25	27	29				
G	4602P				22	3										
WS	1669				22	29	3	6	9	25	27					

NOTES SPECIAL FACTORS OF SAFETY A
 SPECIAL ADJUSTMENTS B
 CIRCUIT POINTS OR MODIFICATIONS C

CLASS	RELAY	NOTES
		<u>LAYOUT</u>
		R1/R2/R3 R4/R5/R6
		A H
		B CD
		G HS
		F E
		DA D
		DB WS

DATE 21-9-53
 SIGNED FOR COMMITTEE *ATL 2000*
801

Centimetres 0 5 10 15 20 25 30

