

RELAY CODES & COMPONENTS LIST RCCL GBW 15191 MODA
ROUTINER FOR GROUP SELECTOR WITHOUT
BUSY FLASH. TEST UNIT 2000 TYPE

RELAY	W.C. CODE	DIAG. FIG.	NOTES	COMP. DESIGNATION	R.P.D. CODE	NOTES
A	6119			C1	P.O.101	
				C3		
AE	20517		SPRINGS 25&26 NOT WIRED	C2	P.O.102	
AO	1005			R1	No6	
AR	6535		SPRING 3 NOT WIRED. TEST AND R.A. FIGURES	R5		
B	4365			R6		
BA	5722		SPRINGS 23 & 24 NOT WIRED	MR1	4/6AZ	
				MR7		
BB	5722		SPRINGS 23&24 NOT WIRED	MR2	2AZ	
BI	71557			MR8		
				MR9		
BT	40695 Pd			MR3	2N/6AZ	
CF	4073			MR4		
CQ	6197		SPRINGS 7,8,9, 23,24&25 NOT WIRED	MR5		
				MR6		
DC	5868			T	2/87AN	
				S		
DD	5875			C4	AH HUNT TYPE W99	
DE	5723			C5		
DR	20519		SPRING 5 NOT WIRED.	RX1		2
DS	4295			EC44199	NOTE 'D'	
				D6 SCC		
				TRI		

NOTES - A. SPECIAL FACTORS OF SAFETY B. SPECIAL ADJUSTMENTS C. CCT POINTS OR MODIFICATIONS D. MOUNT COMPONENTS FOR ERG. TO SUIT LOCAL CONDITIONS AND MARK UP RCCL ACCORDINGLY.




FIG 1

* RELAY SHIELD PO. N° 55H/1.

N.Z.P.O (69004) 5-9-63 B.S.

ISS. CHANGE APP. MOD. A .REFIS/263/15 GCG (54647)23-128	ORIGINATED BY	AEI
	DATE	12 TH JUNE '63
	SIGNED FOR COMMITTEE	Ash

RELAY CODES & COMPONENTS LIST, RCCL GBW 15191 MODA
 ROUTINER FOR GROUP SELECTOR WITHOUT
 BUSY FLASH. TEST UNIT, 2000 TYPE

RELAY	B.C.C. CODE	DIAG. FIG	NOTES	COMP. DESIGNATION	B.P.O. CODE	NOTES
DU	1423			R2-R4	N° 9	
DV	1618			R10-R12		
FD	5869			R14, R15	N° 9A	
FG	5870			R27, R28		
FH	5871			R8, R13	N° 12	
GQ	6197		SPRINGS 7, 8, 9, 23, 24, 25, NOT WIRED	R7, R9		
H	1816		SPRINGS 1, 2, 3, 7, 23, 24, 25, 26, 27, 28 & 29 NOT WIRED	R16-R21	N° 12A	
HA	60005			R24-R26		
HB	60005			R22		
HR	HSD506		SPRING 3 NOT WIRED	R23		
IP	2017					
IQ	10313P					
IR	10313P					
KA	HS711					
KB	HS711					
LA	10322		SPRINGS 1, 2 NOT WIRED			

NOTES: - A SPECIAL FACTORS OF SAFETY B. SPECIAL ADJUSTMENTS C. CCT. POINTS OR MODIFICATIONS

LAYOUT.




FIG 3

N.Z.P.O. (G9004) 5-9-63. 3.6.

ISS CHANGE APP A MOD A REF 16/263/18 (54847) ER185 CCG	ORIGINATED BY	AEI
	DATE	12 TH JUNE '63'
	SIGNED FOR COMMITTEE	<i>Asst</i>

5 CENTIMETRE

15

20

25

30

ROUTINER FOR GROUP SELECTOR WITHOUT BUSY FLASH. TEST UNIT 2000 TYPE

RELAY	BCC CODE	DIAG. FIG.	NOTES	COMPT. DESIGNATION	BPO CODE	NOTES
LB	10322		SPRINGS 1 & 2 NOT WIRED	KDSFI	P.O.72	
LC	1425			KPBF1	P.O.68	
LD	1425			KNFI KPF1	P.O.212	
LI	20507			KBFI	P.O.68	
LT	5815			KIC /K2C	P.O.212	
NL	10068		SPRINGS 3&4 NOT WIRED, TEST AND RA FIGURES	KBT	P.O.68.	
PA	HS521		TEST RA FIGURES	LPI-34	P.O.Nº2/6V.	
PB	2318		SPRINGS 23-29 NOT WIRED.	R29/30	Nº9	
PE	5911			D1		IN 4003
PF	10137			D2		IN 4003
PG	20521		SPRINGS 3,4,21&22 NOT WIRED	D3		IN 4003
PH	7288			D4		IN 4003
PL	10068		SPRINGS 3&4 NOT WIRED, TEST AND RA FIGURES	D5		IN 4003
PO	1005					
PP	HSD506		SPRING 23 NOT WIRED, TEST AND RA FIGURES			
PT	HS522		TEST AND RA FIGURES			

NOTES:-A SPECIAL FACTORS OF SAFETY. B SPECIAL ADJUSTMENTS. C CCT. POINTS OR MODIFICATIONS

LAYOUT




FIG. 2

NZPO (69004) 5-9-63 B.C.

ISS CHANGE APP

A MODA REF 15/263/15 GCG (546 47) 23-1285


ORIGINATED BY

AE1

DATE

12 JUN. 63.

SIGNED FOR COMMITTEE



RELAY CODES & COMPONENTS LIST, RCCL GBW15191MODA
 ROUTINER FOR GROUP SELECTOR WITHOUT
 BUSY FLASH TEST UNIT 2000 TYPE

RELAY	B/C CODE	DIAG. FIG.	NOTES	COMPT. DESIGNATION	B/C CODE	NOTES
PTA	HSD740		SPRING 23 NOT WIRED. TEST & RA FIGURES			
PW	5423					
PX	20522		SPRING 7 NOT WIRED			
PY	20523					
PZ	5872					
RT	72980					
SG	10147		SPRING 5, 21, 22 NOT WIRED			
SR	5873					
SS	10146					
SZ	20525					
TA	HS521					
TD	4031		SPRINGS 3, 4 NOT WIRED			
TQ	7832					
TR	6035					
TS	10333		IN FIG 1A ONLY SPRINGS 25, 26 NOT WIRED.			
TU	N.Z. 50680 AD					

NOTES - A SPECIAL FACTORS OF SAFETY B SPECIAL ADJUSTMENTS C CONTACT POINTS OR MODIFICATIONS

LAYOUT.

N.Z.P.O. (69004) 5-9-63. A.G.

ISS CHANGE APP A MDDA REF 15/23/13 (54647) 2312-85 GCC	ORIGINATED BY	AEI
	DATE	12 TH JUNE '63
	SIGNED FOR COMMITTEE	<i>AEI</i>

5 CENTIMETRE

15

20

25

30

RELAY CODES & COMPONENTS LIST, RCCL GBW 15191 MODA
ROUTINER FOR GROUP SELECTOR WITHOUT
BUSY FLASH. TEST UNIT. 2000 TYPE

RELAY	B.C.C. CODE	DIAG. FIG.	NOTES	COMPT. DESIGNATION	B.P.O. CODE	NOTES
WF	5725		SPRINGS 6,7,8 NOT WIRED			
WG	5726					
WH	6050					
Z	5874					
RC	1524					

NOTES - A SPECIAL FACTORS OF SAFETY. B. SPECIAL ADJUSTMENTS. C. CCT. POINTS OR MODIFICATIONS.

LAYOUT.

5 CENTIMETRE

15

20

25

30

69004) 072

CHANGE APP MOD A REF: 2259/13 (54647)23128	ORIGINATED BY	AEI
	DATE	12 TH JUNE '63
	SIGNED FOR COMMITTEE	<i>[Signature]</i>