

ALPHABETICAL INDEX

A

- Alcove, directory** *See* Directory alcove
Apparatus blank *See* Coin collectors:
 combination of apparatus
Associated apparatus *See* coin collectors

B

- Blower, KS-14125** *See* Booths
Booth shelves *See* Shelves
Booths

indoor

- advertising frames forC39.701
- blowers forC39.701
- conversions, additions, and
 changesC39.703, ¶10.00
- fans forC39.701
- identificationC39.701
- installationC39.703
 - assembling and placingC39.703, ¶3.00
 - cutout switchC39.703, ¶5.15, 5.16
 - final checkC39.703, ¶12.00
 - lighting equipment
 - safety precautionsC39.703, ¶11.00
 - testing polarityC39.703, ¶8.00
 - locatingC39.703
 - dimensionsC39.703, ¶2.01
 - preliminary surveyC39.703, ¶2.01
 - requirements, generalC39.703, ¶2.03
- parts or fixtures
 - fasteners forC39.703, ¶10.00
- roto-lockC39.703, ¶9.02
- wiring
 - electricC39.703, ¶5.00
 - power receptacles ...C39.703, ¶5.05-5.14
 - telephoneC39.703, ¶4.00
- maintenanceC39.707
 - advertising frameC39.707, ¶7.00
 - blowerC39.707, ¶8.00
 - cleaningC39.707, ¶2.02-2.04
 - doorC39.707, ¶3.00
 - floorC39.707, ¶4.00
 - lighting equipmentC39.707, ¶9.00

Booths—continued

indoor

- maintenance
 - liningsC39.707, ¶10.00
 - seatC39.707, ¶5.00
 - shelf, 18EC39.707, ¶6.00
 - ventilatorC39.707, ¶8.00
- power cables, diagramsC39.701, Fig. 8
- 5 and 6 type
 - identificationC39.701, ¶3.00
 - booth codesC39.701, ¶3.04
 - installationC39.703
 - ventilator,
 KS-8164C39.703, ¶11.04-11.09

10 and 11 type

- identificationC39.701, ¶4.00
- booth codesC39.701, ¶4.04
- installationC39.703
 - blower, KS-14125 .C39.703, ¶11.10, 11.11

- light fixturesC39.701

outdoor

- identificationC39.702
- installationC39.705
 - concrete baseC39.705
 - requirements, generalC39.705, ¶4.00
- locationC39.705
- maintenanceC39.708
- No. 9

- identificationC39.702
- installationC39.705
 - anchoringC39.705, ¶5.03
 - door closer, automatic ...C39.705, ¶5.06
 - door stopC39.705, ¶5.07
 - multipleC39.705, ¶5.05

maintenance

- cleaningC39.708, ¶3.01
- doorC39.708, ¶3.02
- glass and panelsC39.708, ¶3.03

wiring

- electricC39.705, ¶5.13
- telephoneC39.705, ¶5.09-5.12

KS-14611, List 2

- fluorescent lampsC39.705, ¶6.18-6.21
- identification, individual features..C39.702
- wiring (telephone) ...C39.705, ¶6.11, 6.12

SECTION C39.000

Booths—Coin collectors

Booths—continued

outdoor

KS-14611, List 3

fluorescent lamps C39.705, ¶6.22-6.24

identification, individual features.. C39.702

wiring (telephone) ... C39.705, ¶6.13-6.16

KS-14611, Lists 2 and 3

grounds C39.705, ¶6.25-6.29

identification C39.702

installation C39.705, ¶6.03-6.07

advertising frame .. C39.705, ¶6.30-6.32

anchoring C39.705

directory C39.705, ¶6.02

door operation C39.705, ¶6.08

inspection C39.705, ¶6.33

safety precautions C39.705

tools for C39.705, ¶6.01

maintenance C39.708

binders C39.708, ¶4.04

cleaning C39.708, ¶4.00

directory C39.708, ¶4.04

door operation C39.708, ¶4.01, 4.02

inspection C39.708, ¶4.08

lighting C39.708, ¶4.03

panels C39.708, ¶4.04-4.07

signs C39.708, ¶4.04-4.07

wiring (electric) C39.705, ¶6.17

C

Cabinets, directory C39.715

Card holder *See* Coin collectors:
 combination of apparatus

Coin chute assembly *See* Coin collectors:
 combination of apparatus

Coin collectors

150K, L (postpay, manual)

common battery

connections C39.135

selection C39.003

local battery

connections C39.387

selection C39.009

magneto

connections C39.419

selection C39.015

152C, D (postpay, manual)

common battery

connections C39.145

selection C39.003

Coin collectors—continued

152C, D (postpay, manual)

local battery

connections C39.393

selection C39.009

magneto

connections C39.425

selection C39.015

155C, D, G, H (prepay)

common battery

connections C39.039

selection C39.003

155CL, DL, GL, HL (prepay)

local battery

connections C39.331

selection C39.009

158G, H (postpay)

common battery

connections C39.095

selection C39.003

158GL, HL (postpay)

local battery

connections C39.365

selection C39.009

162A, B, C, D (postpay, manual)

common battery

connections C39.135

selection C39.003

local battery

connections C39.387

selection C39.009

magneto

connections C39.419

selection C39.015

164C, D (postpay, manual)

common battery

connections C39.145

selection C39.003

local battery

connections C39.393

selection C39.009

magneto

connections C39.425

selection C39.015

166C, D, G, H (prepay)

common battery

connections C39.041

selection C39.003

Coin collectors**Coin collectors—continued**

166CL, DL, GL, HL (prepay)	
local battery	
connections	C39.337
selection	C39.009
168G, H (postpay)	
common battery	
connections	C39.095
selection	C39.003
168GL, HL (postpay)	
local battery	
connections	C39.365
selection	C39.009
174C, D, G, H (prepay)	
common battery	
connections	C39.043
selection	C39.003
174CL, DL, GL, HL (prepay)	
local battery	
connections	C39.343
selection	C39.009
176C, D, G, H (prepay)	
common battery	
connections	C39.049
selection	C39.003
176CL, DL, GL, HL (prepay)	
local battery	
connections	C39.349
selection	C39.009
177G, H (postpay)	
common battery	
connections	C39.105
selection	C39.003
177GL, HL (postpay)	
local battery	
connections	C39.371
selection	C39.009
178G, H (postpay)	
common battery	
connections	C39.105
selection	C39.003
178GL, HL (postpay)	
local battery	
connections	C39.371
selection	C39.009
182C, D (postpay, manual)	
common battery	
connections	C39.155
selection	C39.003

Coin collectors—continued

182C, D (postpay, manual)	
local battery	
connections	C39.399
selection	C39.009
magneto	
connections	C39.431
selection	C39.015
191 type	
conversion to 196 type	C39.037
191C, D, G, H, CS, DS, GS, HS (prepay)	
common battery	
connections	C39.055
selection	C39.003
191CL, DL, GL, HL (prepay)	
local battery	
connections	C39.355
selection	C39.009
191CN, DN, GN, HN (prepay)	
common battery	
connections	C39.065
selection	C39.003
193G, H (postpay)	
common battery	
connections	C39.115
selection	C39.003
193GL, HL (postpay)	
local battery	
connections	C39.377
selection	C39.009
195 type	
conversion to 197 type	C39.037
195C, D, G, H, CS, DS, GS, HS (prepay)	
common battery	
connections	C39.055
selection	C39.003
195CN, DN, GN, HN (prepay)	
common battery	
connections	C39.065
selection	C39.003
196 type	
converted from 191 type	C39.037
196C, D, G, H, CS, DS, GS, HS (prepay)	
common battery	
connections	C39.055
selection	C39.003
196CN, DN, GN, HN (prepay)	
common battery	
connections	C39.065
selection	C39.003

SECTION C39.000

Coin collectors

Coin collectors—continued

197 type	
converted from 195 type	C39.037
197C, D, G, H, CS, DS, GS, HS (prepay)	
common battery	
connections	C39.055
selection	C39.003
197CN, DN, GN, HN (prepay)	
common battery	
connections	C39.065
selection	C39.003
198G, H (postpay)	
common battery	
connections	C39.115
selection	C39.003
200C, D (postpay, manual)	
common battery	
connections	C39.165
selection	C39.003
210G, H (postpay)	
common battery	
connections	C39.125
selection	C39.003
212G, H (postpay)	
common battery	
connections	C39.125
selection	C39.003
220C, D, G, H (prepay)	
common battery	
connections	C39.067
selection	C39.003
221C, D, G, H (prepay)	
common battery	
connections	C39.067
selection	C39.003
222C, D, G, H (prepay)	
common battery	
connections	C39.067
selection	C39.003
223C, D, G, H (prepay)	
common battery	
connections	C39.067
selection	C39.003
D-178457 (prepay, dial shorting relay)	
common battery	
connections	C39.075
selection	C39.003
D-178940 (prepay, dial shorting relay)	
common battery	

Coin collectors—continued

D-178940 (prepay, dial shorting relay)	
common battery	
connections	C39.085
selection	C39.003
D-179432 (prepay, dial shorting relay)	
common battery	
connections	C39.059
selection	C39.003
D-179433 (prepay, dial shorting relay)	
common battery	
connections	C39.059
selection	C39.003
D-179532 (prepay, dial shorting relay)	
common battery	
connections	C39.059
selection	C39.003
D-179533 (prepay, dial shorting relay)	
common battery	
connections	C39.059
selection	C39.003
<u>common battery</u>	
dials used with	C39.003
handsets used with	C39.003
selection, postpay	C39.003
selection, prepay	C39.003
subscriber sets used with	C39.003
transmission zoning	C39.003
transmitter and receiver used with ..	C39.003
150K, L (postpay, manual)	
circuit diagram	C39.135, ¶3.02
combination of apparatus	C39.135,
Tables A, B	
connections	C39.135
selection	C39.003
152C, D (postpay, manual)	
circuit diagram	C39.145, ¶3.02
combination of apparatus	C39.145,
Tables A, B	
connections	C39.145
selection	C39.003
155C, D, G, H (prepay)	
circuit diagram	C39.039, ¶3.03, 3.04
combination of apparatus	C39.039,
Tables A, B	
connections	C39.039
filter connections	C39.039, Fig. 5
selection	C39.003

Coin collectors**Coin collectors—continued**common battery

- 162A, B, C, D (postpay, manual)
 - circuit diagramC39.135, ¶3.02
 - combination of apparatusC39.135, Tables A, B
 - connectionsC39.135
 - selectionC39.003
- 164C, D (postpay, manual)
 - circuit diagramC39.145, ¶3.02
 - combination of apparatusC39.145, Tables A, B
 - connectionsC39.145
 - selectionC39.003
- 166C, D, G, H (prepay)
 - circuit diagramC39.041, ¶3.03, 3.04
 - combination of apparatusC39.041, Tables A, B
 - connectionsC39.041
 - filter connectionsC39.041, Fig. 5
 - selectionC39.003
- 174C, D, G, H (prepay)
 - circuit diagramC39.043, ¶3.03, 3.04
 - combination of apparatusC39.043, Tables A, B
 - connectionsC39.043
 - filter connectionsC39.043, Fig. 5
 - selectionC39.003
- 176C, D, G, H (prepay)
 - circuit diagramC39.049, ¶3.03, 3.04
 - combination of apparatusC39.049, Tables A, B
 - connectionsC39.049
 - filter connectionsC39.049, Fig. 5
 - selectionC39.003
- 182C, D (postpay, manual)
 - circuit diagramC39.155, ¶3.01
 - combination of apparatusC39.155, Tables A, B
 - connectionsC39.155
 - selectionC39.003
- 191 type
 - conversion to 196 typeC39.037
- 191C, D, G, H, CS, DS, GS, HS (prepay)
 - circuit diagramC39.055, ¶3.02, 3.03
 - combination of apparatusC39.055, Tables A, B
 - connectionsC39.055
 - filter connectionsC39.055, Fig. 5
 - selectionC39.003

Coin collectors—continuedcommon battery

- 191CN, DN, GN, HN (prepay)
 - circuit diagramC39.065, ¶2.03, 3.02
 - combination of apparatusC39.065, Tables A, B
 - connectionsC39.065
 - filter connectionsC39.065, Fig. 6
 - selectionC39.003
- 195 type
 - conversion to 197 typeC39.037
- 195C, D, G, H, CS, DS, GS, HS (prepay)
 - circuit diagramC39.055, ¶3.02, 3.03
 - combination of apparatusC39.055, Tables A, B
 - connectionsC39.055
 - filter connectionsC39.055, Fig. 5
 - selectionC39.003
- 195CN, DN, GN, HN (prepay)
 - circuit diagramC39.065, ¶2.03, 3.02
 - combination of apparatusC39.065, Tables A, B
 - connectionsC39.065
 - filter connectionsC39.065, Fig. 6
 - selectionC39.003
- 196C, D, G, H, CS, DS, GS, HS (prepay)
 - circuit diagramC39.055, ¶3.02, 3.03
 - combination of apparatusC39.055, Tables A, B
 - connectionsC39.055
 - filter connectionsC39.055, Fig. 5
 - selectionC39.003
- 196CN, DN, GN, HN (prepay)
 - circuit diagramC39.065, ¶2.03, 3.02
 - combination of apparatusC39.065, Tables A, B
 - connectionsC39.065
 - filter connectionsC39.065, Fig. 6
 - selectionC39.003
- 197C, D, G, H, CS, DS, GS, HS (prepay)
 - circuit diagramC39.055, ¶3.02, 3.03
 - combination of apparatusC39.055, Tables A, B
 - connectionsC39.055
 - filter connectionsC39.055, Fig. 5
 - selectionC39.003
- 197CN, DN, GN, HN (prepay)
 - circuit diagramC39.065, ¶2.03, 3.02

Coin collectors*Coin collectors—continued*common battery

197CN, DN, GN, HN (prepay)

- combination of apparatusC39.065,
Tables A, B
- connectionsC39.065
- filter connectionsC39.065, Fig. 6
- selectionC39.003

200C, D (postpay, manual)

- circuit diagramC39.165, ¶3.01
- combination of apparatusC39.165,
Tables A, B
- connectionsC39.165
- selectionC39.003

220C, D, G, H (prepay)

- circuit diagramsC39.067, ¶3.02
- combination of apparatusC39.067,
Tables A, B
- connectionsC39.067
- filter connectionsC39.067, Fig. 5
- selectionC39.003

221C, D, G, H (prepay)

- circuit diagramC39.067, ¶3.02
- combination of apparatusC39.067,
Tables A, B
- connectionsC39.067
- filter connectionsC39.067, Fig. 5
- selectionC39.003

222C, D, G, H (prepay)

- circuit diagramC39.067, ¶3.02
- combination of apparatusC39.067,
Tables A, B
- connectionsC39.067
- filter connectionsC39.067, Fig. 5
- selectionC39.003

223C, D, G, H (prepay)

- circuit diagramC39.067, ¶3.02
- combination of apparatusC39.067,
Tables A, B
- connectionsC39.067
- filter connectionsC39.067, Fig. 5
- selectionC39.003

D-178457 (prepay, dial shorting relay)

- circuit diagramC39.075, ¶3.03
- combination of apparatusC39.075,
Tables A, B
- connectionsC39.075
- filter connectionsC39.075, Fig. 4
- selectionC39.003

*Coin collectors—continued*common battery

D-178940 (prepay, dial shorting relay)

- circuit diagramC39.085, ¶3.03
- combination of apparatusC39.085,
Tables A, B
- connectionsC39.085
- filter connectionsC39.085, Fig. 4
- selectionC39.003

D-179432 (prepay)

- circuit diagramC39.059, ¶3.01
- combination of apparatusC39.059,
Tables A, B
- connectionsC39.059
- filter connectionsC39.059, Fig. 4
- selectionC39.003

D-179433 (prepay)

- circuit diagramC39.059, ¶3.01
- combination of apparatusC39.059,
Tables A, B
- connectionsC39.059
- filter connectionsC39.059, Fig. 4
- selectionC39.003

D-179532 (prepay)

- circuit diagramC39.059, ¶3.01
- combination of apparatusC39.059,
Tables A, B
- connectionsC39.059
- filter connectionsC39.059, Fig. 4
- selectionC39.003

D-179533 (prepay)

- circuit diagramC39.059, ¶3.01
- combination of apparatusC39.059,
Tables A, B
- connectionsC39.059
- filter connectionsC39.059, Fig. 4
- selectionC39.003

community dial office service

158G, H (postpay)

- circuit diagramC39.095, ¶3.02
- combination of apparatusC39.095,
Tables A, B
- connectionsC39.095
- selectionC39.003

168G, H (postpay)

- circuit diagramC39.095, ¶3.02
- combination of apparatusC39.095,
Tables A, B
- connectionsC39.095
- selectionC39.003

Coin collectors**Coin collectors—continued**common batterycommunity dial office service

177G, H (postpay)

circuit diagramC39.105, ¶3.02

combination of apparatusC39.105,
Tables A, B

connectionsC39.105

selectionC39.003

178G, H (postpay)

circuit diagramC39.105, ¶3.02

combination of apparatusC39.105,
Tables A, B

connectionsC39.105

selectionC39.003

193G, H (postpay)

circuit diagramC39.115, ¶3.00

combination of apparatusC39.115,
Tables A, B

connectionsC39.115

selectionC39.003

198G, H (postpay)

circuit diagramC39.115, ¶3.00

combination of apparatusC39.115,
Tables A, B

connectionsC39.115

selectionC39.003

210G, H (postpay)

circuit diagramC39.125, ¶3.00

combination of apparatusC39.125,
Tables A, B

connectionsC39.125

selectionC39.003

212G, H (postpay)

circuit diagramC39.125, ¶3.00

combination of apparatusC39.125,
Tables A, B

connectionsC39.125

selectionC39.003

community dial office

158G, HC39.095

168G, HC39.095

177G, HC39.105

178G, HC39.105

193G, HC39.115

198G, HC39.115

210G, HC39.125

212G, HC39.125

conversion (of)

191 type to 196 typeC39.037

Coin collectors—continuedconversion (of)

195 type to 197 typeC39.037

dial, prepay common battery types to dial

shorting operationsC39.038

code numbersC39.038

induction coil typeC39.038

network typeC39.038

manufactured prior to 1953 ..C39.037, ¶3.03

test and adjustmentsC39.038, ¶5.00

identificationC39.023installationC39.025local battery

dials used withC39.009

handsets used withC39.009

selection, postpayC39.009

selection, prepayC39.009

subscriber sets used withC39.009

transmitter and receiver used with..C39.009

150K, L (postpay, manual)

circuit diagramC39.387, ¶3.03, 3.04

combination of apparatusC39.387,
Tables A, B

connectionsC39.387

selectionC39.009

152C, D (postpay, manual)

circuit diagramC39.393, ¶3.03

combination of apparatusC39.393,
Tables A, B

connectionsC39.393

selectionC39.009

155CL, DL, GL, HL (prepay)

circuit diagramC39.331, ¶3.05, 3.06

combination of apparatusC39.331,
Tables A, B

connectionsC39.331

filter connectionsC39.331, Fig. 5

selectionC39.009

162A, B, C, D (postpay, manual)

circuit diagramC39.387, ¶3.03, 3.04

combination of apparatusC39.387,
Tables A, B

connectionsC39.387

selectionC39.009

164C, D (postpay, manual)

circuit diagramC39.393, ¶3.03

combination of apparatusC39.393,
Tables A, B

connectionsC39.393

selectionC39.009

Coin collectors*Coin collectors—continued*local battery

166CL, DL, GL, HL (prepay)

circuit diagramC39.337, ¶3.05, 3.06

combination of apparatusC39.337,
Tables A, B

connectionsC39.337

filter connectionsC39.337, Fig. 5

selectionC39.009

174CL, DL, GL, HL (prepay)

circuit diagramC39.343, ¶3.05, 3.06

combination of apparatusC39.343,
Tables A, B

connectionsC39.343

filter connectionsC39.343, Fig. 5

selectionC39.009

176CL, DL, GL, HL (prepay)

circuit diagramC39.349, ¶3.05, 3.06

combination of apparatusC39.349,
Tables A, B

connectionsC39.349

filter connectionsC39.349, Fig. 5

selectionC39.009

182C, D (postpay, manual)

circuit diagramC39.399, ¶3.03

combination of apparatusC39.399,
Tables A, B

connectionsC39.399

selectionC39.009

191CL, DL, GL, HL (prepay)

circuit diagramC39.355, ¶3.05, 3.06

combination of apparatusC39.355,
Tables A, B

connectionsC39.355

filter connectionsC39.355, Fig. 5

selectionC39.009

community dial office service

158GL, HL (postpay)

circuit diagramC39.365, ¶3.03, 3.04

combination of apparatusC39.365,
Tables A, B

connectionsC39.365

selectionC39.009

168GL, HL (postpay)

circuit diagramC39.365, ¶3.03, 3.04

combination of apparatusC39.365,
Tables A, B

connectionsC39.365

selectionC39.009

*Coin collectors—continued*local batterycommunity dial office service

177GL, HL (postpay)

circuit diagramC39.371, ¶3.03, 3.04

combination of apparatusC39.371,
Tables A, B

connectionsC39.371

selectionC39.009

178GL, HL (postpay)

circuit diagramC39.371, ¶3.03, 3.04

combination of apparatusC39.371,
Tables A, B

connectionsC39.371

selectionC39.009

193GL, HL (postpay)

circuit diagramC39.377, ¶3.03

combination of apparatusC39.377,
Tables A, B

connectionsC39.377

selectionC39.009

magneto

handsets used withC39.015

selectionC39.015

subscriber sets used withC39.015

transmitters and receivers used with .C39.015

150K, L (postpay, manual)

circuit diagramC39.419, ¶3.03, 3.04

combination of apparatusC39.419,
Tables A, B

connectionsC39.419

selectionC39.015

152C, D (postpay, manual)

circuit diagramC39.425, ¶3.03, 3.04

combination of apparatusC39.425,
Tables A, B

connectionsC39.425

selectionC39.015

162A, B, C, D (postpay, manual)

circuit diagramC39.419, ¶3.03, 3.04

combination of apparatusC39.419,
Tables A, B

connectionsC39.419

selectionC39.015

164C, D, (postpay, manual)

circuit diagramC39.425, ¶3.03, 3.04

combination of apparatusC39.425,
Tables A, B

connectionsC39.425

selectionC39.015

Coin collectors—Light fixtures**Coin collectors—continued**magneto

182C, D (postpay, manual)

circuit diagramC39.431, ¶3.03

combination of apparatusC39.431,
Table A, B

connectionsC39.431

selectionC39.015

maintenance, generalC39.029method of operationC39.019parts, assemblyC39.023postpay

common battery

selectionC39.003

local battery

selectionC39.009

maintenanceC39.031

prepay

common battery

selectionC39.003

local battery

selectionC39.009

maintenanceC39.035

pull bucket

maintenanceC39.033

(adapted for) U. S. and Canadian

coinsC39.003; C39.009; C39.015**Coin relay** See Coin collectors:

combination of apparatus

Community dial office service See Coin collectors**Conversion** See Coin collectors**D****Dial adapter** See Coin collectors:

combination of apparatus

Also C18 Group

Dial shorting relay, P-10C117C39.038**Dials** See Coin collectors:

combination of apparatus

Also C18 Group

Directory See Telephone Directory**Directory alcove, KS-16361**

descriptionC39.717

installationC39.717

assembly sequenceC39.717

procedureC39.717

Directory alcove, KS-16361—continued

installation

parts requiredC39.717

item numberC39.717

nomenclatureC39.717

special tools forC39.717

maintenanceC39.717

suppliesC39.717

survey for locationC39.717, ¶3.00

F**Fasteners**

directory

No. 1, 2, 3, 4C39.715

KS-6472C39.715

(for) directory cabinets, No. 24 .C39.715, ¶3.03

(for) directory shelvesC39.715

(for) directory tables, types 51, 52, 53
C39.715, ¶3.05**G****Grounds** See also C23.031

(for) booths, outdoorC39.705

H**Hangers, directory**C39.715**I****Indoor booths** See Booths**Inductive noise** See C38 Group**L****Light fixtures**

(for) boothsC39.701

(for) directory shelvesC39.701

power cables

diagramsC39.701, Fig. 8

2 type

identificationC39.701, ¶7.02

installationC39.703, ¶7.00

useC39.701, ¶7.03

3 type

cable connectionsC39.703, ¶6.01

identificationC39.701, ¶7.05

useC39.701, ¶7.05

Light fixtures—Telephone directory**Light fixtures—continued**

4-A

- cable connectionsC39.703, ¶6.02
- identificationC39.701, ¶7.08
- useC39.701, ¶7.07

M

Manual coin collectors *See* Coin collectors

N

Number cards *See* C18 Group

O

Outdoor booths *See* Booths

P

Power receptacles *See* Booths

Protector grounds *See* C23 Group

Pull bucket *See* Coin collectors

Public telephone signs

- identificationC39.711
- installationC39.713

R

Radio signal suppression *See* C38 Group

Receiver cord *See* Coin collectors:
 combination of apparatus
 Also C18 Group

Receivers *See* Coin collectors:
 combination of apparatus
 Also C18 Group

Relay cover *See* Coin collectors:
 combination of apparatus

Ringing bridge limitations *See* C38 Group

Roto-Lock *See* Booths

S**Shelves**

booth

18E

- identificationC39.701, ¶5.02
- maintenanceC39.707, ¶6.00
- useC39.701, ¶5.00

Shelves—continued

directory

No. 11, 12, 13, 17

- installationC39.715
- fastenersC39.715
- mountingC39.715, ¶3.12, 3.13

indoor

19A

- identificationC39.701, ¶6.00
- installation
 - coin collectorC39.703, ¶13.13
 - directory and binder....C39.703, ¶13.14
 - mountingC39.703, ¶13.11, 13.12
 - requirements,
 - generalC39.703, ¶13.01-13.08
 - subscriber setC39.703, ¶13.09, 13.10
 - wiringC39.703, ¶14.00
- maintenanceC39.707, ¶11.00
- useC39.701, ¶6.02

Station protection *See* C23 Group

Station sets, coin *See* Coin collectors

Subscriber sets *See* C38 Group

T

Tables, directoryC39.715

Telephone directory

cabinet, No. 24

- installationC39.715
- fasteners, corner braceC39.715

directory fasteners

- locatingC39.715
- placing directories inC39.715

No. 1, 2, 3, 4

- capacityC39.715
- installationC39.715, ¶3.05

KS-6472

- capacityC39.715
- installationC39.715, ¶3.04

directory hangers

KS-7302

- installationC39.715, ¶3.07

KS-13350, Lists 1, 2, 3, 4

- capacityC39.715
- installationC39.715, ¶3.08

directory shelvesC39.715

tables, 51, 52, 53 type

- installationC39.715
- fasteners, corner braceC39.715

Transmission zoning—Wiring, electric

Transmission zoning *See* C38 Group
Transmitter *See* Coin collectors:
 combination of apparatus
 Also C18 Group
Transmitter cord *See* Coin collectors:
 combination of apparatus
 Also C18 Group

V

Varistor *See* Coin Collectors:
 combination of apparatus:
 Also C18 Group

Ventilator, KS-8164 *See* Booths

W

Washer rejector *See* Coin collectors

Wiring, electric
 booths
 indoorC39.701
 outdoorC39.705
 regulations *See* "National Electric Code"