

HANDSET CORDS

IDENTIFICATION

1. GENERAL

- 1.01** Table A lists cords, ordering guide, design features, cords replaced, and intended use.
- 1.02** The reasons for reissuing this section are listed below. Revision arrows are used to emphasize the more significant changes.
- Show the H3T, H3U, H4DB, H4EA, H5AA, H5AC, and H5W cords manufacture discontinued (MD), Table A
 - Add the H4CYFR, H4EJ, H4EK, H4EM, H4EN, H5P-61, H5AF, and H5AG cord, Table A.
- 1.03** When ordering cords, specify desired cord, color code, and length. When the LENGTH column of Table A specifies a cord as STD and/or LONG, the standard cord is approximately 6 feet in length and the long cord is approximately 12 feet in length.
- 1.04** The second character of coded cords designates the number of conductors in the cord.

NOTICE

This document is either
AT&T - Proprietary, or WESTERN
ELECTRIC - Proprietary

Pursuant to Judge Greene's Order of August 5, 1983, beginning on January 1, 1984, AT&T will cease to use "Bell" and the Bell symbol, with the exceptions as set forth in that Order. Pursuant thereto, any reference to "BELL" and/or the BELL symbol in this document is hereby deleted and "expunged".

♦TABLE A♦
HANDSET CORDS

ORDERING GUIDE				DESIGN FEATURES			REPLACES	INTENDED USE (HANDSETS EXCEPT WHERE SPECIFIED)
CORD	COLOR CODE	LENGTH (NOTE)	JACKET	SPG.	STRT.	SPECIAL FEATURES		
H2A	-3	10"	Textile		•			1011G (MD)
H2B		4'	Nylon		•	Test end equipped with 6A clips		1013A (MD), 1013B
H2C		10"			•			1014A (MD), 1014B
H3K	-54	STD	Textile		•		422 (MD)	278-type subset with No. 1C handset handle
H3N	-9	1'6"			•		H3N-10 (MD)	F1E
H3T (MD)	-54	5'6"			•			F3CW (MD)
H3U (MD)		STD			•			F3DW (MD)
H3AR	-3	4', 9', 13'	Vinyl	•			H3AF (MD) H3AJ (MD)	F1GR (MD)
H4A	-54	3'	Textile		•			1D (MD)
H4BM	-3	4'	Vinyl	•		One end equipped with connector		G5FR
H4BU		STD			•		H4T (MD) H4W (MD)	F2B (MD) F2C (MD)
H4CJ	-3, -50, -51, -52, -53, -54, -56, -58, -59, -60, -61, -62	STD and LONG		•			H4BH (MD) H4BR (MD)	G3Y (MD), G3A6, G3BR, G4B, G5GR, G5RR
H4CL (MD)*				•				G3A6, G3BR
H4CP	-3, -51, -60	3'	Vinyl	•			H4BS (MD)	G3FR

See note and footnote at end of table.

♦TABLE A♦ (Contd)

HANDSET CORDS

ORDERING GUIDE				DESIGN FEATURES			REPLACES	INTENDED USE (HANDSETS EXCEPT WHERE SPECIFIED)
CORD	COLOR CODE	LENGTH (NOTE)	JACKET	SPG.	STRT.	SPECIAL FEATURES		
H4CS	-3	1'2"	Vinyl		•			G3AA
H4CT	-3, -50, -51, -53, -54, -56, -58, -59, -60, -61, -62	STD and LONG		•				G6B (MD), G7B (MD), G8B (MD), G10B, G36A (MD)
H4CY	-3	2'8"	PVC		•	Armored stainless, flexible hose covering		G3AD (MD), G3AE, G3AH, G3AF (MD), G3AG (MD), G3AK
H4DA		4'6"			•		H4CG (MD)	
H4CYFR		2'8"						G3AHF-52, G3AKF-52
H4DB (MD)	-3, -50, -51, -53, -54, -56, -58, -60, -61, -62	STD and LONG	Vinyl	•		Each end equipped with early version TRIM- LINE® telephone-type plug		220A (MD) and 2220B (MD) hand telephone sets G12A (A&M Only)
H4DD	-3, -51, -53, -56, -58, -60, -61, -62	STD and LONG	Vinyl	•		One end equipped with 464A-type plug		G10D
H4DE	-61	STD	Nylon		•	One end equipped with modular plug		No. 2C (MD) and No. 3C cord reel
H4DG		2'8"	PVC		•	Armored-stainless steel, flexible hose covering		G13A (MD)
H4DH		4'6"			•			G13B (MD)
H4DJ (MD)	-3, -50, -51, -53, -54, -56, -58, -60, -62	5'6"	Vinyl	•		Handset end equipped with line switch, both ends equipped with push-in-lock plug		H1A (MD), G12A

See note at end of table.

♦TABLE A♦ (Contd)

HANDSET CORDS

ORDERING GUIDE				DESIGN FEATURES			REPLACES	INTENDED USE (HANDSETS EXCEPT WHERE SPECIFIED)
CORD	COLOR CODE	LENGTH (NOTE)	JACKET	SPG.	STRT.	SPECIAL FEATURES		
H4DK	-3, -50, -51, -52, -56, -58, -60, -62	STD and LONG	Vinyl	•		One end equipped with 464A-type plug	H4BL (MD)	G1DR (MD), G2CR (MD), G3CR, G3DR (MD), G3L (MD)
H4DL	-3				•		H4BY (MD)	F3B (MD), F3F (MD)
H4DM				•	H4CM (MD)		G2CR (MD)	
H4DS	-61	STD	Nylon		•	One end equipped with modular plug		KS-20658L1 cord reel in 50A conference set
H4DU	-3,, -50, -51, -53, -56, -58, -59, -60, -61, -62, -93, -104, -105, -106, -112, -115, -123, -124	STD and LONG	PVC	•		Each end equipped with modular plug		220C, 220AL, 220AM, 226A, 2220C, 2220BM, 2226A hand telephone sets, G14A, G15A, G15Y, G36AM, K1A, L1-, or L2-type, residential sets, modular G-type handsets, 921B telephone sets 950A- and 2950A-type telephone sets
H4DY	-61	STD	Nylon		•	One end equipped with modular plug		5A cord reel
H4EA (MD)					•			5B cord reel (MD)
H4EB	-3, -50	STD	Vinyl	•		For conductor spring cord having a vinyl jacket and tinsel conductors		881A102 (MD), 881A103 (MD), and 881A104 (MD) telephone set

See note at end of table.

♦TABLE A♦ (Contd)

HANDSET CORDS

ORDERING GUIDE				DESIGN FEATURES			REPLACES	INTENDED USE (HANDSETS EXCEPT WHERE SPECIFIED)
CORD	COLOR CODE	LENGTH (NOTE)	JACKET	SPG.	STRT.	SPECIAL FEATURES		
H4ED	-58	STD	PVC	•		Flat cord having one end equipped with push-in-lock plug and other end equipped with 464A or 478A plug		G15A, K1A, A-type consoles
H4EE	-50	STD	PVC	•		Flat cord having one end equipped with push-in-lock plug and other end equipped with 464A plug less 100 ohm resistor		128A4- and 138A4-type consoles
H4EF	-61	STD	Nylon		•	One end equipped with modular plug and molded strain relief grommet other end with ring tips and stayband		5C cord reel
H4EG	-3	2'8"	PVC		•	Flexible stainless steel hose covering		G13D, multislot coin collectors
H4EH		4'6" STD						G13D, single-slot coin collectors
H4EJ		2'8"						G3AL-03 handset coinless telephone set
H4EK	Brown	2'8"	Cotton Braid		•	Modular 4 conductor		G3AL-03 handset coinless telephone set
H4EM	-3	2'8" 4'6"	PVC		•	Flexible stainless steel hose covering		Amplifier handsets for No. 20 coinless telephone sets
H4EN	Brown	STD 14"	Cotton Braid	•		Modular 4 conductor		940D24-100 telephone set
H5P	-3, -50, -51, -52, -53, -54 -56, -58, -60, -61, -62	STD	Vinyl	•				G5ER, G5HR
H5U	-3	4'	Textile		•	One shielded conductor		No. 8 announcement system

See note at end of table.

♦TABLE A♦ (Contd)

HANDSET CORDS

ORDERING GUIDE				DESIGN FEATURES			REPLACES	INTENDED USE (HANDSETS EXCEPT WHERE SPECIFIED)
CORD	COLOR CODE	LENGTH (NOTE)	JACKET	SPG.	STRT.	SPECIAL FEATURES		
H5W (MD)	-3	4'	Textile		•	One shielded conductor, one end equipped with plug		No. 9 announcement system
H5Y	-3	3'6"	Vinyl	•		One end equipped with plug		G5NR
H5AA (MD)	-3, -50, -51 -53, -54, -56, -58, -60, -62	STD and LONG		•		Each end equipped with early version TRIM- LINE telephone-type plug		220A (MD and 2220B (MD) hand telephone hand telephone sets G12A (A&M Only)
H5AB	-3	STD		•			H5G (MD)	G5AR
H5AC (MD)	-3, -51, -56, -58, -60, -62	LONG		•		Handset end equipped with early version TRIMLINE telephone- type plug		220A (MD) and 2220B (MD) hand telephone sets G12A (A&M Only)
H5AD	-3, -50, -51, -53, -54, -56, -58, -60, -62	STD		•		Each end equipped with early version TRIMLINE telephone- type plug. Handset end has neon glow lamp in plug grommet (message waiting)		
H5AE			•		Handset end equipped with early version TRIMLINE telephone- type plug, and neon glow lamp in plug grommet (message waiting)			
H5AF	-3	4'			•	Four conductor cord with shielded 402379259 con- nector on one end spade tips on other end	H5W (MD)	9A announcement set KS-16536 control unit
H5AG	-3	4'			•	Same as H5AF cord plus mating 402378921 receptacle	H5W (MD)	9A announcement set KS-16536 control unit

See note at end of table.

♦TABLE A♦ (Contd)

HANDSET CORDS

ORDERING GUIDE				DESIGN FEATURES			REPLACES	INTENDED USE (HANDSETS EXCEPT WHERE SPECIFIED)
CORD	COLOR CODE	LENGTH (NOTE)	JACKET	SPG.	STRT.	SPECIAL FEATURES		
H6C	-3	STD and LONG	Vinyl	•				G5BR
H6E	-3, -50, -51 -53, -55, -56, -58, -60, -61, -62			•				G5KR, G5PR, G10A
H6F	-3, -51, -53, -56, -58, -60, -61, -62	4', 9', 13'		•				G5JR, G5LR, G10C
KS- 21681L1	-3	4'	Neoprene	•		Set end equipped with bushing over flexible collar	H4DT (4') (MD)	G11A4, G11C4
KS- 21681L2		9'					H4DT (9') (MD)	G11A9, G11C9
KS- 21681L3		4'					H4EC (4') (MD)	G11B4
KS- 21681L4		9'					H4EC (4') (MD)	G11B9

Note: STD (standard) length is approximately 6 feet, LONG length is approximately 12 feet.

* Not furnished in -51 color.