

SERVICE

712B AND 712BM TELEPHONE SETS

1. GENERAL

- 712BM Connections Fig. 2, 4, and 6.

1.01 Reissued to add:

- 712B Connections Fig. 3, 5, and 7.

NOTICE

Not for use or disclosure outside the
Bell System except under written agreement




Fig. 1—712B Telephone Set, Connections, Wired for 2-Line Pickup, Hold on Line 1, and Signaling (Factory Wiring)




Fig. 2—712BM Telephone Set, Connections, Wired for 2-Line Pickup, Hold on Line 1, and Signaling




Fig. 3—712B Telephone Set, Connections, 1-Line Pickup, Hold, and Secretarial Service (Used Without 1A1 or 1A2 KTS)




Fig. 4—712BM Telephone Set, Connections, 1-Line Pickup, Hold, and Secretarial Service (Used With 1A1 or 1A2 KTS)†




Fig. 5—712B Telephone Set, Connections, 2-Line Pickup, Exclusion on Line 1, and Signaling (Used With 1A1 or 1A2 KTS)




Fig. 6—712BM Telephone Set, Connections, 2-Line Pickup, Exclusion on Line 1, and Signaling (Used With 1A1 or 1A2 KTS) (Factory Wiring)†




Fig. 7—712B Telephone Set, Connections, Wired for 1-Line Pickup, Cutoff Feature for Extension Station or External Line Ringer




Fig. 8—712BM Telephone Set, Connections, Wired for 1-Line Pickup, Cutoff Feature for Extension Station or External Line Ringer