CAROT SCHEDULING TRUNKS FOR ROUTINE TESTING

1. GENERAL

- 1.01 Testing Intervals and Testing Capacity—the intervals at which a trunk should be tested are determined by the transmission plant make up. In general, cable trunks are tested at monthly, repeatered trunks at biweekly, and carrier trunks at weekly or daily intervals. The test intervals for various facility test groups are given in Table 1.
- 1.02 In the TMF each transmission priming field contains an item giving the test group facility.Thus, a program containing Table 1 can determine the testing interval for any trunk in the TMF. This capability will be used in scheduling the tests.
- 1.03 It is necessary to determine the proportion of the automatic testing capacity of the CAROT needed for each ROTL office. This may be done by considering the total amount of automatic testing which must be done in each monthly (4-week) cycle. Figure 1 shows how 15 ROTL offices might be scheduled using 5 of 7 available parts for transmission testing. First, the number of trunks in each office requiring daily, weekly, biweekly, and monthly testing are written in columns, A, B, C, and D. These figures are converted to numbers of tests per month in columns D, E, F, and G, are summed to give column H, the total number of tests per office per month.
- fices to testing groups which each utilize the capacity of one port. In this example, each port is assumed able to make 800 tests/day or 16,000 tests/month. This is shown in the rightmost columns where the figures of column H are brought out for each office assigned to each group. This is easily done if the large offices are brought out first, and the smaller ones are used to fill in afterwards.
- 1.05 In this example, the largest office, Fra 1, exceeded the capacity of one port. If the ROTL has only one access port, it also is overloaded, and it does no good to spread Fra 1 over two testing groups. When the monthly schedule for Fra 1 is made the overload will be removed by testing daily trunks less frequently since they contribute most to the testing load. Also, each of the next three test groups given as near 16,000 tests as

possible with all spare capacity being left to group 5. Group 5 is then left with 6852 tests/month to be used on a nonroutine or discretionary basis. An alternative would be to balance the testing over the last four groups and run a shorter routine test day.

2. DRAWING UP A MONTHLY SCHEDULE

- 2.01 Figure 2 shows a monthly schedule for testing group 2. Although complicated in appearance, it is based on the following principle—trunks with the shortest test interval are tested first, up to the capacity of the port.
- 2.02 To implement this principle, daily tests are scheduled first—daily trunks 1 to 115 in Con and 1 to 454 in Fra 2 for a total of 569 daily trunks tested each and every day. Next weekly trunks are scheduled with 1 to 115 at Con and 120 weekly trunks at Fra 2 are added on the Mondays to fill out for 804 tests. The remainder of the Fra 2 weekly trunks are scheduled on Tuesdays and Wednesdays. Similarly, Con biweekly trunks are tested on the first and third Wednesday, and Fra 2 biweekly trunks are tested on the first and third Wednesday and Thursday. Monthly trunks are scheduled last. As can be seen by the totals column at the far right approximately 800 tests/day are scheduled.
- 2.03 Figure 3 shows the schedule for testing group 1 which was the overloaded group. In order to limit its port to 800 tests so that this port would not run late and inhibit results analysis the testing of daily trunks was cut back to roughly every other day.
- 2.04 Figure 4 shows testing group 5. Here the load is 460 tests per day. The spare capacity is given as 340 tests per day.

3. TROUBLE REFERRAL LOADING

3.01 The monthly schedules drawn up are the simplest for CAROT test file preparation using this method of assigning offices to testing groups. One disadvantage is, however, that the number of trunks tested in an office will vary from day to day.

SECTION 010-410-300

For example, in testing group 2, Figure 2, on day 2 there are 115 trunks in Con and 684 trunks in Fra 2 tested. On day 5 there are 345 trunks in Con and 454 trunks in Fra 2 tested. If the number of troubles found is proportioned to the number of trunks tested, the number of troubles referred to an office will vary widely from day to day.

If this is found to be a problem for the offices, the scheduling procedure can be changed to give a constant number of trunks tested per day per office. An example of this is given in Figure 5. Each day 210 trunks in Con and 590 trunks in Fra 1 are tested. This division of testing capacity is derived from the proportion of testing capacity needed on a monthly basis. From Figure 1

$$210 = 4,157 \times 800/15,973$$
 and

 $590 = 11,816 \times 800/15,973.$

The schedule is drawn up as before except that each office is done on an individual basis.

4. FACILITY ORDER TESTING

- 4.01 It is recommended that trunks which utilize carrier facilities be tested in order by facility group and channel number. A TMF tape containing carrier trunks in facility order is provided for by the TMF preparation and updating procedures. This tape should contain all carrier trunks and therefore all trunks tested at daily and weekly intervals. A TMF tape containing all trunks in traffic trunk group and traffic trunk number order is also provided for.
- 4.02 A convenient method of utilizing these two orders of testing is to write the daily and weekly portions of the CAROT tape from the facility order TMF and the biweekly and monthly portions from the trunk group order TMF. This has the particular advantage that on days when only daily and weekly trunks are tested in an office, only the facility

order TMF need be searched. Since the facility order TMF is typically only 20 percent of the trunk order TMF a considerable saving of time is obtained.

4.03 The method described above makes possible the orderly and timely routine automatic trunk testing within the limits of the BSP interval specifications.

TABLE 1

Test Intervals For Various Facility Test Groups

Test Inter Sect. 660-402		Facility Test Group Common Language Identification Sect. 005-220-101
Daily	(0)*	C, D, G, H, J, K, N, N1 OA, OB, OC, OD, ON L, R, without Group Regulation 23A, 33A, 42A, 45A, 45C, AD AC, BP, BU, CG, CN, ER, FH GE, KE, LM, LY, MT, NE, PH PN, RC, RY, SC
Weekly	(1)	L, R with Group Regulation N2, N3, T1, T2
	(2)	E13, E23, E6,
Biweekly	(3)	44V4, V4, 24V4
•	(3)	Other VF Repeaters
Monthly	(4)	CA, OW (Non-Repeatered) All non-controlled 2 way

*Test group code—code may be used in place of Common Language Identification to indicate Test Group Facility in the CAROT TMF, 010-410-312

				7	m	4	ശ	ی	۲.	ω	o	0.0	Ξ	12	13	4	15	9	17	80	13	20	21	22	23	24	25	26
		5				1581				.		3563			4004	-	-			6852		9148						
,	Sai	4	840		1163						4530					4387	4873			207		15793						
	Testing Groups	3							6494	6130			1338	1961						57		15943				GROUPS		
	Test	2		4157		-		11816												27		15973			-	TESTING C		
		7					19466													-3466		19466	,	,	4.		·	
Н		D+E+F+G	840	4157	1163	1581	19466	11816	6494	6130	4530	3563	1338	1981	7007	4387	4873	76323								FOR ORCANIZING		
ტ		Cx2	12	136	234	164	ı	1 9 2	9	418	760	580	444	1058	2540	800	824			Spare		Totals				TABLE		
드		Bx4	76	760	116	204	5880	1780	2548	740	260	212	1	ı	1	284	428									FIGURE 1		
田		Ax20	380	2300	560	1020	13560	9080	3720	3600	2440	1040	ı	1	. 1	1420	2120				_							
Α	9	Monthly	372	1261	253	193	26	724	220	1272	1070	1751	894	923	1464	1883	1501	!										
ပ	ach Grou		9	89	117	82	1	96	8	209	230	290	222	529	1270	400	412				-			-				
щ	Trunks in Each Group	Weekly Weekly	19	115	59	51	1470	445	637	185	140	53	1	1	ı	72	107									-		
Ą	Tru	Daily	19	115	28	51	678	454	186	185	122	52	ı		ı	7.1	106											
	-	Offices	Ant	Con	Cor	Dan	Fra 1	Fra 2	Fra 3	Ebm	Frn	Kel	Lak	Lan	Nep	01y	Tho	-										

S.N.-385 (4-58)

																			<u></u>									· · · · ·	*			
				C	on							Fra	2					To	otals													
Day		D	W	I	Е	3W	M	1	I		1	W	I	3W	M		D	W,	BW	M	T											
1		115	1	115					_1	454	1	120					569	235			804					-	ļ		ļ			ـــــ
2		+			1	68			+	 	351	350 445	1	70			1	230 95	138	-	799 802						<u> </u>					+
4			1			00	1	210			771	447	71	96					26	210									-			+
5		 	1				211					<u> </u>	,							230		-										+
																,																
6			1	115						<u> </u>	1	120	-					235			804						ļ .					
7		 -	 				1.17	500			121							230		7.0	799						<u>'</u>	1				-
8 9		++	<u> </u>				<u>44</u> ⊥ 581	580 810	+	\vdash	351	445						95		140 230	799					ļ	 	+	-			+-
10		+	-				811	1040	\dashv		_	-								230	799								-			+
												†														-	† • • • • • • • • • • • • • • • • • • •			<u> </u>		<u> </u>
11			1	115							l							235			804											
12						ا الما					121	350						230			799						1					
13			-		1	68	70/7	70(7		-	351	445		70				95	138	227	802					-	ļ	-	1		L	4—
14		++-	<u> </u>				1041	TKOT		$\vdash \vdash$	ļ	 	71	96	1	230			20	221	799								-		<u> </u>	+
1		+	-					•										_		الاح	177								 			+
16		1.	1	115							1	120						235			804		-					1				
17											121	350						230			799											
18											351	445			231	370		95		140	804							ļ	ļ.,	ļ		4
19	─		ļ .		-				V	-					371	600				230	799							-	<u> </u>			₩
20	-	 `-	 							'	ļ	ļ <u>.</u> .			601	124				124	093						ļ	<u> </u>	-			+
											<u> </u>										•						 	-	+			+
																								_								
,	- '		-								1	-														ļ		-		_	<u> </u>	-
			 								 	+								 	ETCIID	E 2	MONITUE MONITUE	IT V C	יו זכוידו זו	T TP TPC	ים מיני	TNO	DOUT		<u> </u>	+-
		-	-							-		-									r lgor	[MONTI	171 20	DEFIC	LE FC	K IE	TING	GROUP	12	-	+
		 					-				<u> </u>	 										- 1				· · · · · -					1	+
																`ı .																
							,																									-
		+						·	· · · · · · · · · · · · · · · · · ·	ļ	ļ	-	<u> </u>												-	<u> </u>		-				
		+	+				-	-		 	-	+		-	 		-			++						 		+	 		-	+
		+	1								<u> </u>	+		1						. ,							†	+	1	+	 	+
			1	†																						1						
																																\perp
		1									<u> </u>	1	ļ ·	<u> </u>					<u> </u>							<u> </u>	 	ļ	ļ	ļ		
				ļ					<u> </u>	-	-	+	ļ						-								-	-	-		-	+
		 	-	ļ						 	 	+	-					-								-	 	-		-	+	+
		+	+	-						 	 	+					 			+ +					 		1			+	+	+
				† ·								 	—					-									†		1	†		1
																																\perp
												1														ļ						
				<u> </u>		ļ	<u> </u>	 		ļ	 	 					<u> </u>			 						1		 	-	1		+-
			-	 						 		+	+	-						 					 		+	-	+	+	-	+
	•	+	+							<u> </u>	-	+		 	 										-	-	1-	+	+	-		+
		+	- 	ļ .										<u> </u>	1											†	†		1	1	1	+
			1	- 3			<u> </u>			1	<u> </u>	 			†			T	1.	1							1		T	1	1	\top

S.N. 385 (4-58)

			Fr	a 1				T	otals	3																				
Day	D		W		BW	I.	1		W		М	T																		
1.	1 67	8 1	100			1	26	678	100		26	804																		,
2		101	800							800		800																		
3	1 67	8 801	900					678	100		<u></u>	778			-							<u></u>								
4	1 33	8 80 <u>1</u> 0 901	1370					330	470			800										L								
5	1 67	8 1371	1470					678	100			778																		ı
	1		•					1																						<u> </u>
6	1 67	8 1	. 100					678	100			778																		
7		101	800						800			800																<u>. </u>		
8	1 67	8 801	. 900					678	100			778																		
9	1 33	0 901	1370					330	470			800																		l
10	1 67	0 901 8 1 <i>3</i> 71	1470					678	100			778																		1 .
																														1
11		SAM	IE AS	SECO	ND W	EEK																								
12][
13						-																								
14																														
15]																										
	.]																													,
16	1	SAM	Æ AS	SECO	D WE	EK.																						L		L
17	1																													
18						7					T-																			1
19	1																													Ĺ
20											-																			
																						,					<u> </u>			
																											<u> </u>			L
																					·					,				
																	FIGUE	E 3	MONT	ILY S	HEDU:	LE FO	R TEST	TING	GROUP	1				
																						·				<u> </u>	ļ!			
					ŀ																						<u> </u>	lacksquare		
					112										-							<u> </u>		!			<u> </u>	1		
				<u> </u>																						ļ				
	<u> </u>																					ļ		ļ				ļ		
					ļ.,	ļ					<u> </u>	1							<u> </u>					ļ		<u> </u>	<u> </u>	_		
			<u> </u>		<u> </u>	ļ												ļ						<u> </u>			 '			
												ļ									ļ	ļ <u> </u>	<u></u>	ļ.	ļ	 	<u> </u> '	 		
				+	ļ	ļ	-	ļ		ļ	 	 	-	 		·			·			 				 	 '			
	41	_	-	 	_					 	<u> </u>	 	-					-				 	<u> </u>	 	-	 	 	+		
	1				 	-	-				-		1	 							<u> </u>	 				+	 			-
	41	·	-	 	ļ	-		<u> </u>			 		-			 		-	 		-	 -	 	_	-	1	 	 	$\overline{}$	
				-	-	-		-			+	+							-			-	<u> </u>		 	-	 	 		
					-	-	-				+	-	+					 			 	 		-	<u> </u>	 	 '			
		-				-	1	-		<u> </u>	+	+	+			-									-	 	 	 		
		- ·				 	<u> </u>	 			 	-				-			 			+	 	 		 	 '	+-+		
			-	-	 	'		 		 		+	+			-			-			 	 		 	 	 	+		
	-	-	-	+	-		 	 	·	 	+	-	1			-			 		-		 	 		+	 	 		
						+	-	-		-	+	+				 			1		 	 	-	 	 	+	 	\vdash		
			-		+	-		ļ		 -	+	+		 		 						 	 	 	 	 	 	 		
	-				ļ	 		 			 	-	+	-	· · · ·							 					 '			
	4			+	-	 	 		·		┼	+	,					 	-			 			-	+	 	 	لـــــــــــا	
					ļ		 	1		ļ		+	-	-		-		 	 					 		+	 			

S.N.-385 (4·58)

			Da	an							Kel						Ŋ.	en.						То+	als			
Doz		w		BW		3.6						7888		,	Б.	71		ep	D		.	_				_	_	
Day	D	VV	<u> </u>			M	-	D T	T	W	<u> </u>	BW T	<u>N</u>	1	D		W I	Τ	BW		M	D	W	BW	M	T	S	
1	1 51		51	1 82			1	-52	1 7	53	7	170						 				102	10/	252	+	150	\vdash	
2		·		ا ا		_	++-	1		1 23	171	200		-				1	2/0			103	104	260	 	459	 	
3							 	1		<u> </u>	111	290						241	600			\dashv		360	 	163		
4											† †						<u> </u>	601	240 600 960			_		360 360 360	+	463 463 463		
5					1	50				 									1270					310	50	463		
																		1701	12.10					710		1 1		
6		1	51		51	193			1	53			1	220			<u> </u>					1	104		362	165		
7													221	580			1	1							360	463		
8													581	940											360	463		
9													940	1300											360	463		
10							\Box						1301	940 1300 1660											360	465 463 463 463 463		
						_	- -				1														i		1	
11		_ 1 _	51	1 81				$oxed{oxed}$	1	53	1 171	170					1				I		104	252		459 463 463 463 463		
12								$\vdash \vdash$	-	1	171	290				_		1 1	240	<u> </u>				360	<u> </u>	463	\sqcup	
13							<u> </u>		ļ	-								241	600					360		463	\sqcup	
14								\vdash	-	ļ <u> </u>								601	900					360		463	1	
15			-		-			-	-		1 1		1661	1710				961	1270					310	50	463	 	
16			51				 		 _	-53			7277	15753						!	000		201				1	
17		· <u>L</u>	21				 	-	 	1.53	 		1711	1751			ļ		-	1 201 T	320	-	104		360	463 463 463 463	 	
18	7-1-1-1-1					-	++-				 			-			 			32 <u>1</u>	680 1040				360	463		
19					-					 			-					1		30/0	1,00	_			360	403	 	
20	 						 	-		1	+					-		 		1/01	1400 1464	+			1300	167		
					- 			 	 	-	1									1401	17404	-		 	 	1701	+	
									1 .	1	1			- 1					<u> </u>	<u> </u>				 	+	+	 	
										1					-			<u> </u>						 		1		
																					S	pare	Capac	ity 3	βO T∈	ests/D	ay	
															-									1 -				
																	ŀ]				
																		FIGU.	RE 4	MONT	HLY S	CHEDU	LE FC	R TES	TING	GROUP	5	
									ļ ·	 									ļ								·	
							 		+		 						-	ļ <u></u>	ļ						1		\longrightarrow	
					-		 		-		+		-				ļ		ļ	ļ				ļ			\longrightarrow	
							-	<u> </u>	+-								 	-						ļ	-	-	1	
					+	-		 	+	 	1 1									 			<u> </u>		+	+	 	
						_	-	ļ	+	+													-	 	+	+	+	
					-		1		+	-	1					_				 					+	+	++	
							1	ļ	+	+	+									 				 	+	+	 	·
								-			1							 	1				·		+	+	1	
							 		1		†				1		<u> </u>		 	<u> </u>				 	+	+		
					1					 							†	1	1	:				<u> </u>	1.	†		
																		1.		T				İ	1	T		
																								1		1		
·									1																			
· · · · · · · · · · · · · · · · · · ·				. 1																								

·

S.N. 385 (4.58)

				Con									Fra 2																	
Day	D		W	P	3W	М	Т		D		W		BW	·	1	M	Т												· ·	
	7 77~		10-						<u> </u>		,	25					500													
	1 115		95	 	(0)		210		45	4	1 1	35					589										<u> </u>			
2		1 96	115	1	68		20;	5		1.3	6 2 ^r	70				ļ	589								ļ		 	 		
3				4		1	95 210	<u> </u>		27	1 40	J5		~		ļ	589								ļ	ļ	<u> </u>	 		
4				+		96	190 210)		40	6 44	45	1	96	_		580								ļ	.	 '	igwdapprox		
5				1		191	285 210	,								135	589									-	<u> </u>	 		
				1			07.0	-			7 7	25					500								<u> </u>	ļ	<u> </u>	igsquare		
6		1 2				000	210	,	-	1.0	1 1	32					589								<u> </u>	-		 	-	
7	,	- 96	115	4		286	360 210 455 210	,	4	13	6 2	70				ļ	589								<u> </u>	ļ	ļ			
8			+	1		36 <u>T</u>	455 ZI	,		27	1 40	J5			106	000	589					:				 	<u> </u>		•	
9				1		420	550 210	<u>, </u>		40	6 44	42			130	230	289								ļ	 	 '	\vdash		
10		+	+	+		221	645 210	,	_						⊥زي	365	289								 			 		
	+++	+	- OF	+			07/	. 	_	-	7. 7.	25				-	500		-			:				 	 	1	-	
11		1 06	95 115	+	68		210	<u>, </u>		10	1 1	70					589 589									-	 	\vdash		
12		1 76	+++2	+	80	616	20				6 27		-			-				_	-				-	-	 	 		
13		+		1		040	740 210		<u> </u>	27	- 40	05		~		-	589								-	ļ	 	 		
14		-	+	+		741	835 210	-		40	6 44	45	1	96	066	500	580		-			1			-			 		
15	- 	+-	+	+		836	930 210) -							300	500	289		_						 	+		 		
		+	95	+		-	210	+		 	1 1	35					589			-		,			-		<u> </u>			
16 17	- 	1 06	115	+		931 1	1005 210				6 2	70				-	589								+	+	 	 		
18		+ 70	1117	+		1006 1	1100 210	, +		27	1 40	05				ļ	589						· ·				 	 		
19	- 	+	_	+		1101 1	1195 210	,		70	6 44	15		· ·	501	595	589		-						 		 '	 		
20	 	+	+	+		1196 1	1261 210	`		/ 40	- 4	47		٠.	596	724	589									 	 	 		
20		+		+		1170 3	LECTIET	,		+	+				770	1 ~~	100					10				 	 	 		
		+		+			-	_								-										-				
		+		+												· · · · · ·									1					
				1																		:								
																					İ	Ï								
																l			F	IGURE	5 5	ALTE	RNATE	MONT	HLY S	CHEDU	LE FC	R TES	TING	GROUP
		T																							<u> </u>					
·																											1			
																											<u> </u>			
	<u> </u>									_ .						ļ												'	ļ 	
																·				_		<u> </u>			ļ	ļ		<u> </u>		
· · · · · · · · · · · · · · · · · · ·	<u> </u>											_				ļ									-	ļ		 	ļ	<u></u>
		+		1												.				-				ļ <u> </u>	1	-		 '		
				+												ļ									+	·		 '	 	
																						_				1		 '	ļ	
				4				-								ļ								ļ	-	1.	 	 	<u> </u>	
į į																ļ								<u> </u>	 	-	 	<u> </u>		
				4						-+-					ļ <u>.</u>	ļ	-		———			-				 	+	 	-	
			+	+						- , -					<u> </u>	 		*		-+				ļ	-	4		 		
	, ,		+												<u> </u>								_	-	 	1	+	 '	ļ	
		$\overline{}$	- 1	4		ļ.										 					-+		-	-	+	 	 	 		
				1 1			1	- 1			1				ļ	-												1	I	
				+																				1		1		Ţ		1
																 	 			_		· · ·			-	-				
																						¥ ·	<u> </u>							
																						7	·							
																						9								

•

()

.