COIN COLLECTORS — POSTPAY — 152C, D, 164C, D MANUAL — LOCAL BATTERY — CONNECTIONS



1.00 INTRODUCTION

This section covers the combination of apparatus, circuit diagrams, and connections for the 152C, D and 164C, D coin collectors when used for manual postpay service as local battery talking-common battery signaling stations.

2.00 GENERAL

- Connections for this service require some changes in the wiring of the coin collectors; therefore, the circuit diagrams herein should be followed closely. It should also be noted that a readjustment must be made in the operating sequence of the switchhook contact springs.
- 2.02 These coin collectors may be used with the 634YD subscriber set as local battery talking—common battery signaling stations.
- 2.03 The 37A varistor, shown in the circuit diagrams, is not required at postpay coin collector stations; however, coin collectors which are equipped with the varistor may be used for this service.



Fig. 1—152C, D, 164C, D—Manual Set

TABLE A—COMBINATION OF APPARATUS—LOWER HOUSING AND BACKPLATE

Type Collector	Components			
	Handset	Handset Cord	Varistor	
152C 164C	F2E	H4BC	37A	

TABLE B-COMBINATION OF APPARATUS-UPPER HOUSING

Type Collector	Components					
	Apparatus Blank	Card Holder	Coin Chute	Coin Gauge Guard		
152C	50C		P-338883			
152D		17	P-338884	WC 0407 I 0		
164C		1B	P-338883	KS-8487, L2		
164D			P-338884			

3.00 CONNECTIONS

3.01 The circuit diagrams in this section are shown on a foldout page so that they may be associated with the circuit diagram of the appropriate subscriber set to provide complete information for the connection of station apparatus.

The designations on the transfer contact terminals in some upper housings are different than shown herein. Corresponding terminals are as shown in Table C.

TABLE C-UPPER HOUSING

Upper Housing			Terminals		
Original	w	Y	BK-YY	BB-YY	5*
Replacement	W	Υ .	YY	BB	BK-YY

^{*}Terminal 5 is not always furnished.





Fig. 2—152C, D—Lower Housing and BACKPLATE TERMINALS







FIG. 4—164C, D—LOWER HOUSING AND BACKPLATE TERMINALS

3.03 Circuit diagram of 152C, D and 164C, D coin collectors when used with 634YD subscriber set.



(R)

(Y)

(BK)

(GN)

