

SD-96172-01

BELL TELEPHONE LABORATORIES, INC.

DWG. ISS.	C.D. ISSUE	DATE ISSUED	APPROVED	
1	1	5-18-38	W.L.F. T.	W.E.D.
2	2	7-10-40	W.L.F. T.	W.E.D.
3	3	6-16-41	W.L.F. T.	W.E.D.
4	4	9-26-41	W.L.F. T.	W.E.D.
5	5	4-3-57	C.G.D. F.G.S.	D.B.F. E.W.O.
6	6	11-13-58	H.C. F.J.S.	J.L.V. E.W.O.

COMMON SYSTEMS OPERATING ROOM DESK NO. 19 KEY SHEET

CONTENTS

PAGE	TITLE	PAGE
	GENERAL DESCRIPTION	4
	INCOMING TRUNK CIRCUITS	1,3
	INDEX	5
	OUTGOING TRUNK, TEL., AND MISC. CIRCUITS	2

PRINTED IN U.S.A.


AT&TCO
STANDARD


FOR CURRENT DRAIN DATA SEE SD-96172-02
FOR EXPLANATION OF CONVENTIONS SEE MASTER
KEY SHEET SD-90250-01

REPLACING SD-90600-01 FOR OPERATING ROOM DESK NO.19

SD-96172-01

19-6-8
OFF





General Description

The No. 19 operating room desk is a centralized desk for handling auxiliary services in toll or local central offices.

The types of auxiliary services that may be provided are information, intercepting, rate and route, ticket filing and charge quoting. Any one or all of these services may be combined on the desk, and in addition, monitoring jacks may be provided for use in connection with supervisory work.

A book rack may be provided for the storing of books, directories, etc., and when provided is located on top of the desk section.

The desk is a single position three panel section. One or more sections may be

placed side by side to form a continuous lineup.

This desk has a maximum capacity as follows:

<u>Face Equipment - 6 Panel Multiple</u>	<u>Capacity</u>
Incoming Trunks (10 per strip)	170
Outgoing Trunks (20 per strip)	20
Tie Lines (10 per strip)	10
Monitoring and Observing Jacks (20 per strip)	110

Position Equipment

Cord Circuit (double ended)	1
Cord Circuits (single ended)	3
Operator Telephone Circuit	1
Auxiliary Signal Circuits	3
Supervisor Telephone Circuit (1 per 2 positions)	1
Peg Count Circuit	1

APPLIQUE

Traffic Weighting, for
Use with Ans. Time
Recorders

SD-96497-01 I8

CORD

Single Ended
Double Ended

SD-90531-01 D7
SD-90532-01 C7

DOOR OPENING

SD-90085-01 F8

FIRE DRILL

SD-90086-01 F9

GROUNDING

ES-223264 F7

JACK

Ans. and Associated
Loop Back
Outgoing Trk.
Mon. and Obs.

SD-90526-01 C6
SD-90526-01 C8
SD-90564-01 A8

PEG COUNT

SD-15125-01 H6

RECORDER

Ans. Time, Concentrat-
ing, Timing Control &
Testing, Portable Type
Ans. Time, Concentrat-
ing, Timing Control &
Testing, Permanent Type
Ans. Time, Concentrat-
ing, Time Control, Test
& Interrupter, Portable
Type

SD-96192-01 J8
SD-96235-01 J7
SD-96275-01 J9

REGISTER

Pen, Dial Obs., Manual
Off.
Pen, Dial Obs., SXS,
Panel or Xbr. No. 1
Off.

SD-15076-01 H9
SD-90463-01 H9

RINGING LEADS

SD-90479-01 B7

SET

Peg Count Checking,
No. 1A

SD-90626-01 G9

SIGNAL

Aux., and Buzzer

SD-90534-01 B6

TELEPHONE

Supervisor
Operator

SD-90474-01 B9
SD-90535-01 B8

TEST

Trunk, for Testing Inc.
Incpt. Trunks

SD-96478-01 K9

TRANSFER AND MAKE BUSY

Arr. to Transfer Lamp
Sig.

SD-95582-01 G7

TRUNK

Incoming

Information or Inter-
cepting

SD-90527-01 C3,
D3,
E3

Incpt., Reg. & Tbl.,
from Xbr. No. 1 Off.
in Same Bldg., with
or without Transfer
to Swbd. No. 3C or 3CL

SD-95403-01 A13

Incpt., Reg. & Tbl.,
from Xbr. No. 5 Off.
in Same Bldg. with or
without Transfer to
Swbd. No. 3, 3C or 3CL

SD-95485-01 C13

Incpt., Reg. & Tbl.,
from Xbr. No. 5 Off.
in Same Bldg. with or
without Transfer to
Toll Swbd. No. 1

SD-95551-01 D13

Incpt., Reg. & Tbl.,
with or without
Machine Announcements
from Distant Dial Off.

SD-95789-01 G13

Incpt., Reg. & Tbl.,
with or without
Machine Announcements
from SXS Off. in Same
or Dist. Bldg.

SD-95796-01 F13
SD-96265-01 H3

Intercepting, 2 Wire
Incpt., Reg or Reg. &
Tbl., Arr. for Mach.
Announcements, E&M
Lead Supv.

SD-96488-01 I13

Outgoing

To Toll or Inter-
position

SD-90537-01 D9

2 Way

To DSA Switchboard
Auto. to Other Desks

SD-90623-01 C9
SD-95731-01 E6

Miscellaneous

Transferred Info. or
Incpt., to Man. Swbd.
No. 1, Mach. Ring.
Swbd. No. 11 or Panel,
Crossbar No. 1 or SXS
"A" Swbd.

SD-90226-01 D4

Transferred Info. or
Incpt. to Toll Swbd.
No. 1

SD-95054-01 B4

Transferred Info. or
Incpt. to Swbd. No. 3,
3C or 3CL

SD-95316-01 A4