

Section **N**

of TELEPHONE EQUIPMENT & SUPPLIES CATALOG

ISSUED FEBRUARY, 1967

SUPERSEDES SECTION N
DATED OCTOBER, 1963

COIN TELEPHONES & ACCESSORIES

Coin Telephones

	Page
Self-Contained Series 80 AE Coin Telephones.....	2, 3
Burgess-Day Type 101 Coin Telephone Panels.....	4

Conversion Kits

Anti-Stuffing Coin Return Kits.....	5
Slug-Proof Coin Telephone Kits.....	5
Kits for 5c to 10c Conversion.....	5
Touch Calling Kits.....	5

Coin Telephone Accessories

Type 6001-B Self-Locking Coin Receptacles.....	5
Type 2A Coin Receptacles.....	5
Type 1-BA Over-Sized Card Holders.....	5
Benner-Nawman Cover Guards for AE Coin Telephones.....	6
Armored Cable Anchors for All Coin Telephone Panels.....	6
Receptacle Carrying Cases.....	6
Corner Brackets.....	6
Shelf Brackets.....	6
Lead Seals.....	6
Wood Backboards.....	6
Sealing Tools.....	6
Popper Coin Gage Guards.....	6

Directory Shelves and Hangers

Burgess-Day Directory Shelves for Type 101 Coin Telephone Panel Assembly.....	4
Popper Directory Hangers.....	7
Knapp Nylon Covered Directory Hangers.....	7
Type 50 Directory Holders for Types 50 and 50-S Acousti-Booths®.....	13
Directory Shelves for Models 17-S Sherron Booths.....	15
Dropette® Directory Shelves for Gladwin Shelf-Ettes®.....	16

Directory Binders

	Page
Universal Directory Binders.....	8

Signs

Illuminated Convert-A-Signs.....	8
Standard Metal Coin Telephone Signs.....	8
Adhesive Chromed Telephone Signs.....	8
Reflectorized Highway Telephone Signs.....	9
Gladwin Lighted Directional Signs.....	9

Telephone Booths

Aluminum Compact Booths.....	10
Aluminum Booth Facades.....	10
Aluminum Outdoor Booths.....	10
Burgess-Day Revenooer® Booths.....	11
Burgess-Day Acousti-Booths®.....	12-13
Churchill Type 200 Indoor Booths.....	13
Acousti-Call Indoor Booths.....	13
Sherron Booths.....	14
Benner-Nawman Type 500 Indoor-Outdoor Booths.....	15
Benner-Nawman Shelter Booths.....	15
Gladwin Outdoor Boothettes® and Canopy® Booths.....	16
Gladwin Indoor Shelf-Ettes®.....	16

Telephone Booth Accessories

Service Entrance Masts for Outdoor Booths.....	9
Aluminum Booth Accessories.....	10
Replacement Glass and Lamps for Aluminum Booths.....	10
Hex Socket Wrenches.....	11
Photo Electric Controls for Outdoor Booths.....	11
Revenooer® Panel Adapters for Coin Telephone Panels.....	11
Acousti-Call Booth Accessories.....	13
Sherron Booth Accessories for Models 17-S.....	15

AUTOMATIC ELECTRIC COMPANY

NORTHLAKE, ILLINOIS 60164 / TELEPHONE (312) 562-7100

Copyright © 1967, by Automatic Electric Company • Printed in U.S.A. • Catalog 11,000

Revenue-Building AE Coin Telephones



Series 80 Coin Telephone with
Touch Calling Conversion Kit

Self-Contained Series 80

Series 80 coin telephones include assemblies to meet every requirement of central-battery service with high fidelity telephone circuits and loop compensating networks.

The series is regularly equipped with an anti-slug protection feature and complete standard telephone transmission equipment. This includes handsets and dials as specified. Series 80 coin telephones are not equipped with ringers. To permit incoming calls, ringer boxes must be used.

Series 80 coin telephones offer all the features and colors of our popular Type 80 telephone.

Touch Calling Coin Telephones. Series 80 coin telephones are also available as Touch Calling instruments. Pushbuttons speed completion of phone calls. The caller hears pleasing musical tones while using the pushbuttons; circuit is complete and ringing begins as soon as last button is released.

Local Prepay

Combines the advantages of prepay service on local calls and postpay service on toll calls. Central office equipment is simpler and less costly than required for regular prepay coin telephones. Can be used with any automatic exchange which provides reverse battery for collecting initial deposit when called party answers. Requires only 60 volt booster battery for refund. A separate 110 volt source can be used instead of the booster battery.

LPB-89 AE Circuit Components

LPB-89-55 Like above, but for 10-cent service

Prepay—Manual or Automatic

Provides prepay service with automatic or manual central offices which have 110 volt facilities to operate coin control. Coins are deposited before connection is made and can be refunded if call is not completed.

LPB-82 AE Circuit Components (dial supplied unless manual is specified)

LPB-82-55 Like above, but for 10-cent service (dial only)

Semi-Postpay (Reverse-Battery)

Permits collection of charges for local coin telephone service without the aid of an operator. Can be used in any automatic exchange which provides for reversal of transmission battery when the called party answers. Does not provide for ready conversion to prepay operation.

LPB-86 AE Circuit Components

LPB-86-55 Like above, but for 10-cent service

How to Order and Price Series 80 Coin Telephones

To quickly find the ordering number and price for any Series 80 coin telephone, follow the six steps outlined on this page.

Example

Steps	Equipment	Ordering No.	Price
1	Prepay type of Coin Telephone.....	LP-82	\$126.25
2	10¢ Service.....	55	17.50
3	Yellow.....	17	6.20
4	Alphabetical Dial.....	C	7.80
5	Anti-Stuffing Device and Card Holder.....	2	3.50
6	6001-B Coin Receptacle.....	1	6.10

Complete Ordering Number:
LP-825517-C21

Total Price:
\$167.35


***Note:** With local prepay coin telephones, a special ringer box (L-1510-BSLA) is required. For ringer box in black, add \$18.25 to total price; for ringer box in color, specify the particular color and add \$19.25 to total price. Local prepay coin telephones require special trunk circuits for connecting to the master office. Consult your AE representative before ordering.

Steps	Description	Ordering No.	Price Each
1 Type of Coin Telephone Operation.	Prepay..... Semi-Postpay..... Local Prepay*.....	LP-82 LP-86 LP-89	\$126.25 136.15 138.20
2 Type of Service.	5¢ Only Service..... 10¢ Service (2 Nickels or Dime).....	<div style="display: flex; justify-content: space-between;"> <div>U.S.</div> <div>COINAGE Canadian</div> </div> 00 20 55 75	No Charge \$17.50
3 Color (Black will be sent unless otherwise specified).	Black..... Beige..... Med. Gray..... Dk. Green..... Ivory..... Red..... Turquoise (Lt. Green)..... Yellow..... Pink..... White..... Lt. Blue.....	00 10 11 12 13 14 15 17 18 19 30	No Charge \$6.20 6.20 6.20 6.20 6.20 6.20 6.20 6.20 6.20 6.20
4 Dial (For Touch Calling Kits, see page N-5).	Dial with 1—0 Number Plate..... No dial (blank)..... Dial with Alphabetical Number Plate.....	A B C	\$7.80 No Charge 7.80
5 Anti-Stuffing Device or Card Holder.	No Anti-Stuffing Device or Card Holder..... Anti-Stuffing Device Only..... Anti-Stuffing Device and Card Holder..... Card Holder Only.....	0 1 2 3	No Charge \$2.00 3.50 1.50
6 Coin Receptacle.	No Coin Receptacle..... With 6001-B Coin Receptacle..... With 2A Coin Receptacle.....	0 1 2	No Charge \$6.10 1.60

Prices are subject to change without notice.

N-3

Burgess-Day Type 101 Coin Telephone Panels



For use with Acousti-Booth® or Revenooer® Booth. Panel can be either surface, flush or corner mounted for added convenience. Blends with contemporary architecture and enhances appearance of installation area. Easy to clean panels stay new looking even in heavy use areas. Ideal choice for prime and prestige locations, particularly where space is a problem.

Stainless steel panel is equipped with three coin slots, handset with matching coiled cord, alphabetical number plate dial, anti-stuffing coin return device. Panel is hinged to housing containing standard prepay telephone. Mounting screws included.


Dimensions: 23 $\frac{3}{8}$ in. high, 16 in. wide.

Touch Calling Type 101 Coin Telephone Panels. Order Type 101 coin telephone panel; designate Touch Calling unit; specify light blue, white or black handset and cord.

- S-381330** Coin Telephone Panel. Rotary dial. Light blue handset, cord, dial plate. . . . each **\$294.33**
- S-381314** Coin Telephone Panel. Rotary dial. White handset, cord, dial plate. . . each **294.33**
- 381300** Coin Telephone Panel. Rotary dial. Black handset, cord, dial plate. . . each **294.33**
- 424102** Surface Mounting Enclosure. Stainless steel. 23 $\frac{1}{4}$ in. high, 15 $\frac{1}{2}$ in. wide, 6 $\frac{1}{4}$ in. deep. each **112.44**
- 424101** Flush Mounting Enclosure. Metal dust cover enclosure inserted into wall. 23 $\frac{1}{4}$ in. high, 15 $\frac{1}{2}$ in. wide, 6 $\frac{1}{4}$ in. deep. each **14.93**

F.O.B. Libertyville, Illinois

Burgess-Day Directory Shelves For Type 101 Coin Telephone Panel Assembly



Shelf can be used with surface or flush mounted Type 101 coin telephone panels. Equally suited to new or existing installations. Accommodates book 5 inches thick; provides a convenient area for writing and directory support. Ample hand clearance for ease in grasping directory.

Anodized aluminum shelf contrasts pleasantly with stainless steel telephone panel.

Easy to install—four screws hold shelf firmly to telephone panel assembly; screws included.

- 427296** Surface mounted. 5 in. high, 14 $\frac{7}{8}$ in. wide, 12 in. deep. each **\$24.88**
- 427295** Flush mounted. Stainless steel trim included. 5 in. high, 15 $\frac{3}{8}$ in. wide, 12 $\frac{1}{8}$ in. deep. each **27.36**

F.O.B. Libertyville, Illinois

Coin Telephone Conversion Kits

Anti-Stuffing Coin Return Kits



With AE's Anti-Stuffing Coin Return, customers get their coins back and the telephone company avoids complaints. When coin return is closed, nothing can be inserted. When opened to remove refunded coins, access to chute is blocked.

All AE Series 80 coin telephones are supplied with anti-stuffing coin return, when specified. Phone companies can exchange present lower-housing assembly for a factory-converted housing.

A special kit is available for installing the anti-stuffing coin return on existing coin telephones. Kit includes anti-stuffing coin return, modified refund chute, coil spring, hinge pin and a return escutcheon. **NOTE:** A special drill jig is required to properly locate the hinge pin hole.

P-70293	Anti-Stuffing Coin Return Kit. Chrome finish.....each	\$4.75
P-70299	Anti-Stuffing Coin Return Kit. Eleven Colors (see step 3, page N-3).....each	5.43
P-70294	Anti-Stuffing Coin Return Drill Jig (available on a rental basis—check with your AE representative).....each	150.00

Slug-Proof Coin Telephone Kits

Kits provide existing coin telephones with anti-slug protection. Standard on all AE coin telephones.

When slug is dropped in the 25¢ chute, a magnet pulls the slug, if it is magnetic, away from the gong before it strikes and registers payment. This prevents transmission of a tone signal to the operator.

Kit includes magnet and necessary 25¢ channel with magnet slot.

P-70298-1	Slug-Proof Coin Telephone Kit for U.S.....each	\$1.65
P-70298-2	Slug-Proof Coin Telephone Kit for Canada.....each	1.65

Kits for 5¢ to 10¢ Conversion

Kits are available to convert more than 20 types of coin telephones with maximum ease and minimum out-of-use time. Each kit includes a circuit diagram with full instructions.

We recommend that telephone companies maintain a stock of converted upper housing assemblies. These quickly replace unconverted housings in the field.

To order kits, specify quantity and exact code number of each coin telephone.

Touch Calling Kits

Kits for field conversion of standard rotary dial coin telephones to Touch Calling. The conversion kits include the Touch Calling unit, stainless steel adapter kit, modified coin relay and mounting hardware.

P-70307-A	Prepay. Alphabetical Buttons.....each	\$76.00
P-70307-B	Prepay. 1—0 Buttons.....each	76.00
P-70311-A	Semi-Postpay. Alphabetical Buttons.....each	76.00
P-70311-B	Semi-Postpay. 1—0 Buttons.....each	76.00

Coin Telephone Accessories

Type 6001-B Self-Locking Coin Receptacles

Coin collector does not see or handle money. Cover of receptacle is equipped with a shutter over the coin opening. The shutter opens to admit coins as the receptacle is inserted; closes and locks automatically when the receptacle is withdrawn. Receptacle is opened at office by breaking a seal. About \$50.00 capacity.

F-70251	Self-Locking Coin Receptacle with rail.....each	\$6.10
P-70304	Self-Locking Coin Receptacle without rail.....each	6.10

Type 2A Coin Receptacles

Non-locking. For collecting coins in standard AE coin telephones. About \$30.00 capacity.

P-60152each	\$1.60
----------------	-----------	---------------

Type 1-BA Over-Sized Card Holders

Over-sized card holder for information and instructions. Furnished with mounting material.

P-60574-Aeach	\$1.50
------------------	-----------	---------------

Prices are subject to change without notice.

N-5

Coin Telephone Accessories

Benner-Nawman Cover Guards



For AE Coin Telephones

Stainless steel cover completely encloses coin telephone, protects telephone from vandalism. Installation components included to permit mounting cover guard without removing the telephone, drilling or tapping. Openings and mechanisms provided as required for coin return plunger, anti-stuffing coin return, dial, hook switch and coin gauge. Dial numbers and letters are stamped into the metal and filled with black paint. Double-sided tumbler lock. Shipping weight, 11 pounds.

- BN 1624 A-B** Cover Guard. Mounting Frame on face of unit for 3½x4-in. instruction card. Holes provided on top of unit for mounting additional 4x6-in. Frame Assembly. Order Frame Assembly separately.each **\$42.00**
- BN 1624 A-D** Cover Guard. Mounting Frame on face of unit for 4x6-in. instruction card. Holes provided on top of unit for mounting additional 4x6-in. Frame Assembly. Order Frame Assembly separately.each **42.50**
- BN 1624 A-E** Cover Guard. Mounting Frame on face of unit for 3½x4-in. instruction card; top mounted Frame and Bracket Assembly for 4x6-in. card.each **46.75**
- BN 1624 A-F** Cover Guard. Mounting Frame on face of unit for 4x6-in. instruction card; top mounted Frame and Bracket Assembly for 4x6-in. card.each **46.75**
- BN 1981** Frame Assembly for 4x6-in. card. Mounts on top of Cover Guard behind coin gauge.each **4.59**

F.O.B. Oakland, California

Armored Cable Anchors

For Use on All Coin Telephone Panels

Holds armored cable down parallel with the panel to prevent the handset from being pushed off-hook. Discourages vandalism by helping prevent cable from being pulled loose from phone.

Anodized aluminum cable anchor can be used with new or existing installations. Anchor is firmly secured to face of panel with screws—presents an attractive, finished appearance.

Instruction, drilling template, screws included for existing installations.

- 1013-276**each **\$4.50**

N-6

Receptacle Carrying Cases

Handy collector's case holds nine self-locking coin receptacles. Sturdy fiber material. Equipped with a hasp to allow sealing for shipment. Supplied with snap-on handle if specified.

- S-650900** Carrying Case without handle. Wt., 7½ pounds.each **\$16.25**
- S-650901** Snap-On Handle. Wt., ½ pound.each **1.50**

Corner Brackets

Bracket for mounting all coin telephones, except attachment and compact types, in corner of booth or other confined space. Cast iron, black finish. Provision is made for line wires. Shipping weight, 18 pounds.

- S-422393**each **\$6.25**

Shelf Brackets

For mounting all coin telephones, except attachment and compact types, on a horizontal surface. Attractive design; black finish. Opening provides for line wires. Shipping weight, 15 pounds.

- S-422394**each **\$6.80**

Lead Seals

For self-locking coin receptacles. Package of 100. Shipping weight, ¾ pound.

- S-656680**per 1000 **\$6.00**

Wood Backboards

For mounting coin telephone and ringer box. Shipping weight, 2¾ pounds.


- S-421115**each **\$4.80**

Sealing Tools

For self-locking coin receptacles when lead seals are used. Shipping weight, ¾ pound.


- S-657225**each **\$7.50**

Popper Coin Gage Guards



S-424302

- S-424302** Arrow up.each **\$1.45**
- S-424303** Arrow down.each **1.45**



S-424303

Prevents insertion of coin before following special instructions.

Mounts on top of phone box in existing holes. Plastic READ sign hinges on black enameled metal.

Shipping weight, 5 ounces.


Prices are subject to change without notice.

Popper Directory Hangers

Brass chain. Swivels help prevent chain entanglement. Bronze plated metal surfaces protected against tarnish with clear lacquer.

Mounting screws included.

- | | | |
|-----------------|--|---------------|
| S-424361 | With rubber guard swivel and clevis for light books with punched hole.....each | \$1.45 |
| S-424362 | With swivel for special mounting binders, etc.....each | .80 |
| S-424364 | With swivel for special mounting binders, etc., and formed bracket with built-in shock absorber.....each | 1.61 |




S-424361

S-424362

S-424364

Knapp Nylon Covered Directory Hangers


Strong, flexible stainless steel cables. Nylon covering reduces marring of walls and equipment. Swivels help prevent tangling. Cable loops around stainless steel thimbles are securely fastened with copper sleeves.



S-424368

S-424369

- | | | |
|-----------------|---|---------------|
| S-424368 | For two equal-weight directories. Shock absorber reduces strain on wall fastener and binders when directories are dropped. Two 12-in. cables suspended from swivel and triangular balance plate.....each | \$3.40 |
| S-424369 | For two unequal-weight directories. Similar to above, but with smaller triangular balance plate; off-center suspended.....each | 3.40 |
| S-424370 | For one small directory. One 16-in. cable.....each | 1.70 |
| S-424371 | For two equal-weight directories. Two 16-in. cables suspended from 4-in. chain, swivel, triangular balance plate. Additional swivel where chain attaches to booth. Usually a hook must be provided to secure hanger to booth.....each | 2.60 |
| S-423485 | Clevis Hanger. Bronze plated. 1/2 in. throat with removable pin. Use as required to attach cable loops to small directories or binders....per pkg. of 10 | .40 |



S-424370


S-423485

S-424371

Prices are subject to change without notice.

N-7

Universal Directory Binders



Outdoor Type

Rugged construction and durability help solve replacement problems. Designed for universal use. Indoor type accommodates one large or two small directories; outdoor type accommodates one large or three small directories.

Binders can be installed in all booths and may be used for swivel, rod, or center suspension. High tensile strength metal attachments permit quick and easy installation. A sturdy steel spring holds the directory securely—changes are quick and easy. Semi-tubular steel rivets hold hinges and center spine firmly in place. All exposed metal plated for endurance.

Indoor Type. Flexible heavy duty vinyl cover resists wear, remains attractive. Nylon reinforced center spine provides strength and flexibility. Swivel in top of center spine allows corner suspension.

Outdoor Type. High strength, rigid vinyl cover gives durability and provides an attractive appearance in extreme heat or cold. Swivel in top of center spine allows corner suspension. Aluminum eyelet in middle of metal center spine permits balanced center suspension for larger sizes. A heavy duty center hook and accessory nut are included with binder. Two sturdy piano type aluminum hinges assure easy opening and longer life.

Colors: black or navy blue. Special colors are available with order of 1000 or more.

NOTE: Specify telephone company logo to be imprinted on cover panels.

Indoor Type Cover


Ordering No.	Spine Width In.	COVER DIMEN., INCHES—Width	Height	No. of Wires	Price Each
I 500-10	1/2	6 5/8	10	1	\$1.73
I 500-12	1/2	10	12	1	2.02
I 1000	1	10	12	1	2.09
I 1500	1 1/2	10	12	1	2.19
I 2000	2	10	12	1	2.29
I 2250-1	2 1/4	10	12	1	2.35
I 2250-2	2 3/4	10	12	2	2.42

Outdoor Type Cover

Ordering No.	Spine Width In.	COVER DIMEN., INCHES—Width	Height	No. of Wires	Price Each
O 500-10	1/2	6 5/8	10	1	\$3.96
O 500-12	1/2	10	12	1	4.16
O 1250	1 1/4	10	12	1	4.27
O 1625	1 5/8	10	12	1	4.40
O 2000	2	10	12	1	4.50
O 2500-1	2 1/2	10	12	1	4.58
O 2500-2	2 1/2	10	12	2	4.73
O 3000-3	3	10	12	3	4.83

F.O.B. Phoenix, Arizona

Illuminated Convert-A-Signs



Attractive double faced sign of durable acrylic plastic and aluminum. Versatile sign can be mounted on poles, walls, ceilings, or top of booths. The face can be changed to correct mounting position on the job without tools.

Equipped with rapid start, all weather ballast and two 40 watt fluorescent lights. Easily seen day or night. U.L. approved. Available in red, blue, green or black on white background. If no color specified, blue will be shipped. Complete with mounting devices.

Overall dimensions: 28 in. high, 34 in. wide, 24 in. diameter circle. Shipping weight, 37 pounds.

GP-1195A List 3 Sign with USITA Emblem...each **\$70.81**

Standard Metal Coin Telephone Signs



Double faced sign for indoor or outdoor use—wherever coin telephones are installed.

Durable, attractive 16-gauge steel plate, porcelain enameled. Mount easily, visible from distance.

Colors, white and blue. Signs are packed 2 in a carton.

Ordering No.	Description	Size Square In.	Mtg. Flg. In.	Wt. Lbs.	Price Each
S-427420	Standard	11	1 1/2	2 3/4	\$1.95
S-427421	Highway	18	2	3 3/4	4.75

Adhesive Chromed Telephone Signs

Single faced. Chromed lettering on embossed black background. Pressure sensitive adhesive for direct application to interior surfaces. Package of 10.

427469	Letters only. 3 1/2 x 16 inches.....per pkg.	\$.43
427470	Arrow only. 2 x 16 inches.....per pkg.	.43

Reflectorized Highway Telephone Signs



427468



427437

Big double or single faced signs show location, direction, or distance to nearest telephone. Reflectorized for easy night reading. Large white letters on dark blue background catch the eye. Durable, anodized aluminum resists weather. Order mounting posts separately for 24x48-in. signs.

427464	Phone 1 Mile. Single faced. 24x48 in.....each	\$26.21
427465	Phone ½ Mile. Single faced. 24x48 in.....each	26.21
427467	Phone with arrow pointing right. Single faced. 24x48 in.....each	26.21
427466	Phone with arrow pointing left. Single faced. 24x48 in.....each	26.21
427468	Phone From Car with arrow pointing diagonally downward. Single faced. 24x48 in.....each	26.21
S-524611	8-ft. Galvanized Post for mounting 24x48-in. signs. Two required for each sign.....each	2.17
427437	Directional Arrow. Double faced. 3½x12 in.....each	2.81
427435	Directional Arrow. Double faced. 4x18 in.....each	4.55
427436	Directional Arrow. Double faced. 4x24 in.....each	5.43

Gladwin Lighted Directional Signs




Indoor-outdoor directional signs with translucent white plastic background. Fluorescent lighting provides brilliant illumination. Two-inch letters with directional arrows for single or double faced signs. Available with red, green or blue letters and arrows. If no color is specified, blue will be shipped. Also available without directional arrows, and as a vertical sign. Aluminum trim. Width, 5 in.; length, 17½ in. Many other signs are available. Write for catalog.

S-427451	Single face, left arrow	\$31.20
S-427452	Single face, right arrow.....each	31.20
S-427450	Double face with arrows (specify arrow direction).....each	32.25
S-422411	Wall brackets for surface mounting.....per pair	1.75
S-422412	Wall bracket for right-angle mounting.....each	5.00

Prices are subject to change without notice.

**Service Entrance Masts
For Outdoor Booths**



Mast is portable and can be re-used at new locations. Mast provides complete service entrance facilities for outdoor booths at lower cost and easier installation. Raises power lines for specified ground clearance; looks better, lasts longer; costs less than any comparable installation.

Installation can be completed in less than 30 minutes. Mast is furnished with all insulators, wire holders, entrance devices.

Gray finish. Sizes: 12, 14, 16 and 18 feet.

To install, follow these steps:

1. Drive ground sleeve with ordinary sledge hammer.
2. Insert assembled mast in ground sleeve.
3. Connect service fittings to booth.
4. Connect service lines.


S-426012	12-ft. Mast with 2 conduits. Wt., 70 lbs.....ea.	\$49.40
S-426022	12-ft. Mast with meter socket and breaker box. Wt., 80 lbs.....ea.	76.92
S-426032	12-ft. Mast with meter socket, breaker box, 2 flood lights and time switch. Wt., 90 lbs.....ea.	100.83
S-426014	14-ft. Mast with 2 conduits. Wt., 70 lbs.....ea.	51.38
S-426024	14-ft. Mast with meter socket and breaker box. Wt., 80 lbs.....ea.	79.15
S-426034	14-ft. Mast with meter socket, breaker box, 2 flood lights and time switch. Wt., 90 lbs.....ea.	103.70

F.O.B. Racine, Wisconsin

N-9

Aluminum Booths

Aluminum Compact Booths



Compact booth saves floor space. Requires 26% less area than aluminum Outdoor Booth. Special finish resists staining or discoloring; never needs rust removal or repainting—insures low maintenance costs. All panels and safety glass interchangeable.

Furnished with continuous shelf; completely assembled with glass panels, signs and lights. Red is standard color; blue and green also available.


Height, 87½ inches; width, 28¾ inches; depth, 28¾ inches.

Shipping weight, 340 pounds.

S-410616 With red sign, clear panels and continuous shelf.....each **\$300.00**

F.O.B. Manufacturer

Aluminum Outdoor Booths



Roomy, colorful, well ventilated and well illuminated. Low maintenance—special finish resists staining or discoloring. Never needs rust removal or repainting. All panels and safety glass interchangeable. Door closer and shelf—with or without racks.

Furnished completely assembled with continuous shelf, glass panels, signs and lights. Red is standard color; also available in blue and green.

Width, 33½ inches; depth, 33½ inches; height, 86½ inches.

S-410629 With red sign, red panels, and continuous shelf. Shipping weight, 420 pounds.

S-410630 With red sign, red panels, continuous shelf and directory rack. Shipping weight, 421 pounds.

Ordering No.	PRICE F.O.B. LOCATION SHOWN			
	Northlake, Ill.	Richmond, Va.	Tampa, Florida	Youngstown, Ohio
S-410629	\$349.45	\$351.93	\$359.57	\$352.60
S-410630	354.45	356.93	364.57	357.60

Ordering No.	PRICE F.O.B. LOCATION SHOWN			
	Kansas City, Mo.	Dallas, Texas	Los Angeles, Calif.	Beaverton, Ore.
S-410629	\$353.86	\$358.73	\$366.00	\$366.00
S-410630	358.86	363.73	371.00	371.00

Aluminum Booth Facades



Ideal for use in hotels, luxury apartment houses and similar locations where there is no room for a regular booth.

Standard Booth door track assembly and TELEPHONE sign header frame for attaching to wood, metal, or masonry. Take advantage of existing wall opening, closet, etc. High strength, low maintenance aluminum, never rusts, resists stains and discoloring.

Red is standard color; blue and green also available.

Width opening required: 26½ inches; height, 84 inches.

Shipping weight, 107 pounds.

B-46251-B Booth Facade with red sign.....each **\$145.00**

F.O.B. Manufacturer

Aluminum Booth Accessories

S-422031 Apparatus Blank (Shelf Insert). Ship. weight, 1 pound.....each **\$1.79**

S-424180 Aluminum Floor Plate. Ship. weight, 18 pounds.....each **18.00**

S-437756 Three Red Panels (blue and green available; specify panel and color). Ship. weight 6¾ pounds.....per set **5.34**

F.O.B. Shipping Point

Replacement Glass and Lamps

Ordering No.		PRICE F.O.B. LOCATION SHOWN					
		Genoa, Ill.	Los Angeles, Calif.	Tampa, Fla.	Dallas, Texas	Youngstown, Ohio	Richmond, Va.
S-437754	Side Panels, Clear.....	\$1.94	\$2.50	\$2.15	\$1.99	\$1.96	\$2.05
S-437750	Door Panels, Clear.....	1.50	1.94	1.67	1.59	1.51	1.56
S-437757	Front Sign, Red*	1.06	1.22	1.10	1.07	1.06	1.15
S-437758	Side Sign, Red*..	1.20	1.40	1.26	1.21	1.20	1.33
S-437404	Circline Lamp...	3.15	3.15	3.15	3.15	3.15	3.15

*Blue and green available; specify Front or Side Sign and color.

Hex Socket Wrenches



For zeus-fittings on light fixtures of aluminum booths. Hollow hexagon socket fits over bolt ends; tightens fast with screwdriver action—saves time and effort. Straight hex shank of tough alloy steel; $\frac{3}{4}$ -inch deep socket in tip. Approximately $6\frac{1}{2}$ inches long with plastic handle.

S-579235.....each **\$2.57**

F.O.B. Shipping Point

Photo Electric Controls

For Outdoor Booths


Automatically turns lights on at dusk, off at dawn. Built-in time delay prevents false operation by auto headlights and other transient light. Hang unit on outside of booth wall.

Hermetically sealed photocell. 120 volt, a.c., 600 watt capacity. Operating temperature range: minus 40 to plus 75 degrees centigrade.

S-423626.....each **\$9.50**

F.O.B. Brooklyn, New York

Burgess-Day Revenooer® Booths



Sturdy all steel booth comes completely assembled. No jobsite assembly work. Can be pre-wired. Multiple booths can be installed as fast as single booths. Interchangeable back panels and bracket components adapt to coin, coin panel or wall telephones. Back or corner mounting of coin telephone available. High density sound-absorbing fiberglass walls insure privacy—no hear thru, no talk thru. Writing and directory shelves are separated from walls by stainless steel stand-offs which eliminate littered corners. One-piece wrap-around stainless steel trim. Tamper resistant—phone locks booth to wall; no exposed fasteners. Ringer, power and telephone wiring concealed in canopy.

Standard booth is available with outer panels in a choice of beige, light green or light blue; abrasion resistant baked-on enamel. Interior panels are perforated stainless steel; white baked-on enamel finish. Writing and directory shelves are darker shades of outer colors. Lighted canopy sign and interior—15 watt fluorescent light requires a 110 volt, a.c. outlet. All necessary mounting parts included. Dimensions: 37 in. high, $25\frac{1}{2}$ in. wide, $16\frac{3}{4}$ in. deep.

Ordering Information for Revenooer® Booths

Specify:

1. Quantity.
2. Color
3. Optional substitutes for standard equipment, if any.
4. Type of telephone to be used:
 - (a) Coin telephone—specify back or corner mounting.
 - (b) Wall telephone—specify sign to read: House Phone or Telephone.
5. Moduling. Specify number of units in each module. Price per booth in modules is the same as single booth price.

Standard Booth. Shipping weight, 100 pounds. each **\$88.56**

F.O.B. Libertyville, Illinois

Optional Substitutes for Standard Equipment

Walnut finished Formica outer panels.....per pair **\$9.45**
 Stainless clad writing and directory shelves.....each **12.44**
 Stainless steel interior.....each **17.41**

Revenooer® Panel Adapters

For Coin Telephone Panels

Stainless steel panel adapter permits economical surface installation of Type 101 coin telephone panels in existing buildings. Adapter extends six inches from back panel of booth. The booth retains all of its sound-absorbing, self-cleaning features.

1063-254 For Type 101 Panel Phones.....each **\$31.84**


1063-259 For WE 235F or 1235G Panel Phones. each **69.65**

Prices are subject to change without notice.


N-11

Burgess-Day Acousti-Booths®

Types 45, 50, 50-S



Type 50



Type 45

Compact, lightweight, easy to install. The key to revenue and profit. Unique triangular design makes it possible to join eight booths in a space-saving circle—takes up approximately one-third less space than conventional booths. An advantage when locating booths in cramped or awkward building areas. This versatile booth lends itself to other arrangements for saving space.


Booth design reduces surrounding noise to a minimum. Provides excellent acoustics and unparalleled privacy without the inconvenience of doors. Allows open-space ventilation.

All steel construction. High-density sound-absorbing fiberglass walls. Stainless steel writing shelf. Built-in fluorescent light requires 110 v., a.c. outlet. Booths are completely assembled; installer has to attach only to mounting bracket and wall. Mounting brackets must be ordered separately.

Type 45. For industrial installations. Welded all steel construction. Gray, green or beige baked-on enamel exterior and writing shelf; perforated white finished steel interior. NOTE: Gray is shipped if no color specified. For use with standard coin telephone only. Three heavy-gauge tubular steel legs are available.

Type 50. For public installations. Self-supporting, light gray rectangular steel legs. Medium blue baked-on enamel exterior; perforated stainless steel interior. Stainless steel writing shelf. Light gray rectangular steel tube frame. Type 101 coin telephone panel or standard coin telephone can be used. Equipped with top dust cover for Type 101 coin telephone panel only.

Type 50-S. For public installations. Back, side, shelf or pedestal mounting. Medium blue baked-on enamel exterior; perforated stainless steel interior. Stainless steel writing shelf. Special colors available to match specifications or color chip. Light gray rectangular steel tube frame. Type 101 coin telephone panel or standard coin telephone can be used. Equipped with top dust cover for Type 101 coin telephone panel only.



Type 50-S

- | | | | |
|-----------------|--|------|-----------------|
| | Type 45. Specify color, and whether left side, right side, back or leg mounting. 36 in. high, 35½ in. wide, 32 in. deep. Ship. wt., 147 lbs..... | each | \$138.80 |
| S-410623 | Type 50. With three self-supporting legs. Specify standard or Type 101 coin telephone panel. 36 in. high, 34¾ in. wide, 29¾ in. deep. Ship. wt., 235 lbs..... | each | 290.54 |
| S-410624 | Type 50-S. Specify standard or Type 101 coin telephone panel; shelf mounting, back, left or right side mounting, or pedestal mounting. No legs. 36 in. high, 34¾ in. wide, 29¾ in. deep. Ship. wt., 180 lbs..... | each | 280.59 |
| S-422385 | Mounting Bracket. Backwall. For Type 50-S Booth..... | each | 22.39 |
| S-422386 | Mounting Bracket. Sidewall. For Type 50-S Booth..... | each | 27.36 |
| S-422387 | Mounting Bracket. For mounting Type 50-S Booth on customer provided shelf..... | each | 3.23 |

F.O.B. Libertyville, Illinois

Prices are subject to change without notice.

Burgess-Day Acousti-Booths®

Types 602 and 601



Type 602


Type 602. A popular and inexpensive wall model. Ideal for busy public installations with limited space and medium noise levels. Telephone users enjoy a comparative zone of quiet regardless of the noise and confusion nearby. Thick, sound-absorbing walls. Rigid, all-steel construction. Durable baked-on gray, green or beige enamel finished exterior and writing shelf. Gray shipped if no color specified. White finished perforated steel interior. No illumination.

Type 601. Similar to Type 602, but of reinforced plywood construction. Unfinished birch or walnut stain finish. No illumination.

Outside Dimensions, both models: 32 in. high, 28 in. wide, 26 in. deep. Shipped fully assembled.

602 All-Steel. Specify gray, green or beige. Ship. wt., 92 lbs. each **\$97.51**

601 Wood. Specify unfinished birch or walnut stain. Ship. wt., 68 lbs. each **121.39**



Type 211


Full length floor model for use where low frequency noises predominate. Ideal for power stations, factories or other noisy locations. Thick sound-absorbing insulating material within the walls provides an area of quiet inside the booth.

Heavy duty all steel construction. Durable gray finished exterior and writing shelf; white finished perforated interior. Built-in fluorescent light requires 110 v., a.c. outlet. Shipped knocked down. 79 $\frac{3}{8}$ in. high, 31 in. wide, 38 $\frac{1}{2}$ in. deep. Ship. wt., 360 lbs.

211 each **\$313.43**

Type 50 Directory Holders

For Types 50 and 50-S Acousti-Booths®



Sturdy anodized aluminum with steel supports. Accommodate five inch thick directory. One inch backward pitch of holder keeps directory.


from falling out. Ample hand clearance for grasping directory.

Easy to install. Four self-tapping screws secure holder to frame of Type 50 or Type 50-S Acousti-Booth. Screws included. Cannot be used with pedestal mounted Type 50-S booth. 5 in. high, 14 $\frac{5}{8}$ in. wide, 12 in. deep.

S-424880 each **\$19.90**

F.O.B. Libertyville, Illinois

Churchill Type 200 Indoor Booths



Sturdy, solid wood type. Equipped with acoustic metal lining for privacy, wood writing shelf, ceiling light. Electric ventilator provides complete air change every three minutes. Automatic door switch for light and ventilator. Folding door; glass in door only. Telephone sign on front. Booth has no floor for cleaning ease.

84 $\frac{3}{4}$ in. high, 28 $\frac{3}{4}$ in. wide, 30 $\frac{5}{8}$ in. deep. Shipping weight 400 lbs. Shipped set up. Additional cost for booth shipped knocked down.

NOTE: Seat and special finishes are available at additional cost.

200-A Oak with medium oak finish. each **\$341.00**

200-B Birch with medium mahogany finish. each **341.00**

F.O.B. Lawrenceville, Illinois

Acousti-Call Indoor Booths



Compact, open design permits a variety of space-saving installations. One booth fits neatly into corner; several line up snugly along wall without interfering with traffic—no floor space consumed. Designed for left or right side installation. Corner location of phone provides wide shelf space without crowding. Door-free design reduces maintenance problems. Installation is quick and easy.

Durable steel welded construction. Perforated stainless steel interior and writing shelf. Sound absorbing walls reduce noise; conversations

are private. Directory shelf and exterior of booth have baked-on enamel finish. Stainless steel trim. Directory shelf is an integral part of booth.

The coin telephone mounts on a concealed bracket which helps prevent pilferage. No light fixture. Shipped completely assembled. 34 in. high, 27 in. wide, 17 $\frac{1}{8}$ in. deep. Shipping weight 90 lbs.

S-410592 Left side mounting. Beige. each **\$103.36**

S-410593 Left side mounting. Blue. each **103.36**

S-410594 Left side mounting. Coral. each **103.36**

S-410595 Left side mounting. Green. each **103.36**

S-410596 Right side mounting. Beige. each **103.36**

S-410597 Right side mounting. Blue. each **103.36**

S-410598 Right side mounting. Coral. each **103.36**

S-410599 Right side mounting. Green. each **103.36**

Acousti-Call Booth Accessories

IFL-20 Interior light fixture. each **\$20.00**

DCVS-1 Directory compartment cover plates. each **9.00**

OVVS-20 Top mounted Omni-View telephone sign. each **12.00**

DB Directory bridge unit. each **125.00**

Prices are subject to change without notice.

N-13

Sherron Booths


Sturdy zinc coated steel construction provides strength and durability. Baked-on enamel finish. Outdoor models have heavy tempered glass and double steel panels over a solid core. Indoor models are equipped with perforated interior panels over sound absorbing material. Both provide a high degree of hearing efficiency. Full length visibility.

Standard Features. Folding door with full length center hinge, stainless steel overhead track and bronze roller bearing for long-lasting trouble-free operation. Interlocking vertical joints in door and body eliminate unnecessary exposed screws. Integral steel base and floor plate provide permanent rigidity. Backboard and corner shelf mounted on tubular wiring standard, adjustable for standing or sitting position. Heavy gauge steel backboard is drilled for coin collector; apparatus blank provided for handset if specified. Hinged bracket on underside of shelf for mounting bell box. Light fixture with complete internal wiring. Standard parts used throughout.

Basic Materials. Heat treated or tempered glass for high break-resistance. Translucent Plexiglas for ceilings, signs, Astra-Dome.

Booths are factory assembled and shipped set up. Delivered as a complete unit, ready for service. Minimum installation costs.

Outdoor Model 17-S Type 7



Equipped with large area, flush mounted Plexiglas ceiling light. Hinged ceiling section permits wiring and servicing from inside booth. Illuminated telephone signs on front and sides. One incandescent lamp provides all interior and exterior lighting. Automatic door switch. Clear, tempered glass half-panel sides. Steel double panels substituted if specified.


Astra-Dome Translucent Plastic Roof Assembly. Brightly illuminated translucent plastic dome, mounted in weatherproof metal frame, pitched for rear drainage. Illuminated with standard light in booth. Lighted dome directs callers to location of booth. Dome furnished in white; colors also available.

Available with Astra-Dome, flat or peaked roof. Ventilating louvers in ceiling and roof of flat and peaked models. Ship. wt. 650 lbs. Specify red, orange, yellow, green or blue finish.

		Booth	Packing & Crating
17-S-7	With plastic Astra-Dome. 30x30x93½ in.....each	\$300.00	\$25.00
17-S-7	With flat steel roof. 30x30x85 in.....each	300.00	25.00
17-S-7	With peaked steel roof. 30x30x89¼ in.....each	300.00	25.00

Indoor Acoustic Models

For Single, Multiple, Free Standing or
Recessed Installations



Standard
18-S Type 1A

Standard 18-S Type 1A. Equipped with hinged, translucent plastic ceiling, automatic door switch, adjustable shelf and backboard. Standard incandescent light fixture. Decal telephone sign on front. Linoleum covered steel floor.

Executive 50-S Type 1A. Same as Standard 18-S, but larger. Also includes stainless steel kick plates, base assembly, larger corner shelf. Cushioned swivel arm chair seat.

Powerhouse 150-S Type 1. Designed for extremely noisy locations such as powerhouses, generating stations, etc.

All models finished with light gray interior. Specify exterior in light or dark brown, maroon, red, light gray.

		Booth	Packing & Crating
18-S-1A	30x30x83¾ in. Weight, 500 lbs.....each	\$265.00	\$15.00
50-S-1A	36x36x83¾ in. Weight, 700 lbs.....each	565.00	20.00
150-S-1	42x42x83¾ in. Weight, 800 lbs.....each	625.00	30.00

F.O.B. Brooklyn, New York

Sherron Booth Accessories


For Models 17-S Only

The following items are extra equipment and are to be ordered separately.

Door Closer , adjustable stainless steel spring, with spring door stop.....each	\$15.00
Lite-O-Matic Photo-Electric Light Control Switch, with adjustable light sensitivity control (115 v., 60 cycle, a.c.; contact rating, 500 watts).....each	27.50
Seat Assembly , linoleum coated:	
Zinc-coated steel.....each	20.00
Stainless Steel.....each	22.50
Fan Ventilating Unit , 115 v., 60 cycle, a.c.....each	17.50
Circline Ventilating Unit , operates thru hinged ceiling, includes filter in roof (use only with Circline Lighting Unit).....each	35.00
Wire Ducts , furnished in sets of 2, at rear for entries from ground:	
Zinc-coated steel.....per set of 2	10.00
Stainless steel.....per set of 2	22.50
Kick Plates:	
Stainless steel.....each	10.00
Fluorescent Ceiling Light with two 16-in. 40 watt tubes.....each	30.00
Directory Annex , with fastener for four books; in place of upper half panel. Specify left, right or back:	
Zinc-coated steel.....each	37.50
Stainless steel.....each	75.50
Directory Shelf , with fastener for four books; for mounting on outside of indoor booth. Specify left or right side:	
Zinc-coated steel.....each	15.00
Stainless steel.....each	35.00
Fluorescent Directory Light , with switch; for use with directory shelf above. 115 v., 60 cycle, a.c.:	
Zinc-coated steel.....each	25.00
Stainless steel.....each	30.00

F.O.B. Brooklyn, New York

Benner-Nawman Type 500 Indoor-Outdoor Booths



Fully enclosed for indoor, outdoor, single or multiple installation. High strength, anodized aluminum. Telephone signs permanently fired into tempered glass. Basic booth equipped with directory hanger plate and chain; advertising card frame; fluorescent ceiling light—provides bright illumination for interior and signs.

Backboard equipped for standard coin telephones, protective covers, card holders, shelves, directory holders. Folding door with nylon guide for smooth operation, long life. Optional safety plate floor easily adjusts to irregular grade conditions. Completely assembled and pre-wired. Dimensions: 85x30x30-in. Ship. wt. 300 lbs.

Panels of high impact, safety tempered clear glass, textures in porcelain enamel fused to steel or woodgrained Formica. Stock colors: yellow, blue, red, orange, green. Any combination available.

able. Custom colors available on request.

For ordering information and optional features, see your AE representative. Priced from \$407. F.O.B. Oakland, Calif.

Benner-Nawman Shelter Booths

For Prestige Outdoor Locations



This attractive open booth gives a high degree of protection from sun and rain. Coin telephone mounting area is recessed to protect instrument. Slim line, well lighted booth is ideal for city sidewalks, requires a minimum of space, invites 24-hour use. Features high durability, low maintenance. Easily installed. Adaptable to Benner-Nawman stainless steel Cover Guard, page N-6.

High impact tempered glass side panels. Stainless steel writing and directory shelf. Stainless steel or high strength, anodized aluminum frame and trim for weather resistance. Translucent, white plastic lighted dome attracts callers at night. Telephone sign on front, sides and back. Fluorescent lighting. Back and skirt are weather-resistant porcelain enameled steel. Colors: yellow, blue, red, green or orange. Blue shipped if no color specified.

Mounting post is structural steel tubing with plain or striped matching color porcelain enamel finish. Anchor bolt arrangement for concrete base. Wall, pole or base plate mounting optional. Shipped assembled, pre-wired, ready to install on site.

Dimensions: 62½ in. high, 31 in. wide, 32 in. deep. Shipping weight, 190 pounds.

For ordering information and optional features, see your AE representative.

Rustic Shelter Booth. Attractive, unusual design blends harmoniously with rustic surrounding, yet attracts business effectively. Similar to standard booth, but with brown pecky cedar-finished exterior and peaked roof. Fluorescent lighting.

BN-858A-3C Standard Booth, with dome. Specify color.....each **\$277.00**

BN-858A-3C-R Rustic Booth, peaked roof...each **456.00**

NOTE: For striped post, add \$5.00.

F.O.B. Oakland, California


Prices are subject to change without notice.

N-15

Gladwin Outdoor Boothettes® and Canopy® Booths



Boothette®



Canopy® Booth

Brightly lighted translucent dome and transparent plastic sides. The illuminated dome lights the surrounding area—helps sell 24-hour phone service. Sturdy plastic sides are securely anchored to a cast aluminum frame. Phone is in full view at all times—helps reduce vandalism. Lettering on front and sides of dome. Minimum maintenance cost. U.L. approved. Shipped assembled.

Designed for pedestal, wall or pole mounting. For wall and pole installations, appropriate brackets will be shipped instead of support post. Specify type of mounting and pole diameter.

Boothettes®. Can be used in single, multiple or portable installations. Fluorescent light; 32 watts. Domes available in red, blue or white. Red and blue domes have white lettering; white domes have red, blue or black lettering. If dome color is not specified, white with blue lettering is shipped. Other dome colors available at extra cost. No directory holder. Dimensions: 33½ in. high, 20 in. wide, 14 in. deep. Shipping weight, 75 lbs.


Canopy® Booths. Similar to the Boothette, but larger. Canopy extends to form roof over caller. Form-fitted shelf. Sides partially surround caller for privacy. Equipped with an aluminum drop directory guard designed to return directory to vertical storage position automatically. Directory in full view from all angles. Fluorescent lighting; 72 watts. White dome with red or blue lettering. If no color specified, red lettering supplied. Other dome colors available at extra cost. Dimensions: 88 in. high, 30 in. wide, 37 in. deep. Shipping weight, 180 lbs.

GP-2200 Boothette. Clear sides. .each **\$152.50**

GP-2200GR Boothette. Green tinted sides. .each **162.50**

GP-2500A List 1 GRD Canopy Booth. Pedestal Unit with green tinted sides. .each **237.50**

Gladwin Indoor Shelf-Ettes®



Quickly installed, easy to clean. Attractive single or multiple arrangements. One installer can handle any multiple installation. Heavy, clear acrylic plastic side panels permit full view of phone from all directions. High pressure laminated plastic shelf and backboard are mar and burn resistant. Available in five standard finishes. Custom finishes are available at extra cost. Acoustic nylon carpet covered backboard also available. Shipped assembled.

GP-4011 F List 1 Shelf-Ette only. No sign.
33¾x22⅞x15-in. deep.
Ship. wt., 30 lbs.each **\$65.00**

GP-4316 List 1 Shelf-Ette with directory shelf and illuminated sign. Specify blue, red or brown lettering. Blue shipped if not specified. 36⅞x21½x14⅞-in. deep. Ship. wt. 67 lbs.each **75.00**

NOTE: The Shelf-Ette is available in groups of 2-10. Add \$50.00 for each additional Shelf-Ette.

Shelf-Ettes® for Panel Telephones

Gladwin GP-4011 F, GP-4070, GP-4160, GP-4140 Shelf-Ettes can be adapted for use with the Type 101 coin telephone panel, (page N-4), if specified. Most Shelf-Ettes can be used in multiple installations. Add the suffix M to the regular ordering number.

Dropette® Directory Shelves

A directory shelf available for any Shelf-Ette. Has metal side brackets; formica covered wood. Height, 5 inches.

Shipped assembled to Shelf-Ette. Shipping weight, 10 pounds.

GP-4011 List 81.each **\$15.00**

NOTE: For complete line of Gladwin Booths and accessories, write for catalog.

All Gladwin items F.O.B. Atlanta, Georgia

Prices are subject to change without notice.