

NEW YORK TELEPHONE COMPANY

15 Dey Street, New York

General Catalogue of Station
Equipment

JUNE, 1900

524

This Catalogue is the property of
the New York Telephone Company,
and is printed only for the conveni-
ence of employees in the issue and
execution of orders.

No. **113**

H. J. Moloney
Insp.
Pay Station Dept.

THE LEHMAIER PRESS, N. Y.

CONTENTS

COMMON BATTERY TYPES

	PAGE
Wall Set - - - - -	6
N. P. Desk Set - - - - -	8
Desk Cabinet Set No. 28 - - - - -	10
Ebonized Wall Set - - - - -	12
Branch Exchange Switchboard - - - - -	14
Desk Monitor, 7 lines - - - - -	16
Auxiliary Bell - - - - -	18
Listening Key - - - - -	20
Extension Station (mounted) - - - - -	22

MAGNETO TYPES

Wall Set - - - - -	58
N. P. Desk Set - - - - -	60
Desk Cabinet Set - - - - -	62
Desk Monitor, 5 lines - - - - -	64
Desk Monitor, 10 lines - - - - -	66
Branch Exchange Switchboard, 1 position - - - - -	68
Branch Exchange Switchboard, 2 position - - - - -	70
Magneto - - - - -	72
Auxiliary Bell - - - - -	74
Ring Key - - - - -	76

MAGNETO TYPES—Continued


Battery Box - - - - -	PAGE 78
Head Receiver - - - - -	80

SIGNS, BOOTHS, ETC.

Pay Station Signs - - - - -	30 to 48
Telephone Booth No. 60 - - - - -	50
Telephone Booth No. 61 - - - - -	52
Telephone Booth No. 62 - - - - -	54
Pay Station Stool - - - - -	56
Telephone Directory - - - - -	82

SPEAKING TUBE TYPES

Wall Set, System "A," "B" or "D" - - - - -	24
N. P. Desk Set, System "A," "B" or "D" - - - - -	26
Wall Set, System "C" - - - - -	28



Wall Set, Common Battery Type

No. 26 (N. Y. T. Co.)

No. 85 (W. E. Co.)

Oak or Black Walnut.

**Height, 24 $\frac{3}{4}$ inches; width, 9 inches; depth,
11 inches.**

Length of Receiver Cord, 3 feet.



N. P. Desk Set, Common Battery Type

No. 27 (N. Y. T. Co.)

No. 10 (W. E. Co.)

Height, 12 inches; width at switch, 7 inches.

Length of Desk Stand Cord, 6 feet.

Length of Receiver Cord, 3 feet.



Desk Cabinet Set No. 28, Common Battery Type

No. 28 (N. Y. T. Co.)

Oak or Cherry.

**Height, 3 feet 6 inches ; width, 2 feet 3 inches ;
depth, 1 foot 9 inches.**

Length of Receiver Cord, 3 feet.



Ebonized Wall Set, Common Battery Type


No. 30 (N. Y. T. Co.)

No. 68 (W. E. Co.)

Ebonized Wood.

**Height, 10 inches ; width, 6 inches ; depth,
4 inches.**

Length of Receiver Cord, 3 feet.



**Branch Exchange Switchboard, Common
Battery Type**

I4

No. 35 (N. Y. T. Co.)


No. 48-148 (Specification.)

Oak or Cherry

**Height, 48 $\frac{3}{4}$ inches; width, 24 inches; depth,
25 inches.**

Length of Receiver Cords, 6 feet.

I5




Desk Monitor, 7 Line Common Battery Type

No. 36 (N. Y. T. Co.)

Oak or Cherry.

**Height, 13½ inches; width, 14¾ inches; depth,
10¼ inches.**

This apparatus (No. 36 N. Y. T. Co.) is arranged for two trunks and five extension stations or for three trunks and four extension stations. No other combinations are practicable.



Auxiliary Bell, Common Battery Type

No. 41 (N. Y. T. Co.)

Black Walnut, Oak or Cherry.

**Length, $6\frac{3}{4}$ inches; height, 9 inches; depth,
 $7\frac{3}{4}$ inches.**

Auxiliary bell (No. 41 N. Y. T. Co.) can be used in connection with any common battery type of instrument, switchboard or monitor. The bell must be placed where it can be distinctly heard, but need not be where it can be seen or touched by subscriber.



Listening Key

No. 44 (N. Y. T. Co.)

Oak, Cherry or Black Walnut.

**Height or length, $2\frac{3}{4}$ inches; mounting block,
 $5\frac{1}{4}$ inches by $3\frac{1}{2}$ inches.**

**Listening key (No. 44 N. Y. T. Co.) is used
in connection with extension station plans 3,
4, 5, 6, 7, 8 and 9 and must be placed within
easy reach of subscriber.**



**Desk Showing Extension Instrument and
Apparatus for Operating Same**



Speaking Tube Wall Set

No. 50 (N. Y. T. Co.)

No. IV.-F-34 (A. B. T. Co.)

Ebonized Wood.

**Height, $4\frac{5}{8}$ inches; width, $4\frac{1}{4}$ inches; depth,
 $4\frac{1}{4}$ inches.**

Length of Receiver Cord, 18 inches.

**NOTE—Complete installation of this type
of instrument (No. 50 N. Y. T. Co.) requires
battery box. (See No. 85 N. Y. T. Co.)**

For use in system "A," "B" or "D."



**Speaking Tube Desk Set,
System "A", "B" or "D"**

No. 51 (N. Y. T. Co.)

No. IV.-F-34A (A. B. T. Co.)


Transmitter Box, Ebonized Wood.

Stand, Nickel Plated.

Height, 12½ inches; greatest width, 4¼ inches.

Length of Receiver Cord, 18 inches.

NOTE—Complete installation of this type of instrument (No. 51 N. Y. T. Co.) requires battery box. (See No. 85 N. Y. T. Co.)



Speaking Tube Wall Set, System "C"

No. 52 (N. Y. T. Co.)

No. XIX.-B-31 (A. B. T. Co.)

Ebonized Wood.

**Height, 19 $\frac{3}{4}$ inches; width, 5 $\frac{1}{2}$ inches; depth,
5 inches.**

Length of Receiver Cord, 18 inches.

**NOTE—Complete installation of this type of
instrument (No. 52 N. Y. T. Co.) requires bat-
tery box. (See No. 85 N. Y. T. Co.)**



Pay Station Sign

No. 1 (N. Y. T. Co.)
Opalescent Glass in Oak Frame.
Height, 19 ½ inches ; width, 18 ½ inches.



Pay Station Sign.

No. 2 (N. Y. T. Co.)
Enameled Iron.
Height, 18 inches; width, 17 inches.



Pay Station Sign

No. 3 (N. Y. T. Co.)
Enameled Iron, double faced.
Length, 18 inches ; width, 8 inches.



Pay Station Sign

No. 4 (N. Y. T. Co.)

Enameled Iron.

Height, 7½ inches; width, 6½ inches.



Pay Station Sign

No. 5 (N. Y. T. Co.)
Enameled Iron in Oak Frame, double faced.
Length, 24½ inches; width, 20½ inches.



Pay Station Sign

No. 7 (N. Y. T. Co.)

Glass.

Diameter, 8 inches.



Pay Station Sign

**No. 8 (N. Y. T. Co.)
White Metal (Polished Zinc) or Brass.
Used as Corner Sign.
1 foot square**




Pay Station Sign

No. 9 (N. Y. T. Co.)


Glass.

Length, 15 inches ; width, 7 inches.



Pay Station Sign

No. 10 (N. Y. T. Co.)
Enameled Iron.
Height, 20 inches ; width, 16 inches.



Pay Station Sign

No. 11 (N. Y. T. Co.)

Glass Photo. Metallic.

Length, 19½ inches; width, 17 inches.



Telephone Booth

50


No. 60 (N. Y. T. Co.)

No. 16 (W. E. Co.)

Oak or Cherry.

**Height, 6 feet 10 inches. Floor space required:
width, 48 inches; depth, 43 inches.**

51




Telephone Booth

No. 61 (N. Y. T. Co.)

Oak or Cherry.

**Height, 7 feet 2 inches. Floor space required:
width 42 inches; depth, 40 inches.**



Telephone Booth (Folding)

No. 62 (N. Y. T. Co.)


Oak or Cherry.

**Height, 7 feet. Floor space required:
width, 43 inches; depth, 36 inches.**



Pay Station Stool

No. 66 (N. Y. T. Co.)
Oak or Cherry.
Height, screwed down, 21 inches.



Wall Set, Magneto Type

No. 70 (N. Y. T. Co.)
Black Walnut or Oak.
Height, 32 inches; width, 9 inches;
depth, 13 inches.


Length of Receiver Cord, 3 feet.



N. P. Desk Set, Magneto Type

No. 71 (N. Y. T. Co.)
Height, 12 inches; width at switch, 7 inches.

Length of Desk Stand Cord, 6 feet.
Length of Receiver Cord, 3 feet.



Desk Cabinet, Magneto Type

No. 72 (N. Y. T. Co.)

Oak or Cherry.

**Height, 3 feet 6 inches ; width, 2 feet 4 inches ;
depth, 1 foot 9 inches.**

Length of Receiver Cord, 3 feet.




Desk Monitor, Magneto Type, 5-Drop.

No. 74 (N. Y. T. Co.)

No. 48-147 (Spec.)

Oak or Cherry.

**Length, 13 $\frac{1}{4}$ inches; height, 9 inches; depth,
10 inches.**



Desk Monitor, Magneto Type, 10-Drop


No. 75 (N. Y. T. Co.)

No. 48-263 (Spec.)

Oak or Cherry.

Length, 1 foot 3 inches; Height, 1 foot 1½ inches;

Depth, 10 inches.



Branch Exchange Switchboard, Magneto Type

20-drop (No. 76 N. Y. T. Co.)

(No. 48-35 Spec.)

40-drop (No. 77 N. Y. T. Co.)


(No. 48-36 Spec.)

80-drop (No. 78 N. Y. T. Co.)

(No. 48-37 Spec.)

**Height, 48 $\frac{3}{4}$ inches; width, 24 inches; depth,
25 inches,**

Length of Receiver Cords, 6 feet.



**Branch Exchange Switchboard, Magneto Type
Two-Position**


No. 79 (N. Y. T. Co.)

No. 48 265 (Spec.)

Oak or Cherry.

**Height, 48 $\frac{3}{4}$ inches; length, 47 $\frac{1}{2}$ inches;
depth, 25 inches.**

Length of Receiver Cords, 6 feet.



Magneto


No. 80 (N. Y. T. Co.)

No. 21 (W. E. Co.)

Oak or Black Walnut.

**Height, 11 inches; width, 6½ inches; depth,
6½ inches.**

**This apparatus (No. 80 N. Y. T. Co.) is used
in connection with desk set No. 71 (N. Y. T. Co.)
and must be placed within easy reach of sub-
scriber.**




Auxiliary Bell, Magneto Type

No. 81 (N. Y. T. Co.)

Black Walnut, Oak or Cherry.

**Length, $6\frac{1}{2}$ inches; height, 5 inches; depth,
 $5\frac{1}{2}$ inches.**

Auxiliary bell (No. 81 N. Y. T. Co.) may be used in connection with any type of magneto instrument, switchboard or monitor. This bell must be so located as to be distinctly heard but need not be where it can be seen or touched by subscriber.




Ringling Key

No. 82 (N. Y. T. Co.)

Oak, Cherry or Black Walnut.

**Height or length, $2\frac{3}{4}$ inches; mounting block,
 $5\frac{1}{4}$ x $3\frac{1}{2}$ inches.**

Ringling key (No. 82 N. Y. T. Co.) is used in connection with extension plans 3, 4, 5, 6, 7 and must be placed within easy reach of subscriber.



Battery Box

No. 85 (N. Y. T. Co.)

Oak or Cherry.

**Length, 15½ inches; height, 12 inches;
depth, 8 inches.**

Battery box (No. 85 N. Y. T. Co.) is used in connection with all types of magneto instruments, switchboards and monitors with the exception of desk cabinet (No. 72 N. Y. T. Co.)

Battery box can be placed out of sight but must be within reasonable distance of other telephone apparatus.



Head Receiver

**No. 90 (N. Y. T. Co.)
Hard Rubber Ear Piece, Nickel Plated Head
Band.**



Telephone Directory

No. 100 (N. Y. T. Co.)

**Length, $10\frac{1}{2}$ inches; width, $8\frac{3}{4}$ inches;
thickness, 1 inch.**