



Switching and Telephone
Products

KEY TELEPHONE SYSTEM



HANDBOOK

HANDBOOK INDEX

PUBLICATION NUMBER	TITLE
CHB-110	CENTRAL OFFICE EQUIPMENT INSTALLATION HANDBOOK
CHB-120	STATION INSTALLATION AND MAINTENANCE HANDBOOK
CHB-125	STATION EQUIPMENT REPAIR HANDBOOK
CHB-130	COIN TELEPHONE HANDBOOK
CHB-140	LINE AND CABLE PLACING HANDBOOK
CHB-150	CABLE SPLICING HANDBOOK
CHB-155	BUILDING INDUSTRY CONSULTING SERVICE — TELEPHONE STANDARDS HANDBOOK
CHB-156	BUILDING INDUSTRY CONSULTING SERVICE — PLANNING HANDBOOK
CHB-157	BUILDING INDUSTRY CONSULTING SERVICE — DESIGN HANDBOOK
CHB-160	KEY TELEPHONE SYSTEM HANDBOOK
CHB-170	CABLE MAINTENANCE AND TESTING HANDBOOK
CHB-200	GTE GLOSSARY OF TELEPHONE DATA TERMS (LIMITED EDITION)
CHB-500	TECHNICAL INTERFACE REFERENCE MANUAL FOR CUSTOMER EQUIPMENT (LIMITED EDITION)
CHB-510	MOBILE RADIO TECHNICAL INTERFACE REFERENCE MANUAL FOR RADIO COMMON CARRIERS (LIMITED EDITION)

REQUESTS FOR HANDBOOK PURCHASING INFORMATION SHOULD
BE DIRECTED TO:

GTE AUTOMATIC ELECTRIC
GTE PRACTICES MANAGER
DEPARTMENT 431 — TUBE STATION C-1
400 N. WOLF ROAD
NORTHLAKE, IL 60164

GTE AUTOMATIC ELECTRIC
INCORPORATED

CHB-160 ISSUE 10 (11/80)

**KEY TELEPHONE SYSTEM HANDBOOK
ALPHABETIC INDEX**

ADAPTER

Connector Cable — Description and Installation	491-360-100
Headset — JS-0136-1	028-735-100
Paging Access	484-401-830
Two-Link Intercom — KL-20	484-601-110
Type 86A Key — Description	489-600-100
Type 86A Key — Installation	489-600-200

APPLIQUE UNIT

Headset — Installation	473-010-201
------------------------------	-------------

AUTOMATIC EXCLUSION SYSTEM

LINE GUARD TM Automatic Exclusion System — Description and Installation	473-824-200
---	-------------

BLOCK, CONNECTING

Type 66 — Description and Installation	491-501-100
--	-------------

CABINET, ANSWERING

Secretarial	489-652-110
Secretarial — Type 2 — Installation	489-650-200
Secretarial — Type 2A, 2B, 2C — Description	489-650-100
Secretarial — Type 2A, 2B, 2C Improved	489-651-110

CARD

Multiple Station Line	484-710-100
Tone and Rotary Dial Intercom Control	484-403-112

COMPONENTS

Static Sensitive — Storage, Handling and Transportation	007-005-015
---	-------------

CONNECTOR

Recorder — WECO KS-19645, List 1 and List 2 — Description	478-310-100
Recorder — WECO KS-19645, List 1 and List 2 — Installation	478-310-200

CONSOLE

DSS (Direct Station Selection) Attendant Position	473-515-100
---	-------------

CONTROL UNIT

Off-Premises — TELTONE [®] M-486	484-403-210
---	-------------

CONVERTER

M-164-31 CONVERT-A-PAK TM Tone to Pulse.	484-401-815
--	-------------

COUPLER

Alarm — KS 20008 List 1 — Description and Installation	478-313-100
Alarm — PC-20445 — Description, Installation and Maintenance	478-313-101
Recorder — ERC-19522-1 and -2 — Description and Installation	478-300-100
Station — PC-20721	478-312-110
Voice — AECO L-7049-A — Description and Installation	478-500-100

COVERS AND HOUSINGS

For Connector Cable and Connector Cable Adapter Junctions — Description	491-370-100
--	-------------

Alphabetic Index (Continued)

DIALER, CARD

AUDACALL II TM	478-205-100
Magical, E-2, Automatic	478-202-100
Rapidial 300 — Installation and Field Maintenance	478-200-200
WECO 660-Series — Description	478-201-100
WECO 660-Series — Installation	478-201-200

EXTENDERS

KT-631 and KT-63 Lamp — Description and Installation	484-406-110
--	-------------

INTERCOM

Electronic	484-403-110
Electronic — Rotary Dial and Mixed Touch Calling/Rotary Dial	484-403-111
Expansion of H-883002-70 Rotary Dial and H-850803-A Touch Calling ...	484-404-200

KEY TELEPHONE SYSTEM

Type 10A1 — Adjustments	484-400-700
Type 10A1 — Circuit Description	484-400-400
Type 10A1 — Description	484-400-100
Type 10A1 — Installation	484-400-200
Type 10A1 — Modification for Touch Calling Unit Intercom Using WECO 247B KTU	484-400-800
Type 10A2 — Circuit Description	484-401-400
Type 10A2 — Description and Operation	484-401-100
Type 10A2 — Modification for Touch Calling Unit Intercom Using WECO 247B KTU	484-401-800
Type 10A2 — Modification for Touch Calling Unit Intercom Using GTE-AE DTMF Intercom Selector	484-401-801
Type 10A2 — Modification to Provide Type 17A Features	484-401-810
Type 10A2 — Six-Line — Description, Operation, Installation	484-401-110
Type 10A2 — Six-Line — Installation	484-401-201
Type 10A2 — 13-Line and 15-Line Panels — Installation	484-401-202
Type 10A2 — Use of WA-1473-A Two-Channel Printed Wiring Card	484-404-110
Type 17A — 7-Line, 18-Station — Description, Operation and Installation	484-300-110
Type 17A — 15-Line, 36-Station — Description, Operation and Installation	484-301-110
Type 17A1 — 7-Line, 18-Station — Description, Operation and Installation	484-300-111
Type 17A1 — 15-Line, 36-Station — Description, Operation and Installation	484-301-111

KEY TELEPHONE UNITS

TD 1396-10, XR 1037, and TD 1508-19	484-402-800
---	-------------

KEYSET

Type AE6050 and AE6051	489-602-100
------------------------------	-------------

PANEL

SB322A and SB323A Tone Signaling	484-410-110
--	-------------

PLUGS AND JACKS

FCC-Standard Miniature Bridged Jacks — Tip and Ring Connections — USOC RJ11C/W, RJ12C/W, RJ13C/W, RJ14C/W, RJ21X, RJ22X, RJ23X, RJ24X	491-300-111
---	-------------

Alphabetic Index (Continued)

FCC-Standard Miniature Data Jacks — USOC RJ26X, RJ27X, RJ41S/M, RJ42S/M, RJ43S/M, RJ45S/M, RJ46S/M, RJ47S/M, RJ51X, RJ52X, RJ53X, RJ54X — Description and Installation.	491-300-130
FCC-Standard Miniature Series Jack — Description and Installation — USOC RJ31X, RJ32X, RJ33X, RJ34X, RJ35X, RJ36X, RJ37X.	491-300-120
FCC-Standard Miniature Bridged Jack Adapters — Description.	491-300-140
FCC-Standard USOC Plugs and Jacks — General Information.	491-300-100
Miniature Bridged Jacks — Description.	491-300-110
 POWER SUPPLY	
Proctor Models P400BT and P411 and Commercial Electrica, S.A. Model FP-187 — Installation.	490-101-200
 RACK	
Swing-Gated Relay — Description and Installation.	484-100-200
 TELEDIALERTM 32	
Identification, Installation and Maintenance.	478-204-101
 TELEPHONE EQUIPMENT UNITS	
WECO — Diagrams.	484-200-105
 TELEPHONE SET	
Dial-in-Handset Telephone — Modification for Use in 10A1, 10A2 and 16A Key Telephone Systems.	473-422-800
Specialty-Model — Description, Installation and Field Maintenance.	473-425-200
Type 80 and 82 — Modification for Use in 10A1, 10A2 and 16A Key Telephone Systems.	473-215-800
Type 85A — Modification for Use in 10A1, 10A2, and 16A KTS.	473-502-800
Type 86 — Description.	473-503-100
Type 86 — Installation.	473-503-200
Type 86 — Modification to Add Auxiliary Buzzer.	473-503-803
Type 86 — Modification to Add NECO QBX1A Buzzer.	473-503-802
Type 87 — Description and Installation.	473-501-200
Type 87 — Modification to Add Auxiliary Buzzer.	473-501-801
Type 87 — Modification to Add NECO QBX1A Buzzer.	473-501-800
Type 95 — Modification for Use in 10A1, 10A2, and 16A KTS.	473-404-800
Type 102A — Description, Installation and Field Maintenance.	473-514-100
Type 103A.	473-517-110
Type 182, 182A, and 192A — Modification for Use in 10A1, 10A2, and 16A KTS.	473-220-801
Type 186 — Description.	473-512-100
Type 186 — Installation.	473-512-200
Type 187 — Description, Installation, and Field Maintenance.	473-513-100
Type 860A CALL COMMANDER [®] — Description and Installation.	473-506-200
Type 860B — Description and Installation.	473-506-201
Type 863A — Installation and Field Maintenance.	473-508-200
Type 881A and 882A Speakerphone.	473-214-100
Type 881B and Type 882B Speakerphones.	473-510-100

KEY TELEPHONE SYSTEM HANDBOOK
NUMERIC INDEX

<u>SECTION</u>	<u>ISSUE</u>	<u>SUBJECT</u>
007-005-015	1	Static Sensitive Components — Storage, Handling and Transportation
028-735-100	3	JS-0136-1 Headset Adapter Assembly
473-010-201	3	Headset Applique Unit — Installation
473-214-100	3	Type 881A and 882A Speakerphone
473-215-800 and Add.	2 1	Type 80 and 82 Telephone Sets — Modification for use in 10A1, 10A2, and 16A Key Telephone Systems
473-220-801	4	Type 182, 182A and 192A Telephone Sets — Modification for use in Type 10A1, 10A2, and 16A Key Telephone Systems
473-404-800	4	GTE Automatic Electric Type 95 Telephone Set — Modification for use in 10A1, 10A2, and 16A Key Telephone Systems
473-422-800	1	GTE Automatic Electric Dial-In-Handset Telephone — Modification for use in 10A1, 10A2, and 16A Key Telephone Systems
473-425-200	3	Specialty-Model Telephone Sets — Description, Installation, and Field Maintenance
473-501-200	2	A.E.Co. Type 87A Telephone Set — Description and Installation
473-501-800	1	A.E.Co. Type 87A Telephone Set — Modification to Add N.E.Co. QBX1A Buzzer
473-501-801	2	GTE Automatic Electric Type 87A Telephone Set — Modification to Add Auxiliary Buzzer
473-502-800 and Add.	1 1	A.E.Co. Type 85A Telephone Set — Modification for use in 10A1, 10A2, and 16A Key Telephone Systems
473-503-100	1	Description — Set, Telephone, A.E.Co. Type 86
473-503-200 and Add.	1 3	Installation — Set, Telephone, A.E.Co. Type 86
473-503-802	1	A.E.Co. Type 86 Telephone Set — Modification to Add N.E.Co. QBX1A Buzzer
473-503-803	3	Type 86 Telephone Set — Modification to Add Auxiliary Buzzer

Numeric Index (Continued)

<u>SECTION</u>	<u>ISSUE</u>	<u>SUBJECT</u>
473-506-200 and Add.	1 1	A.E.Co. Type 860A CALL COMMANDER® Key Telephone — Description and Installation
473-506-201 and Add.	1 4	A.E.Co. Type 860B Key Telephone — Description and Installation
473-508-200 and Add.	1 2	Type 863A Telephone Set — Installation and Field Maintenance
473-510-100	1	Type 881B and Type 882B Speakerphones
473-512-100 and Add.	2 1	A.E.Co. Type 186 Telephone Set — Description
473-512-200	4	Type 186 Telephone Set — Installation
473-513-100	4	Type 187 Telephone Set — Description, Installation and Field Maintenance
473-514-100 and Add.	3 1	Type 102A Key Telephone Set — Description, Installation and Field Maintenance
473-515-100 and Add.	2 1	DSS (Direct Station Selection) Attendant Position Console
473-517-110	2	Type 103A Key Telephone Set
473-824-200	4	LINE GUARD™ Automatic Exclusion System — Description and Installation
478-200-200	1	Installation and Field Maintenance — RAPIDIAL 300
478-201-100 and Add.	2 1	Telephone Set — WECO 660-Series Card Dialer — Description
478-201-200	2	Telephone Set — WECO 660-Series Card Dialer — Installation
478-202-100 and Add.	4 1	E-2 Magically Automatic Dialer
478-204-101	3	TELEDIALER™ 32 — Identification, Installation and Maintenance
478-205-100	1	AUDACALL II™ — Card Dialer Telephone Set
478-300-100	5	ERC-19522-1 and ERC-19522-2 Recorder Coupler — Description and Installation
478-310-100	3	Recorder Connector — WECO KS-19645, List 1 and List 2 — Description
478-310-200	3	Recorder Connector — WECO KS-19645, List 1 and List 2 — Installation

Numeric Index (Continued)

<u>SECTION</u>	<u>ISSUE</u>	<u>SUBJECT</u>
478-312-110	1	PC-20721 Station Coupler
478-313-100	2	Control Unit WECO KS-20008 List 1 – Description and Installation
478-313-101	2	Precision Components, Incorporated – PC-20445 Alarm Coupler – Description, Installation and Maintenance
478-500-100 and Add.	1 1	Voice Coupler – AECO L-7049-A – Description and Installation
484-100-200	2	Swing-Gated Relay Racks – Description and Installation
484-200-105	1	Diagrams – W.E.CO. Equipment Units
484-300-110 and Add.	2 2	Type 17A Key Telephone System – Description, Operation, and Installation
484-300-111	2	Type 17A1, 7-Line, 18-Station Key Telephone System – Description, Operation, and Installation
484-301-110	2	Type 17A Key Telephone System – 15-Line, 36-Station
484-301-111	2	Type 17A1 Key Telephone System – 15-Line, 36-Station – Description, Operation, and Installation
484-400-100	1	Description – Type 10A1 Key Telephone Systems
484-400-200 and Add.	1 1	Installation – Type 10A1 Key Telephone Systems
484-400-400 and Add.	2 4	Circuit Description – Type 10A1 Key Telephone Systems
484-400-700 and Add.	1 1	Adjustments – Type 10A1 Key Telephone Systems
484-400-800	1	10A1 Key Telephone System – Modification for Touch Calling Unit Intercom Using W.E.CO. 247B KTU
484-401-100	6	Type 10A2 Key Telephone System – Description and Operation
484-401-110	2	Type 10A2 Six-Line Key Telephone System – Description, Operation, and Installation
484-401-201 and Add.	1 1	Six-Line Type 10A2 Key Telephone System – Installation

Numeric Index (Continued)

<u>SECTION</u>	<u>ISSUE</u>	<u>SUBJECT</u>
484-401-202	2	10A2 Key Telephone System — 13-Line and 15-Line Panels — Installation
484-401-400	2	Type 10A2, 17A, and 17A1 Key Telephone Systems — Line Circuit Description
484-401-800	1	10A2 Key Telephone System — Modification for Touch Calling Unit Intercom Using W.E.CO. 247B KTU
484-401-801 and Add.	1 1	Key Telephone System 10A2 — Modification for Touch Calling Unit Intercom using GTE Automatic Electric DTMF Intercom Selector
484-401-810	2	Type 10A2 Key Telephone System — Modification to Provide Type 17A1 Key Telephone System Features
484-401-815	1	M-164-31 CONVERT-A-PAK [™] Tone to Pulse Converter for Key Telephone Systems
484-401-830	1	Paging Access Adapter
484-402-800	1	Key Telephone Units TD 1396-10, XR 1037, and TD 1508-19
484-403-110	2	Electronic Intercom
484-403-111	2	Electronic Intercom — Rotary Dial and Mixed Touch Calling/Rotary Dial
484-403-112 and Add.	1 1	Tone and Rotary Dial Intercom Control Card
484-403-210	1	Off-Premises Control Unit — TELTONE [®] M-486
484-404-110	1	Use of WA-1473-A Two-Channel Printed Wiring Card in Type 10A2 Key Telephone System
484-404-200	1	Expansion of H-883002-70 Rotary Dial and H-850803-A Touch Calling Intercoms
484-406-110	1	KT-631 and KT-63 Lamp Extenders — Description and Installation
484-410-110	1	SB322A and SB323A Tone Signaling Panels
484-601-110	1	Two-Link Intercom Adapter — KL-20
484-710-100	3	Multiple Station Line Card
489-600-100 and Add.	1 2	Description — Adapter, Key, A.E.CO. 86A

Numeric Index (Continued)

<u>SECTION</u>	<u>ISSUE</u>	<u>SUBJECT</u>
489-600-200	3	Type 86A Key Telephone Adapter — Installation
489-602-100	3	Type AE6050 and AE6051 Keysets
489-650-100 and Add.	1 1	A.E.CO. Types 2A, 2B, and 2C Secretarial Answering Cabinet — Description
489-650-200 and Add.	2 2	AECO Type 2 Secretarial Answering Cabinet — Installation
489-651-110 and Add.	1 1	Improved Secretarial Answering Units — Type 2A, 2B, and 2C
489-652-110	1	Secretarial Answering Cabinets
490-101-200	2	Proctor Models P400BT and P411 and Commercial Electrica, S.A. Model FP-187 Power Supplies — Installation
491-300-100 and Add.	3 2	FCC-Standard USOC Plugs and Jacks — General Information
491-300-110	1	Miniature Bridged Jacks — Description
491-300-111	2	FCC-Standard Miniature Bridged Jacks — Tip and Ring Connections — USOC RJ11C/W, RJ12C/W, RJ13C/W, RJ14C/W, RJ21X, RJ22X, RJ23X, RJ24X
491-300-120	2	FCC-Standard Miniature Series Jack — Description and Installation — USOC RJ31X, RJ32X, RJ33X, RJ34X, RJ35X, RJ36X, RJ37X
491-300-130	1	FCC-Standard Miniature Data Jacks — USOC RJ26X, RJ27X, RJ41S/M, RJ42S/M, RJ43S/M, RJ45S/M, RJ46S/M, RJ47S/M, RJ51X, RJ52X, RJ53X, RJ54X — Description and Installation
491-300-140	1	FCC-Standard Miniature Jack Adapters — Description
491-360-100	5	Connector Cable Adapters — Description and Application
491-370-100	3	Covers and Housings for Connector Cable and Connector Cable Adapter Junctions — Description
491-501-100	2	Type 66 Connecting Blocks — Description and Installation