

NUMERICAL INDEX—DIVISION 476
COIN TELEPHONE SETS AND ASSOCIATED APPARATUS


1. GENERAL

1.01 Attached to this Title Page is an index of General System Practices in Division 476. When the index is revised only the attached page(s) will be replaced. THIS TITLE PAGE IS TO BE RETAINED.

1.02 An asterisk (*) indicates an item which has been added or changed since the previous issue of the index.

1.03 "Add." is the abbreviation for addendum, and "App." is the abbreviation for appendix.

1.04 The key to the numbering arrangement follows:



2. NUMERICAL INDEX

2.01 All Sections which have been issued to date, within Division 476 are listed in the attachment by SECTION number, ISSUE number, and SUBJECT.

2.02 The bold-face numbers, appearing in the attachment indicate the division-subdivision numbers (six digits) and their respective titles. Following each six-digit number are the issued Section numbers (nine digits) and their respective titles.

COIN TELEPHONE HANDBOOK NUMERIC INDEX

SECTION	ISSUE	TITLE
471-005-000	1	Loose Coin Transmittal and Deposit Procedures - General
476-002-200	1	Coin Telephone Coin Level Volume Sensor
476-101-100	1	Testing Coin Relays Using Model TS-501T Test Set
476-201-100 and Addendum	5 3	Type 120A Single-Slot Coin Telephone Set - Description and Installation
476-201-101 and Addendum	2 2	Type 120B (Single-Slot) Coin Telephone Set - Description and Installation
476-202-100	1	Description - A.E.CO. Prepay Paystations
476-202-101	2	A.E.CO. Prepay Coin Telephone Sets Equipped with Single-Coil Coin Relay - Description
476-202-120 and Addendum	1 1	N.E.CO. Single-Coil Coin Relay - Description
476-202-200	1	A.E.CO. 3-Gauge Coin Telephone Set - Installation
476-202-400	1	A.E.CO. 92-N and 92-W Prepay Coin Telephone Sets - Connections
476-202-401	1	A.E.CO. LPA82-Series Prepay Coin Telephone Sets - Connections
476-202-402	1	A.E.CO. LPA92-Series Prepay Coin Telephone Sets - Connections
476-202-403 and Addendum	1 1	A.E.CO. LPB82-Series Coin Telephone Sets - Connections
476-202-404	1	A.E.CO. LPC82-Series Coin Telephone Sets - Connections
476-202-405	2	LPC72-Series Coin Telephone Sets - Connections
476-202-520 and Addendum	1 1	N.E.CO. Single-Coil Coin Relay - Maintenance
476-202-700	1	Coin Telephone Set - AECO Prepay - Maintenance
476-203-100	2	A.E.CO. Semi-Postpay Coin Telephone Sets - Description
476-203-200	1	A.E.CO. Semi-Postpay Coin Telephone Set - Installation
476-203-400	1	A.E.CO. 96-Series Semi-Postpay Coin Telephone Sets - Connections

Numeric Index (Continued)

476-203-401	1	A.E.CO. LPA86-Series Semi-Postpay Coin Telephone Sets - Connections
476-203-402	1	A.E.CO. LPA96-Series Semi-Postpay Coin Telephone Sets - Connections
476-203-403	1	A.E.CO. LPB86-Series Semi-Postpay Coin Telephone Sets - Connections
476-203-404	1	A.E.CO. LPC86-Series Coin Telephone Sets - Connections
476-203-405	1	A.E.CO. LPC76-Series Coin Telephone Sets - Connections
476-203-700 and Addendum	1 2	Field Maintenance - A.E.CO. Semi-Postpay Paystations
476-204-200	2	Local Prepay Coin Telephone Set - Installation
476-204-401	1	A.E.CO. LPA89-Series Local Prepay Coin Telephone Sets - Connections
476-204-402	1	A.E.CO. LPA99-Series Local Prepay Coin Telephone Sets - Connections
476-204-403	1	A.E.CO. LPB89-Series Local Prepay Coin Telephone Sets - Connections
476-204-404	1	A.E.CO. LPC89-Series Coin Telephone Sets - Connections
476-204-405	2	LPC79-Series Coin Telephone Sets - Connections
476-204-700	1	Coin Telephone Set - AECO Local Prepay - Maintenance
476-205-400	1	A.E.CO. Types 94 and 98 Coin Telephone Set - Connections
476-205-401	1	A.E.CO. LPA84 and LPA88 Postpay Coin Telephone Sets - Connections
476-205-402	1	A.E.CO. LPA94 and LPA98 Postpay Coin Telephone Sets - Connections
476-205-403	1	A.E.CO. LPB84 and LPB88 Postpay Coin Telephone Sets - Connections
476-209-100	2	Multislot Coin Telephone Set Totalizer
476-210-100 and Addendum	2 1	Coin Telephone Security Devices - Description and Installation
476-215-110	1	Coin Telephone Modification Kit for Base-Rate Change and Coin-Free Dialing

Numeric Index (Continued)

476-220-110	1	Model 301-B, 302-B, and 304-B Coinless Public Telephone Sets - Wall
476-220-120	1	Model 401-B, 402-B, and 404-B Coinless Public Telephone Set - Desk Type
476-400-100	1	A.E.CO. Panel Coin Telephone - Description
476-400-200 and Addendum	4 1	GTE Automatic Electric 101 Panel Coin Telephone Set - Installation
476-400-700	1	A.E.CO. Panel Coin Telephone - Field Maintenance
476-401-100	2	Type 120A Single-Slot Panel Enclosure
476-500-200	2	Installation - Electrical Wiring, Grounding, and Masts for Paystation Booths
476-501-200	2	Installation - Outdoor Aluminum Pay Station Booths
476-501-201	5	Installing Telephone Service In Outdoor Aluminum Coin Telephone Booths
476-501-300	2	Field Maintenance - Aluminum Paystation Booths
476-502-200 and Addendum	1 1	Installation - Booths, 50 and 50S Indoor
476-503-200	1	Installation - Booth, Aluminum Compact Indoor
476-504-200 and Addendum	1 1	Installation - Booth, Outdoor Boothette
476-505-200	2	Models GP-2400 and GP-2700 Coin Telephone Enclosures - Description and Installation
476-505-201	1	Walk-Up Booth (BN-858A) - Installation
476-505-202	1	Adapter Mounting Kit for BN-858A Shelter Booth - Description and Installation
476-506-200	1	Installation - Booth, Shelfette
476-506-201 and Addendum	1 1	Coin Telephone Shelf (Series 7000 and 8000) - Installation
476-507-200	1	Installation - Booth, Portable Shelfette
476-508-200	3	Acousti-Call 20 and 21 Booths - Installation
476-508-201	1	20-L-1AN and 21-L-1AN Indoor Booths - Installation
476-509-200	2	Gladwin Industries GP4402 Pearl Booth - Installation

Numeric Index (Continued)

476-510-200	2	Installation - Booth, Lighted Shelfette®
476-510-201	1	GP-7300 Shelfette Coin Telephone Shelf - Description and Installation
476-520-200	3	Drive-Up, Walk-Up, Indoor/Outdoor, Security Booths - Models 107, 107X, 107X-LT, and 107-X-LT-P
476-521-110	2	PC-5-WC and PC-7-WC Telephone Booths
476-525-100	2	Indoor/Outdoor Telephone Booths - BN500 - Description and Installation
476-525-200	1	BN 4000 Telephone Enclosure - Description and Installation
476-525-201	1	BN 20/20 Indoor/Outdoor Telephone Shelter - Description and Installation
476-601-200	4	Coin Telephone Signs - Description and Installation
476-800-200	2	Installation - Binders, Hangers, and Shelves for Directories
997-260-800 and Addendum	2 4	Type 120A (Single-Slot) Coin Telephone Set - Shop Procedure
997-260-801 and Addendum	1 2	Coin Telephone Set - Shop Procedure - Type 120A to Type 120B - Conversion Instructions
997-260-810	3	Type 120B Single-Slot Coin Telephone Set - Shop Procedure

COIN TELEPHONE HANDBOOK
ALPHABETIC INDEX

BINDERS

Binders, Hangers, and Shelves for Directories476-800-200

BOOTH, INDOOR

Acousti-Call 20 and 21 - Installation476-508-200
Aluminum Compact - Installation476-503-200
Pearl - GP 4402-Installation476-509-200
Shelf - Series 7000 and 8000 - Installation476-506-201
Shelfette™ - GP-7300 - Description and Installation476-510-201
Shelfette - Installation476-506-200
Shelfette® Lighted - Installation476-510-200
Shelfette, Portable - Installation476-507-200
20-L-1AN and 21-L-1AN - Installation476-508-201
50 and 50S - Installation476-502-200

BOOTH, INDOOR/OUTDOOR

BN 20/20 - Description and Installation476-525-201
BN500 - Description and Installation476-525-100
BN 4000 - Description and Installation476-525-200
Drive-up, Walk-up, Security, Models 107, 107X, 107X-LT, and
107-X-LT-P476-520-200
Models GP-2400 and GP-2700 Enclosures - Description and Installation ...476-505-200

BOOTH, OUTDOOR

Aluminum - Field Maintenance476-501-300
Aluminum - Installation476-501-200
Aluminum - Service Installation476-501-201
Boothette - Installation476-504-200
PC-5-WC and PC-7-WC476-521-110
Walk-up (BN-858A) - Installation476-505-201

COIN, LOOSE

Transmittal and Deposit Procedures - General471-005-000

DEVICES, SECURITY

Description and Installation476-210-100

KIT

Adapter Mounting - for BN858A Shelter Booth -
Description and Installation476-505-202
Modification - for Base-Rate Change and Coin-Free Dialing476-215-110

RELAY

Single-Coil Coin - Description476-202-120
Single-Coil Coin - Maintenance476-202-520

SENSOR

Coin Level Volume476-002-200

SET, TEST

Testing Coin Relays Using Model TS-501T Test Set476-101-100

SIGN

Description and Installation	476-601-200
------------------------------------	-------------

TELEPHONE, COIN

Local Prepay Set - Installation	476-204-200
Local Prepay Set - Maintenance	476-204-700
Local Prepay Set - LPA89 Series - Connections	476-204-401
Local Prepay Set - LPA99 Series - Connections	476-204-402
Local Prepay Set - LPB89 Series - Connections	476-204-403
Local Prepay Set - LPC79 Series - Connections	476-204-405
Local Prepay Set - LPC89 Series - Connections	476-204-404
Panel - Description	476-400-100
Panel - Field Maintenance	476-400-700
Panel - Installation	476-400-200
Postpay Set - LPA84 and LPA88 - Connections	476-205-401
Postpay Set - LPA94 and LPA98 - Connections	476-205-402
Postpay Set - LPB84 and LPB88 - Connections	476-205-403
Postpay Set - Types 94 and 98 - Connections	476-205-400
Prepay Set Equipped with Single-Coil Coin Relay - Description	476-202-101
Prepay Set - Description	476-202-100
Prepay Set - Installation	476-202-200
Prepay Set - Maintenance	476-202-700
Prepay Set - LPA82 Series - Connections	476-202-401
Prepay Set - LPA92 Series - Connections	476-202-402
Prepay Set - LPB82 Series - Connections	476-202-403
Prepay Set - LPC72 Series - Connections	476-202-405
Prepay Set - LPC82 Series - Connections	476-202-404
Prepay Set - 92N, 92W - Connections	476-202-400
Semi-Postpay Set - Description	476-203-100
Semi-Postpay Set - Field Maintenance	476-203-700
Semi-Postpay Set - Installation	476-203-200
Semi-Postpay Set - LPA86 Series - Connections	476-203-401
Semi-Postpay Set - LPA96 Series - Connections	476-203-402
Semi-Postpay Set - LPB86 Series - Connections	476-203-403
Semi-Postpay Set - LPC76 Series - Connections	476-203-405
Semi-Postpay Set - LPC86 Series - Connections	476-203-404
Semi-Postpay Set - 96 Series - Connections	476-203-400
Single Slot - Type 120A Panel Enclosure	476-401-100
Single Slot - Type 120A - Description and Installation	476-201-100
Single Slot - Type 120A - Shop Procedure	997-260-800
Single Slot - Type 120A to Type 120B Conversion Instructions - Shop Procedure	997-260-801
Single Slot - Type 120B - Description and Installation	476-201-101
Single Slot - Type 120B - Shop Procedure	997-260-810

TELEPHONE, COINLESS

Model 301-B, 302-B, and 304-B - Wall	476-220-110
Model 401-B, 402-B, and 404-B - Desk	476-220-120

TOTALIZER

Multi-Slot	476-209-100
------------------	-------------

WIRING

Electrical Wiring, Grounding and Masts	476-500-200
--	-------------