

RECEIVERS

FGC 758

R A T E	Code No.	WIND. SPEC.	OHMS RESIST- ANCE	FITS COND	USED ON	DRG. NO.	REMARKS
------------------	----------	----------------	-------------------------	-----------	---------	-------------	---------

Operators Type (Heavy Type - Bakelite)

S	90(A)758	323	150	644(TR)650 F642(TR)650	1016()796 Test Set	200166	P-74300 hook switch stud when furn. for test set.
S	90(B)758	743	650	"	"	"	Same as 90(A)758 except resistance.

Universal Light Weight Type (Opers.) Bakelite. Tested per G.M. 325.

S	87(A)758	1320	56	708(OR)650 710(OR)650 711(O) 650 713(O) 650	Opers. sets	20996	Fits 14()721 & 15()721 Head Bands
---	----------	------	----	--	-------------	-------	--------------------------------------

Bakelite Shell, With Punched Metal Cap. Telephone Type.

NS	F41(A)758	320-B	62	F716(TR)650	See Tel. Section	12117	
----	-----------	-------	----	-------------	---------------------	-------	--

Metal Shell With Bakelite Cap. (Misc.)

S	80(A)758	1152	60	Per Spec.		20509	For R.R. service.
S	80(B)758	1173	100	" "	Penn. R.R.	"	W.E. Co's. 186-W Same as 80(A)758
NS	81(A)758	1152	62	F714(TR)650	4883()330 telephone	"	With eye P-55479 for hook switch.

Capsule Type For Handsets

S	83(A)758	40181	525		TS-11 TS-3 U.S.	40179	U.S. Sig. Corps, water tight sealing
S	83(B)758	1501	41.2		TS-9 U.S.	"	" " "
S	84(A)758	"	"		53(2)410 62(2)410	46462	
S	89(A)758	"	"		46(O), 47(O), 58(O), 64(O), 266(O)410	"	

The following Receiver codes are rated "E" (Discontinued). See Obsolete Code Blc.

CODE NO.	REPLACED BY	CODE NO.	REPLACED BY	CODE NO.	REPLACED BY
1 to 13		F-41-B		58	Never Made
14-A	90(A)758	F-41-BA	F-41(A)758	59-64	
14-B	90(B)758	F-41-BF		65-A	87(A)758 + 14()721
15 to 21		F-41-GA	F-41(A)758	65-B to F-66-A	
22	F41(A)758	F-41-PA to 45		67 & 68	
23	F41(A)758	46-A	90(A)758	Never Made	
24 to 40		46-B	90(B)758	69 to 79	
41-A	F41(A)758	47 Conc.		82-A	
41-B & 41-C		48 to 20053		85-A	87(A)758
Never Made		54	87(A)758 + 14()721		
F-41-D				86-A & B Conc.	
41-PA	F41(A)758	54-BB to 57			

See U.S. Signal Corps section for other receivers

RECEIVERS

CODE NO.	RESIST.		HEAD BAND	TYPE	DRG. NO.	REMARKS
	A	B				
MISCELLANEOUS RECEIVERS						
1	112			SUBS.	1 #36	
2	112			SUBS.	2 #84	ADJUSTABLE DIAPHRAM
3	112	25		"	4 #70	WEIGHTED
4	25	112		"	29	SIM. TO #3
5						NO RECORD
6	70	20		SUBS.	2095	SEE #18
7	60		#1	OPRS.	537	REPLACED BY #14
8	70			SUBS.	761	SEE #17 & 18
9	70			"	5580	
10	70			"	2095	
11	60 60		FC. 3040	OPRS.	2249	WITH 2 #7 RECEIVERS REPL. BY #15
12	70			SUBS.	761	SIM. TO #8 BUT SHELL
13	70	75		"	761	#12 WITHOUT LETTERING #13-B FOR P. & A. CO.
14						
15	150 150	650 650	FC. 3040	OPRS.	6366	WITH 2 #14 RECEIVERS
16	140			"	6025	REPLACED BY #45
17	70			SUBS.	7660	SIM. TO #8 EXCEPT SHELL NO LEAD WEIGHTS, NEW CORD TERM.
18	70			"	7660	SIM. TO #17 EXCEPT SHELL NO LEAD WEIGHTS, NEW CORD TERM.
19	70			"	7660	SIM. TO #8 EXCEPT SHELL NO LEAD WEIGHTS, NEW CORD TERM.
20	70			"	7660	SIM. TO #8 EXCEPT SHELL NO LEAD WEIGHTS, NEW CORD TERM.
21	140		FC. 2718	OPRS.	5019	
22	60			SUBS.	8644	WITH CAST METAL CUP REPL. BY #27 REC.
23	60			"	8743	
24	150			OPRS.	10707	FOR INSULATED SUB. SETS & RUBBER CUP ON BACK. (REPL. BY #65 TYPE)

RECEIVERS

CODE NO.	RESIST.		HEAD BAND	TYPE	DRG. NO.	REMARKS
	A	B				
MISCELLANEOUS RECEIVERS (CONTINUED)						
25	140		#5 & #6	OPRS	12113	FOR USE WITH TEST SET.
26	60			SUBS.	12117	PUNCHED METAL CUP - WITH LUGS.
27	60			"	"	PUNCHED METAL CUP-WITH LUGS. HARD RUBBER.
28	60			"	12862	PUNCHED METAL CUP-WITH LUGS. REPL. BY #38.
29	60			"	"	REPL. BY #37.
30	60			"	12863	REPL. BY #36. PUNCHED METAL CUP-WITH LUGS.
31						NO RECORD.
32	60	700		SUBS.	12864	PUNCHED METAL CUP - WITH LUGS.
33	700		Pc. 2718	OPRS.	13656	#14 BUT BODY. REPL. BY 46-B WITH #2 HEAD BAND
34	700		Pc. 15715	OPRS.	13656	#33 EXCEPT HEAD BAND REPL. BY #33.
35	140			"	5019	DUPLICATE OF #25 LESS HEAD BAND.
36	40			SUBS.	14161	PUNCHED METAL CUP. REPL. BY F-36.
F-36	40			"	14161	#36 WITH TERMS FOR FLAT TYPE CORD TERM.
37	40			"	"	
38	40			"	"	SIM. TO #36 BUT BODY PUNCHED METAL CUP.
39	140			OPRS.	14394	FOR METAL TYPE MICROPHONE.
40	45		#5 & 6	"	16172	CAP IS REINFORCED. ARRANGED FOR HEAD BAND.
41	60	650		SUBS.	12117	41-A REPL. BY F-41-A. 41-B NEVER MADE. SEE F-41-B.
F-41		650		"	12117	
41-C	120				---	NEVER MADE.
F-41-D				SUBS.	12117	FITS CORD F-644-TR. RESIST. 1500 OHMS.
41-EA	60			"	"	FITS CORD 644-TR. EXPORT SPEC. (REPL. BY F-41-EA)
F-41		650		"	"	FITS CORD F-644-TR.
F-41-EA	62			"	"	FITS CORD F-716-TR. REPL. BY F-41-A.
F-41-EF	1000			"	"	

RECEIVERS

CODE NO.	RESIST		HEAD BAND	TYPE	DRG. NO.	REMARKS
	A	B				
MISCELLANEOUS RECEIVERS - CONTINUED						
F-41-GA	62			SUB'S	12117	REPL. BY F-41-EA
F-41-P	62			SUB'S	12117	FITS CORD F-644-TR. BROWN MOLDING COMPOUND
42	40			.	14161	
43	700			.	12864	PUNCHED METAL CUP - WITH LUGS REPL. BY 32-B
44	140			OPRS.	12119	REPL. BY #48 - WITH #5 HEAD BAND.
45	140			"	20371	MICROPHONE RECEIVER REPL. BY #49 OR #50
46	140	650	#2 OR #3	.	.	REPLACED BY #14 - A&B
47	60				12117	CANCELED - REPL. BY #41 WITH SPEC. EAR CAP (FOR MACAY OIL CO.)
48	140			OPRS.	20371	#46 WITH 3 TERM'S
49	140			.	.	#45 EXCEPT TO INCLUDE BRACKETS WIRES TERMS. ETC.
50	140			.	.	#49 BUT WITH EYE FOR HANGING ON HOOK
50	EA 140			"	"	#50 BUT TREATED FOR EXPORT
51				.	.	NEVER MADE
52				.	.	NEVER MADE
20053						SEE PREL. SECTION
54	100	1200 1900	#8	OPERS.	20509	REPL. BY #65 H. RUBBER CASE WITH STUDS
54-EE					.	REPL. BY 65-EE 140 OHMS
20055						SEE PREL. SECTION
56	650			OPRS.	20515	2 #57-A REC. & 1 #3 HEAD BAND
57	650			.	29870	
58						NEVER MADE
59	2400 2500			OPRS.	20515	RADIO (2 #54-B RECEIVERS)
20060						SEE PREL. SECTION
20061						SEE PREL. SECTION
62	100		#8		20587	

RECEIVERS

CODE NO.	RESIST.		HEAD BAND	TYPE	DRG. NO.	REMARKS
	A	B				
MISCELLANEOUS RECEIVERS - CONTINUED						
63	2500			RADIO	20580	
64		1200 TO 1300	#10	RADIO	20509	
64-C	C 1000		#10	"	20509	
64-D	600		#10	"	"	
64-F	2500		#10	"	"	REPLACED BY 63-A
64-G	2500		#10	"	"	REPLACED BY 64-F
65-A	100	1200	#11 OFF #12	OPRS.	"	WITH HOLES IN REC. FOR HEAD BAND STUDS <i>Rep 2 of #87A</i>
65-EE	140		#11 OFF #12	OPRS.	20509	WITH HOLES IN REC. FOR HEAD BAND STUDS
F-66					20527	D.C. RECEIVER
67						NEVER MADE
68						" "
69	2400 TO 2500			RADIO	20515	
69-C	2000			"	"	
69-D	600			"	"	
70	1600 TO 1800			"	20662	USED WITH #553 REPRODUCER 1 - #635 COFD
71	"			"	"	
72	"			"	"	70-A WITH PHON. ADAPTER
73	"			"	"	72-A WITH STAND
74	"			"	"	70-A BUT FOR HORN OTHER THAN KELLOGG
75	140			GRABAPHONE	20545	#49 WITH BRACKET OF #13 GRABAPHONE
76	140			"	"	#50 WITH BRACKET OF #14 GRABAPHONE
77	1700			RADIO	20662	LOUD SPEAKER UNIT
78	"			"	"	

